

イチモンジカメムシ(フェロモントラップ誘殺数)半旬別推定値
調査場所:亀岡市(水盤)

月・半旬	R7	例年	R6	R5	R4	R3	R2	H31+R1	H30	H29	発生量・例年比多い
4・1	0.0	1.0	1.0	1.4	3.2	0.0	1.3	0.0	1.0	0.0	0.0
2	0.3	2.0	1.4	0.7	11.9	0.0	1.7	0.0	0.0	0.3	0.3
3	1.7	1.9	4.3	1.3	5.6	0.6	2.1	0.0	0.0	1.4	1.4
4	7.9	2.1	2.0	3.9	2.1	0.4	1.4	4.0	2.1	0.5	0.5
5	4.9	2.7	2.0	7.1	5.0	0.0	1.0	4.1	1.0	1.3	1.3
6	2.7	2.7	2.9	7.5	1.0	0.0	2.9	2.9	0.8	3.7	3.7
5・1	2.1	2.7	0.0	4.9	0.0	0.0	11.4	0.7	0.0	4.8	4.8
2	1.6	2.3	0.0	2.9	3.0	2.1	4.3	1.6	0.3	4.4	4.4
3	1.4	1.1	0.0	0.7	1.4	0.9	1.4	1.7	0.7	2.0	2.0
4	1.4	0.4	0.0	0.0	0.6	0.0	0.6	0.0	0.0	1.8	1.8
5	0.0	0.3	0.6	0.0	0.0	0.0	0.0	1.1	0.0	0.8	0.8
6	0.0	0.4	1.3	0.7	0.0	0.0	0.7	0.9	0.0	0.0	0.0
6・1	0.0	0.4	1.3	1.9	0.0	0.0	0.3	0.0	0.0	0.0	0.0
2	0.1	0.3	0.7	1.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0
3	0.6	0.2	0.1	0.9	0.0	0.0	0.7	0.0	0.0	0.0	0.0
4	0.3	0.1	0.6	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
5	0.0	0.4	1.4	0.7	0.0	0.0	1.1	0.0	0.0	0.0	0.0
6	0.0	0.6	1.4	0.3	0.0	0.0	1.9	0.0	0.7	0.0	0.0
7・1	2.3	1.0	3.1	0.3	1.0	0.0	1.4	0.7	1.2	0.0	0.0
2	6.0	1.2	3.7	1.4	1.7	0.0	0.6	0.3	2.1	0.0	0.0
3	10.7	1.3	1.4	2.0	4.6	0.0	0.1	2.1	0.0	0.0	0.0
4	3.3	2.0	2.6	1.6	8.1	0.0	0.7	2.1	0.0	1.0	1.0
5	5.8	1.8	2.0	0.7	8.6	0.0	0.7	2.0	0.1	0.0	0.0
6	9.4	3.1	1.5	7.7	11.7	0.0	0.4	1.7	0.9	0.6	0.6
8・1	6.5	2.8	3.5	10.4	5.8	0.0	0.0	0.0	0.0	2.4	2.4
2	2.3	1.2	1.6	6.9	1.2	0.0	0.0	0.0	0.0	0.0	0.0
3	0.4	2.1	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	1.1	1.7	1.7	1.2	0.0	0.0	0.0	0.0	4.3	0.3	0.3
5	1.4	0.3	2.1	1.9	0.0	0.0	0.0	0.0	6.2	0.8	0.8
6	2.0	1.7	7.2	4.3	0.0	0.0	0.4	0.0	2.4	0.0	0.0
9・1			2.1	2.6	8.7	1.4	0.0	2.1	0.0	2.1	0.0
2			2.2	1.4	10.5	1.4	0.0	3.7	0.7	0.0	0.0
3			2.4	1.6	8.9	1.7	0.0	6.4	0.3	0.0	0.0
4			2.1	4.5	5.0	2.9	0.0	3.6	0.0	0.1	1.0
5			4.6	8.1	5.7	12.6	0.0	4.6	0.0	0.7	5.3
6			9.5	15.0	7.0	35.6	1.7	7.1	2.0	0.1	7.1
10・1			10.9	13.3	8.0	40.9	4.3	5.0	4.4	1.6	10.1
2			6.7	14.0	8.6	7.1	0.0	3.7	4.7	1.4	14.2
3			8.5	15.7	10.3	34.6	0.5	2.9	0.8	0.7	2.6
4			6.5	7.9	8.1	30.3	0.5	2.9	1.0	0.3	1.0
5			4.5	13.0	4.3	13.6	0.0	2.3	1.1	0.0	1.5
6			5.1	15.1	8.0	8.6	0.9	1.7	3.2	0.0	3.5
11・1			6.3	7.7	16.3	11.1	0.1	—	1.7	—	0.8
2			6.7	7.7	11.8	10.4	1.5	—	—	—	2.0
3			4.2	7.5	5.0	7.9	0.5	—	—	—	0.0
4			2.7	7.5	0.0	5.8	0.0	—	—	—	0.0
5			1.1	1.8	1.8	2.1	0.0	—	—	—	0.0
6			0.8	0.4	2.2	1.1	0.0	—	—	—	0.0
7月第3半旬～8月第2半旬計	38.0	12.1	12.6	29.3	40.0	0.0	1.9	7.9	1.0	4.0	
4～11月計	71.3	127.7	191.3	208.4	313.8	14.0	83.6	45.8	30.9	75.0	

イチモンジカメムシ(フェロモントラップ誘殺数)
(亀岡市:水盤)

