

吉坂 放射線測定所

2013年11月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	37.9	38.1	38.4	38.8	38.6	36.9	36.6	37.0	36.2	36.2	36.1	36.2	36.2	36.3	36.4	36.4	36.5	36.6	36.6	36.5	37.0	37.1	37.4	37.8	38.8	36.1	37.0	0.8	24	
2	37.7	37.9	38.5	39.0	39.4	39.2	40.4	40.2	39.9	39.0	39.1	39.1	39.3	38.9	38.0	37.8	37.7	37.5	37.4	37.2	37.3	37.6	37.8	37.8	40.4	37.2	38.5	1.0	24	
3	37.7	37.9	38.2	38.4	38.2	38.4	38.5	38.4	38.3	38.3	38.5	45.0	46.5	45.0	41.5	43.4	43.3	46.0	46.3	47.4	51.1	52.6	47.9	41.6	52.6	37.7	42.4	4.6	24	
4	42.7	41.2	39.6	38.1	37.6	38.4	43.7	44.8	45.7	39.5	37.2	38.2	55.1	47.6	41.5	37.8	36.4	36.3	36.3	36.7	36.7	36.9	45.1	39.7	55.1	36.3	40.7	4.5	24	
5	43.9	40.6	38.0	38.2	37.7	37.5	37.4	36.8	36.6	36.0	35.8	36.0	35.9	36.1	35.9	35.9	35.8	36.0	36.0	36.2	36.3	36.8	37.0	37.3	43.9	35.8	37.1	1.8	24	
6	37.4	38.1	38.2	38.9	39.7	39.6	39.7	39.8	39.7	39.4	38.1	37.1	37.0	36.9	37.0	36.8	37.1	36.9	37.3	38.3	37.9	37.3	37.3	37.5	39.8	36.8	38.0	1.1	24	
7	37.6	37.6	37.5	37.7	37.9	37.8	37.9	37.8	38.1	38.0	37.9	37.3	38.4	46.9	40.0	37.3	36.7	36.5	36.6	36.5	36.5	36.7	36.9	36.9	46.9	36.5	37.9	2.1	24	
8	37.0	37.0	37.2	37.6	37.5	37.7	38.1	38.4	39.0	39.2	38.9	38.5	37.8	36.9	36.6	36.6	37.7	65.0	62.0	51.5	44.6	47.1	43.1	37.8	65.0	36.5	41.4	7.7	24	
9	36.5	36.3	36.4	36.4	36.4	36.7	36.8	37.5	37.6	37.3	36.9	36.6	37.3	37.1	37.0	36.8	37.1	37.1	36.7	36.6	36.6	36.7	36.7	36.5	37.6	36.3	36.8	0.4	24	
10	36.4	36.2	36.3	36.5	36.5	36.7	42.7	47.6	46.9	42.1	37.8	43.2	50.5	58.6	60.8	62.3	67.4	64.4	55.6	61.4	62.1	48.5	51.8	60.0	67.4	36.2	49.3	10.8	24	
11	65.2	49.2	40.3	44.1	63.2	52.7	43.4	41.2	46.9	52.6	56.3	51.0	67.0	95.7	89.5	77.5	59.1	50.9	54.9	56.8	42.9	46.4	41.2	47.1	95.7	40.3	55.6	14.7	24	
12	44.7	41.9	39.0	37.1	37.9	38.4	39.9	42.1	39.6	40.1	45.7	44.5	45.5	40.8	38.2	37.0	38.3	41.7	44.2	48.1	46.4	59.8	80.9	75.0	80.9	37.0	45.3	11.2	24	
13	70.3	67.8	61.3	72.4	64.7	49.7	42.9	38.4	36.1	40.0	41.0	38.9	46.0	43.9	48.3	48.2	45.0	42.1	42.6	38.0	36.6	36.4	36.5	36.7	72.4	36.1	46.8	11.6	24	
14	36.9	37.3	37.7	38.1	37.8	37.7	37.8	37.8	37.6	37.7	37.5	37.2	36.1	35.9	36.0	36.1	36.1	36.0	36.1	36.0	36.1	36.0	36.3	36.2	38.1	35.9	36.8	0.8	24	
15	36.7	36.5	36.7	39.1	50.3	56.4	57.8	59.1	59.3	56.1	47.3	40.9	38.0	37.1	36.4	36.3	36.3	36.1	35.9	36.3	36.3	36.3	36.9	37.4	37.8	59.3	35.9	42.4	8.8	24
16	37.8	39.5	39.3	38.9	39.1	38.4	38.2	38.2	38.3	38.1	38.2	37.9	37.1	36.3	36.3	36.2	36.0	36.1	35.9	36.3	36.4	36.7	36.9	37.1	39.5	35.9	37.5	1.2	24	
17	37.2	37.6	38.2	39.0	39.5	39.6	39.1	38.8	38.4	37.9	37.3	36.4	36.6	36.4	36.3	36.3	36.3	38.1	37.7	36.8	36.8	36.9	37.2	37.3	39.6	36.3	37.6	1.1	24	
18	37.7	37.7	37.8	37.8	38.1	37.7	37.2	37.0	36.9	37.0	37.0	37.1	37.0	36.8	36.7	36.8	37.8	37.2	36.7	36.4	36.4	36.5	37.3	37.7	38.6	36.6	37.5	0.6	24	
19	37.0	36.8	36.9	37.5	37.3	37.1	37.1	37.0	37.0	37.0	37.2	37.2	37.3	37.4	37.3	37.2	37.2	37.2	37.1	36.8	37.0	37.0	37.0	37.1	37.5	36.8	37.1	0.2	24	
20	37.2	37.4	37.5	37.7	38.0	38.0	38.1	38.1	37.9	37.4	*164.0	*51.9	*37.3	*43.4	*40.7	*98.8	*108.2	36.9	36.7	37.0	37.0	37.2	37.2	37.0	38.1	36.7	*37.4	0.5	17	
21	36.8	37.2	37.6	38.0	38.2	38.1	37.3	37.8	38.7	38.2	37.5	37.0	36.9	37.2	37.2	37.3	36.9	36.8	36.7	36.8	37.0	37.2	37.4	37.5	38.7	36.7	37.4	0.5	24	
22	38.2	38.5	38.4	38.5	38.6	38.9	39.4	39.2	39.1	38.9	38.1	38.3	39.5	38.4	37.3	36.7	38.6	40.0	37.5	39.6	39.4	38.7	44.3	39.9	44.3	36.7	38.9	1.4	24	
23	37.8	37.5	37.6	37.8	38.0	37.9	37.9	38.2	38.2	38.2	38.6	38.3	37.1	36.9	36.6	36.6	36.6	36.8	36.7	36.7	36.9	37.1	37.3	37.7	38.6	36.6	37.5	0.6	24	
24	38.2	38.5	38.5	39.0	39.3	39.6	39.3	39.9	40.0	40.1	39.9	38.6	37.3	36.7	36.2	36.2	36.3	36.3	36.4	36.9	37.1	37.4	37.2	36.9	40.1	36.2	38.0	1.4	24	
25	36.6	36.5	36.7	36.6	36.5	36.5	36.6	36.4	36.3	36.5	36.3	36.2	36.7	37.5	41.1	46.6	62.3	56.0	42.4	38.2	37.2	37.0	37.0	37.0	62.3	36.2	39.5	6.6	24	
26	37.3	37.7	37.7	37.8	37.6	37.7	37.9	38.4	38.4	37.7	36.2	36.3	36.3	36.1	36.1	35.8	35.7	35.6	35.7	35.9	35.9	36.2	36.0	36.2	38.4	35.6	36.8	1.0	24	
27	36.5	36.7	37.0	37.2	37.3	38.2	38.3	38.5	38.3	37.3	36.7	36.6	36.6	36.4	36.6	36.9	36.6	36.4	38.1	38.0	37.0	36.9	37.1	37.2	38.5	36.4	37.2	0.7	24	
28	36.9	36.8	36.8	36.9	37.2	37.1	36.6	36.5	36.5	36.6	36.2	36.2	36.0	36.1	36.2	36.1	36.3	36.4	36.6	36.8	36.8	37.0	37.2	37.4	37.4	36.0	36.6	0.4	24	
29	37.5	37.5	37.6	37.9	38.1	38.2	38.1	38.0	37.6	37.1	37.2	37.4	37.2	36.8	36.9	36.6	37.1	37.4	38.5	39.1	46.3	42.1	43.5	40.7	46.3	36.6	38.5	2.4	24	
30	38.9	37.5	37.0	37.0	37.1	37.1	37.2	37.7	38.2	38.3	37.9	36.8	36.3	36.1	36.3	36.3	36.6	36.4	36.7	36.7	37.0	37.1	37.2	37.4	38.9	36.1	37.1	0.7	24	
31																														
最大値	70.3	67.8	61.3	72.4	64.7	56.4	57.8	59.1	59.3	56.1	56.3	51.0	67.0	95.7	89.5	77.5	67.4	65.0	62.0	61.4	62.1	59.8	80.9	75.0	95.7		55.6			
最小値	36.4	36.2	36.3	36.4	36.4	36.5	36.5	36.4	36.1	36.0	35.8	36.0	35.9	35.9	35.9	35.8	35.7	35.6	35.7	35.9	35.9	36.0	36.2	36.0	36.2	35.6	36.6			
平均値	40.0	39.2	38.6	39.3	40.1	39.5	39.4	39.6	39.2	39.2	38.9	38.6	40.1	41.0	40.4	39.9	40.0	40.4	39.8	39.7	39.3	39.6	40.4	40.0	40.0		39.7			
標準偏差	7.8	5.9	4.4	6.4	6.9	4.7	4.0	4.4	4.7	4.4	4.2	3.4	7.1	11.6	10.7	9.1	8.3	8.1	6.6	6.5	5.7	5.7	8.6	8.0			6.8			
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	29	29	29	30	30	30	30	30	30	30	30					713
有効測定日数	29									28298.1			95.7		35.6		39.7					55.6				36.6				102/01
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	19	581	43	27	9	13	11	4	2	2	0	1	1	0	0	713						
出現割合(%)	0	0	0	0	0	0	0	0	2.665	81.487	6.031	3.787	1.262	1.823	1.543	0.561	0.281	0.281	0	0.14	0.14	0	0	100						

倉梯 放射線測定所

2013年10月

単位:nGy/h

時刻 日	測定時間																								標準偏差	測定時間				
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24						
1	50.4	50.9	50.5	50.3	50.8	50.8	51.0	50.6	49.8	49.3	48.8	48.6	48.4	48.5	48.4	48.3	48.2	48.3	48.8	48.9	49.1	49.1	49.3	49.7	51.0	48.2	49.4	1.0	24	
2	50.0	50.0	50.5	50.3	50.5	50.6	51.2	51.3	51.1	51.1	49.7	49.4	48.9	48.7	48.6	48.5	48.3	48.3	49.0	48.9	49.1	49.6	49.5	49.1	51.3	48.3	49.7	1.0	24	
3	49.1	48.9	49.0	49.1	49.7	52.5	58.3	64.9	57.8	50.5	48.5	48.2	48.1	48.2	48.2	48.3	48.2	48.3	48.5	48.7	48.8	49.0	49.2	64.9	48.1	50.3	4.1	24		
4	49.8	50.0	50.3	50.3	50.5	50.4	49.7	48.5	48.3	48.3	48.2	48.2	48.1	48.2	48.1	48.2	48.1	48.6	48.4	48.7	49.0	49.1	49.3	49.5	50.5	48.1	49.0	0.9	24	
5	49.6	49.8	50.0	50.1	50.5	50.6	50.7	51.7	52.3	51.4	51.5	51.1	50.6	50.6	50.2	49.3	49.1	49.3	49.8	49.9	50.1	50.3	51.0	51.4	52.3	49.1	50.5	0.8	24	
6	51.2	51.6	52.0	52.1	52.2	51.7	51.9	51.8	51.4	50.9	50.3	50.0	49.9	49.4	49.4	49.5	48.9	48.9	49.1	49.4	49.6	49.6	50.1	49.8	52.2	48.6	50.4	1.2	24	
7	50.4	50.1	50.5	50.7	50.5	50.8	50.7	50.5	50.0	49.8	49.4	48.3	48.1	47.9	47.8	47.9	48.0	47.9	48.3	48.4	48.8	49.1	49.4	49.5	50.8	47.8	49.3	1.1	24	
8	49.6	50.1	50.2	49.7	50.1	50.3	50.3	50.1	50.2	49.9	50.1	49.8	49.7	48.9	48.6	48.7	48.4	48.5	49.0	49.2	48.9	48.6	48.8	49.0	50.3	48.4	49.4	0.7	24	
9	49.0	48.5	48.4	48.5	48.6	48.6	48.5	48.6	49.1	48.6	48.5	48.6	48.7	48.6	48.2	48.2	48.1	48.3	48.3	48.3	48.7	48.7	49.7	49.8	49.8	48.1	48.6	0.4	24	
10	49.5	49.5	49.3	49.4	49.6	49.6	49.9	49.8	49.4	49.3	48.3	48.6	48.9	48.7	48.9	48.8	48.9	49.2	50.0	50.7	50.9	51.4	51.5	51.1	51.5	48.3	49.6	0.9	24	
11	50.2	49.2	48.9	48.9	48.9	48.9	48.9	48.5	48.2	48.0	48.1	48.2	48.8	48.5	48.2	48.4	49.1	47.7	48.1	48.5	48.7	48.5	48.7	49.1	50.2	47.7	48.6	0.5	24	
12	49.5	49.8	50.0	50.4	50.0	50.0	50.2	50.5	47.8	46.6	46.1	46.0	46.2	46.0	45.7	47.4	49.0	49.1	49.2	49.0	49.1	49.2	49.4	49.5	50.5	45.7	48.7	1.6	24	
13	49.4	49.5	49.7	49.7	49.8	50.3	50.4	50.6	50.7	50.2	49.7	49.4	49.2	49.1	49.3	49.2	49.1	49.2	49.0	49.1	49.1	49.3	49.2	49.2	50.7	49.0	49.6	0.5	24	
14	49.6	50.0	50.2	50.4	50.6	50.7	51.0	51.2	51.5	51.7	51.1	50.4	50.5	50.5	49.6	49.3	49.7	49.5	49.9	50.1	50.3	50.5	51.0	51.0	51.7	49.3	50.4	0.6	24	
15	51.1	51.1	51.2	51.1	50.9	50.7	50.8	50.7	50.9	51.0	51.0	51.8	53.0	53.8	52.3	53.8	53.7	53.6	54.5	55.6	55.4	55.5	55.5	55.5	55.6	50.6	52.4	1.8	24	
16	53.4	52.5	54.0	54.1	60.2	60.2	56.4	55.3	52.3	53.8	53.4	53.9	54.9	55.3	50.0	48.8	50.7	51.3	49.0	48.0	48.5	49.3	49.2	48.0	60.2	48.0	52.6	3.5	24	
17	47.6	47.4	47.3	47.2	47.4	47.3	47.3	47.3	47.4	47.3	47.4	47.2	47.3	47.4	47.1	47.3	47.5	47.5	47.4	47.6	47.8	47.7	47.7	47.9	47.4	47.1	47.4	0.2	24	
18	48.0	47.8	48.1	48.0	48.2	48.5	48.8	49.1	49.4	49.5	49.0	48.3	48.1	47.9	48.0	47.9	48.2	48.1	48.4	48.5	48.6	48.6	48.9	49.6	47.8	48.5	48.5	0.5	24	
19	51.2	50.9	50.7	50.6	52.0	54.6	53.4	52.3	50.7	49.5	48.5	48.4	48.2	48.5	48.2	48.2	47.9	48.2	48.2	48.3	48.5	48.7	49.2	50.0	54.6	47.9	49.8	1.9	24	
20	50.2	50.7	51.9	50.3	51.5	53.1	53.4	50.9	49.5	49.3	49.3	48.8	50.4	50.8	50.6	50.1	48.8	48.4	49.4	49.8	50.6	50.2	49.2	49.2	53.4	48.4	50.3	1.3	24	
21	49.0	49.6	49.7	49.6	49.8	49.5	50.1	50.1	49.8	49.4	48.8	48.3	48.3	48.1	48.0	47.8	47.5	47.6	48.0	48.2	48.5	48.3	48.1	48.1	50.1	47.5	48.8	0.8	24	
22	48.2	48.8	50.4	50.0	49.9	49.9	49.4	47.8	47.2	47.3	47.3	47.1	47.1	47.5	47.5	47.1	47.1	47.3	47.6	47.4	47.5	47.6	47.6	47.8	50.4	47.1	48.0	1.1	24	
23	48.1	48.3	48.4	49.0	49.0	49.0	48.8	49.2	49.2	49.1	48.8	48.0	48.4	48.9	48.9	50.2	49.8	49.6	50.3	50.8	51.3	51.0	50.3	49.7	49.8	51.3	48.0	49.4	0.9	24
24	49.3	48.6	48.4	48.3	48.3	48.9	49.1	49.3	48.6	48.4	48.0	47.8	48.1	48.2	48.5	48.3	48.7	49.4	51.2	54.6	53.4	52.7	53.2	57.1	57.1	47.8	49.8	2.5	24	
25	59.4	61.3	59.7	57.2	56.9	58.7	57.3	54.8	53.0	54.3	56.8	54.6	52.2	49.5	50.2	50.4	51.5	52.6	51.7	51.2	50.8	50.7	52.9	55.7	61.3	49.5	54.3	3.4	24	
26	55.9	52.8	50.1	50.3	49.4	48.9	48.6	48.7	48.7	48.7	48.8	48.8	48.7	48.8	48.6	54.3	55.2	52.3	50.7	51.3	48.7	49.5	48.6	48.0	55.9	48.0	50.2	2.3	24	
27	47.7	47.8	47.8	47.6	47.4	47.4	47.6	47.6	47.6	47.6	47.4	47.6	47.7	47.8	47.6	47.7	47.5	47.6	47.8	48.1	48.3	48.4	48.4	48.4	47.4	47.8	47.8	0.3	24	
28	48.7	48.5	49.0	48.8	49.0	49.7	49.9	50.4	50.2	49.8	48.1	47.8	47.9	47.6	47.6	47.7	47.6	47.6	48.1	48.1	48.6	48.8	49.0	49.5	50.4	47.6	48.7	0.9	24	
29	49.7	50.0	50.3	50.5	50.5	50.7	50.9	51.1	51.5	51.6	51.2	51.3	50.8	50.6	50.0	49.7	51.9	54.2	51.0	49.8	49.3	49.4	49.5	49.7	54.2	49.3	50.6	1.1	24	
30	49.8	49.8	50.2	50.1	49.9	50.1	49.9	50.0	50.1	50.4	49.3	48.7	48.6	49.0	49.2	48.9	48.6	48.7	48.9	49.1	49.2	49.2	49.5	49.4	50.4	48.6	49.4	0.6	24	
31	49.7	49.9	50.5	50.5	50.7	50.6	51.0	51.6	51.7	51.4	49.9	48.9	48.7	48.5	48.6	48.7	48.9	48.8	48.9	49.3	49.5	49.8	49.8	50.0	51.7	48.5	49.8	1.0	24	
最大値	59.4	61.3	59.7	57.2	60.2	60.2	58.3	64.9	57.8	54.3	56.8	54.6	54.9	55.3	53.8	54.3	55.2	54.2	53.6	54.6	55.6	54.4	55.4	57.1	64.9	54.3	54.3			
最小値	47.6	47.4	47.3	47.2	47.4	47.3	47.3	47.3	47.2	46.6	46.1	46.0	46.2	46.0	45.7	47.1	47.1	47.3	47.4	47.4	47.5	47.6	47.6	47.8	47.8	45.7	47.4	47.4		
平均値	50.1	50.1	50.2	50.1	50.4	50.8	50.8	50.8	50.2	49.8	49.4	49.1	49.1	49.0	48.8	49.0	49.1	49.2	49.2	49.4	49.5	49.5	49.7	50.0	49.7	49.7	49.7	49.7		
標準偏差	2.4	2.4	2.2	1.9	2.5	2.8	2.6	3.2	2.1	1.8	2.0	1.8	1.7	1.8	1.4	1.4	1.8	1.8	1.4	1.7	1.6	1.4	1.6	2.2		49.7	49.7	2.1		
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31				744	
有効測定日数	31																													
測定時間	744																													
測定値合計	36995.9																													
測定値の最小値	45.7																													
測定値の最大値	64.9																													
日平均値の最小値	47.4																													
日平均値の最大値	54.3																													

倉梯 放射線測定所

2013年11月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏 差	測定時 間	
1	50.2	50.5	50.7	50.8	51.1	50.4	50.3	50.1	49.5	48.1	48.1	48.2	48.2	48.2	48.4	48.2	48.4	48.6	48.7	48.8	48.8	49.0	48.8	48.7	51.1	48.1	49.3	49.3	1.0	24
2	50.0	50.4	50.6	51.2	51.1	51.7	52.2	52.1	50.8	50.2	49.9	50.3	50.8	50.3	49.7	49.7	49.4	49.3	49.5	49.6	49.6	49.8	50.3	50.4	50.5	52.2	49.3	50.4	0.8	24
3	50.7	50.9	51.4	51.0	51.0	50.8	50.8	50.8	50.6	50.6	51.3	51.6	51.8	51.0	50.8	50.3	50.5	50.8	51.2	51.1	51.1	51.1	51.1	51.1	52.1	50.6	50.6	50.8	3.8	24
4	53.1	53.3	52.3	49.9	48.8	48.7	50.4	55.1	54.6	50.5	48.9	48.4	52.9	52.5	50.4	48.6	48.3	48.3	48.4	48.4	48.4	53.9	53.5	50.6	49.2	55.1	48.3	50.8	2.3	24
5	50.7	49.4	49.0	49.9	50.6	49.2	49.1	49.2	49.3	48.8	47.8	47.9	47.8	47.9	47.9	47.8	47.9	48.0	48.2	48.2	48.3	48.5	48.9	48.0	48.3	50.7	47.8	48.8	0.9	24
6	49.7	50.2	50.5	50.9	51.8	52.0	51.8	52.0	51.7	51.5	50.8	49.0	49.0	48.4	48.0	48.5	48.8	48.8	49.1	49.6	50.0	49.3	49.5	49.0	49.3	52.0	48.0	50.0	1.3	24
7	49.6	49.6	49.5	49.8	49.9	49.8	49.9	50.3	50.0	50.1	48.9	48.9	49.1	58.4	51.9	48.8	48.3	48.4	48.3	48.5	48.5	48.5	48.6	49.0	48.5	58.4	48.3	49.7	2.0	24
8	49.9	50.1	50.0	50.5	50.5	50.7	50.9	50.8	50.8	51.2	51.2	49.7	48.6	48.4	48.4	48.4	48.3	58.8	59.5	48.8	48.5	48.8	48.8	52.6	49.4	59.5	48.6	50.7	2.9	24
9	48.5	48.2	48.4	48.6	49.1	49.4	49.4	49.7	49.6	49.5	49.3	49.8	50.1	49.8	49.8	49.8	49.9	49.4	49.1	49.5	49.0	48.8	48.8	49.2	48.6	50.1	48.2	49.3	0.5	24
10	48.4	48.5	48.2	48.5	48.4	49.1	56.0	60.9	59.7	54.7	49.7	56.9	65.5	73.9	75.3	71.4	70.0	65.1	55.9	51.6	52.7	54.5	59.5	66.3	75.3	48.2	58.0	8.8	24	
11	66.4	60.1	52.0	50.2	53.4	55.1	51.5	51.8	52.6	62.5	63.0	59.2	63.4	76.4	71.6	72.2	66.7	63.0	60.9	58.4	50.4	51.2	49.8	54.2	76.4	49.8	58.9	7.8	24	
12	50.8	50.5	50.1	48.9	51.2	50.2	51.0	53.1	50.2	48.8	51.4	50.7	49.4	49.1	47.9	48.6	49.8	50.0	50.3	54.7	53.7	61.6	72.4	70.1	72.4	47.9	52.7	6.4	24	
13	69.0	69.2	61.1	66.5	62.6	54.4	51.8	51.0	48.7	50.9	50.5	48.7	50.1	50.0	54.7	53.5	55.8	53.3	50.1	48.7	48.3	48.4	48.2	48.7	69.2	48.2	53.9	6.7	24	
14	48.8	49.1	49.5	49.8	49.9	50.0	50.0	50.1	50.0	50.0	50.1	49.3	48.0	48.2	48.4	48.4	48.2	48.2	48.3	48.6	48.6	48.9	48.6	49.6	50.1	48.0	49.2	0.8	24	
15	49.5	48.7	48.9	51.5	63.2	66.9	66.1	68.1	70.3	67.0	58.8	53.3	50.3	49.1	48.5	48.7	48.6	48.4	48.8	48.8	48.8	49.2	49.4	50.1	70.3	48.4	54.2	7.9	24	
16	50.1	50.6	51.4	51.0	50.5	50.7	50.0	50.4	50.5	50.8	50.7	50.3	49.2	48.2	48.5	48.3	48.6	48.5	48.6	48.8	48.8	49.1	49.3	49.7	49.9	51.4	48.2	49.7	1.0	24
17	50.1	50.5	51.1	51.2	51.2	51.4	51.4	51.2	51.0	50.2	48.7	48.6	48.6	48.5	48.4	48.5	48.5	52.1	50.3	48.1	48.9	48.9	48.9	49.4	52.1	48.4	49.9	1.2	24	
18	49.7	49.9	50.5	50.7	50.1	49.4	49.0	48.8	49.2	49.5	49.3	49.1	49.0	48.7	48.9	48.8	50.4	48.9	48.6	48.5	49.0	49.0	48.8	48.8	50.7	48.5	49.3	0.6	24	
19	49.0	49.0	49.0	48.9	49.1	49.4	49.5	49.2	49.2	49.1	49.3	49.2	49.1	49.0	49.2	49.3	49.3	49.0	49.1	49.0	49.1	49.2	49.1	49.1	49.2	49.5	48.9	49.1	0.1	24
20	49.2	49.4	49.3	49.5	49.6	49.6	49.5	49.5	49.4	49.4	49.4	49.3	49.7	49.2	49.1	48.8	48.6	48.8	49.0	48.9	48.9	48.9	48.7	48.8	49.7	48.6	49.2	0.3	24	
21	48.9	49.0	49.0	51.4	51.5	50.0	49.4	49.6	50.1	49.5	49.1	48.9	49.2	49.1	49.3	49.2	48.7	48.7	48.6	48.7	49.1	49.3	49.5	50.0	50.0	51.5	48.6	49.4	0.8	24
22	50.0	50.2	50.1	50.6	50.6	50.7	50.9	51.2	51.2	51.2	50.6	50.1	49.9	49.4	49.4	48.7	49.9	57.2	56.2	55.1	54.2	53.8	55.8	50.8	57.2	48.7	51.5	2.4	24	
23	49.2	49.0	49.4	49.6	50.1	49.9	50.3	50.3	49.7	49.8	49.1	48.3	48.7	48.1	47.8	47.6	47.8	48.5	48.8	48.8	48.3	48.7	50.2	50.6	50.6	46.7	49.1	1.0	24	
24	50.8	51.0	50.9	51.2	51.2	51.7	52.0	52.1	51.8	51.7	52.2	51.6	49.6	48.4	48.1	47.9	47.9	48.5	48.7	49.2	49.5	49.5	49.8	49.0	52.2	47.9	50.2	1.5	24	
25	48.5	48.4	48.5	48.5	48.4	48.6	48.4	48.4	48.3	48.3	48.3	48.1	48.0	50.4	55.2	59.2	70.1	60.8	52.1	49.6	49.6	49.0	48.0	49.0	49.0	70.1	48.1	51.0	5.3	24
26	49.3	49.5	49.5	49.4	49.3	49.5	49.9	49.9	50.0	48.8	48.1	47.7	48.0	47.9	47.7	47.5	47.4	47.6	47.7	47.8	48.0	48.0	48.0	48.0	48.2	50.0	47.4	48.5	0.9	24
27	48.9	49.2	49.3	49.8	50.4	50.7	51.1	50.7	49.0	48.3	48.4	48.6	48.3	48.6	48.9	48.7	48.8	48.6	50.2	49.4	49.0	48.9	49.0	49.1	51.1	48.3	49.3	0.8	24	
28	49.0	49.0	49.0	49.1	48.8	48.4	48.6	48.6	48.3	48.4	*0.0	***	*0.0	*48.0	48.2	48.2	48.1	48.4	48.7	48.9	48.9	48.9	49.1	49.5	49.5	48.1	48.7	0.4	20	
29	49.9	50.3	50.2	50.6	50.4	50.3	49.5	49.4	49.3	49.2	49.4	49.5	49.1	49.0	48.8	48.6	49.2	49.7	51.3	52.5	56.2	55.3	55.4	51.0	56.2	48.6	50.6	2.1	24	
30	51.2	49.9	49.3	49.3	49.8	50.0	50.3	50.7	51.1	50.7	49.7	49.0	48.5	48.7	48.5	48.7	48.8	49.0	49.0	49.3	49.5	50.0	49.9	50.2	51.2	48.5	49.6	0.8	24	
31																														
最大値	69.0	69.2	61.1	66.5	63.2	66.9	66.1	68.1	70.3	67.0	63.0	59.2	65.5	76.4	75.3	72.2	70.1	65.1	60.9	58.8	61.9	62.1	72.4	70.1	76.4		58.9			
最小値	48.4	48.2	48.2	48.5	48.4	48.4	48.4	48.4	48.3	48.1	47.8	47.7	46.7	47.9	47.7	47.5	47.4	47.6	47.7	47.8	47.8	46.9	48.0	48.2	48.0	46.7	48.5			
平均値	51.0	50.8	50.3	50.6	51.1	51.0	51.0	51.5	51.2	51.0	50.4	50.2	50.5	51.4	51.0	50.9	51.2	51.3	50.7	50.2	50.2	50.7	51.2	51.0	51.0		50.8			
標準偏差	4.7	4.1	2.3	3.1	3.4	3.4	3.2	3.9	4.2	4.0	3.1	2.9	4.3	7.0	6.4	6.2	6.3	4.9	3.5	2.7	3.0	3.6	4.9	4.8			4.3			
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30				716	
有効測定日数	30																													
測定時間	716																													
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30					
測定時間	30	30	30	30																										

倉梯 放射線測定所

2013年12月

単位:nGy/h

時刻 日	測定時間数																								測定時間		標準偏 差	測定時 間		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値			平均値	
1	50.4	50.5	50.8	51.3	51.5	51.5	51.8	52.4	52.3	51.4	49.2	48.6	48.4	49.1	51.7	52.6	50.1	48.7	48.7	49.0	48.9	49.5	49.8	50.1	50.2	52.6	48.4	50.3	1.4	24
2	50.4	50.9	51.0	51.1	51.6	51.9	52.2	52.3	52.6	52.5	52.5	52.8	52.7	52.1	50.3	49.4	49.1	49.2	49.3	49.6	49.6	49.7	50.0	50.2	50.2	52.8	49.1	51.0	1.3	24
3	50.2	50.4	50.6	51.6	51.2	52.0	52.1	52.4	52.9	53.0	52.9	52.2	49.6	48.6	48.2	48.4	48.7	49.1	49.3	49.8	49.9	50.3	50.8	50.3	50.8	53.0	48.2	50.5	1.6	24
4	51.0	50.8	51.0	51.6	51.8	52.3	52.5	52.7	53.1	53.4	53.6	53.2	50.1	49.3	49.4	49.0	48.7	48.9	49.1	50.1	49.8	49.4	49.5	50.2	50.8	53.6	48.7	50.8	1.6	24
5	49.9	50.0	50.4	50.7	50.9	51.1	51.6	52.0	52.1	52.0	51.6	49.8	49.3	49.1	49.2	49.2	49.5	49.5	49.8	49.7	50.3	50.7	51.0	51.1	52.1	49.1	50.4	1.0	24	
6	51.6	51.8	52.1	52.2	52.3	52.1	51.7	51.9	51.6	49.8	49.5	49.5	50.2	49.5	49.1	49.1	49.0	56.2	56.7	51.9	49.8	49.5	50.1	50.2	56.7	49.0	51.2	2.0	24	
7	50.3	50.0	52.0	57.4	63.2	58.7	52.0	49.6	50.2	55.0	51.3	49.3	48.6	48.6	50.8	50.4	52.6	54.4	53.1	54.0	51.3	49.8	48.7	52.7	63.2	48.6	52.3	3.5	24	
8	51.5	51.7	49.6	49.2	49.0	49.5	48.9	48.6	48.6	48.2	47.5	47.8	47.7	47.7	47.6	47.7	48.0	48.3	48.6	48.6	49.3	49.6	49.1	49.4	51.7	47.5	48.7	1.1	24	
9	49.9	50.3	50.6	51.0	51.4	51.9	52.5	52.5	53.4	53.4	53.6	52.3	50.2	49.5	49.6	49.1	49.0	49.2	49.8	50.1	50.1	51.7	50.7	50.5	53.6	49.0	50.9	1.4	24	
10	52.3	54.4	55.5	59.6	62.2	65.0	60.4	54.6	56.5	53.1	61.1	65.4	60.7	59.5	53.4	50.5	49.6	49.1	48.6	48.4	48.5	48.0	48.0	48.0	65.4	48.0	54.7	5.8	24	
11	48.3	48.6	48.7	49.0	49.2	49.4	49.2	49.6	49.6	49.0	49.0	49.3	49.2	49.2	48.8	48.7	48.7	48.6	48.5	48.7	48.7	48.9	48.6	48.4	48.4	49.6	48.3	48.9	0.4	24
12	49.0	48.9	48.9	48.8	49.0	49.4	49.3	49.7	49.3	49.2	48.4	48.2	48.1	48.2	48.0	*48.2	*48.1	48.2	48.3	48.2	48.5	48.7	48.8	48.7	48.1	48.7	0.5	21		
13	48.7	48.6	48.6	48.7	48.8	48.9	48.7	48.9	49.9	51.0	49.5	50.7	52.8	50.4	49.2	48.7	48.3	48.2	48.3	48.9	48.5	49.3	54.1	54.3	48.2	49.7	1.7	24		
14	53.3	50.4	49.1	49.3	49.1	49.1	49.1	49.2	49.1	49.1	48.8	48.8	48.7	48.4	48.3	48.6	48.5	49.5	50.2	52.2	51.5	50.6	49.3	49.7	53.3	48.3	49.6	1.2	24	
15	50.4	50.9	49.9	49.5	52.2	53.6	50.6	49.6	55.1	64.0	56.9	51.2	52.8	57.8	60.0	55.9	52.8	59.4	63.6	55.3	49.9	49.3	48.9	49.5	64.0	48.9	53.7	4.5	24	
16	51.0	49.0	48.5	49.0	48.5	48.0	48.0	47.7	47.6	47.9	47.9	47.8	47.7	47.8	48.1	47.9	48.8	48.3	48.1	47.7	48.0	48.1	48.4	48.4	51.0	47.6	48.3	0.7	24	
17	48.2	48.8	49.2	49.5	48.6	48.6	48.3	48.0	47.9	48.2	48.3	48.5	47.9	47.5	47.4	47.8	47.7	47.9	48.0	48.6	48.6	48.5	48.7	48.9	49.5	47.4	48.3	0.5	24	
18	49.2	49.0	49.5	49.4	49.6	49.6	51.6	53.9	54.8	54.8	54.9	54.2	53.8	57.3	59.8	58.0	55.5	54.8	52.9	52.6	53.7	55.2	52.7	51.4	59.8	49.0	53.3	3.0	24	
19	50.6	49.8	50.6	51.7	52.4	53.1	53.3	51.7	52.0	51.2	49.7	48.9	48.9	48.6	48.5	48.5	48.5	48.8	48.8	51.1	55.9	54.7	56.6	52.2	56.6	48.5	51.1	2.4	24	
20	49.4	48.6	48.6	48.7	49.0	49.0	49.1	49.1	49.4	49.6	49.4	50.0	49.8	49.8	49.6	49.6	49.6	52.5	57.2	65.2	64.2	61.1	63.4	65.2	56.9	65.2	48.6	53.1	6.1	24
21	59.2	57.6	55.0	53.9	55.1	54.8	54.3	55.5	57.5	57.2	53.1	50.2	50.1	54.0	52.3	53.0	54.5	50.6	48.7	48.0	49.6	55.2	53.7	49.7	59.2	48.0	53.5	3.0	24	
22	48.2	48.4	48.7	50.0	50.1	50.7	52.5	51.9	51.7	49.6	48.8	48.6	47.9	47.8	47.8	47.7	47.8	48.1	47.9	47.8	47.6	47.6	47.9	47.9	52.5	47.6	48.9	1.5	24	
23	48.2	48.1	47.9	48.1	48.3	48.3	48.5	48.8	48.9	48.7	48.4	48.3	48.1	47.8	48.1	47.9	47.7	48.1	48.4	48.4	48.7	48.9	49.7	49.7	47.7	48.4	0.5	24		
24	49.9	50.4	50.6	52.0	52.5	52.2	51.4	50.4	51.1	56.9	58.1	59.0	74.5	74.9	60.4	54.2	51.0	48.5	48.4	48.6	48.6	48.1	48.0	48.1	74.9	48.0	53.7	7.4	24	
25	47.9	47.9	48.0	47.6	48.0	48.3	48.4	48.4	48.4	48.0	47.8	47.8	47.7	47.7	47.7	47.9	47.6	48.0	48.3	48.6	49.0	49.2	49.5	50.1	50.1	47.6	48.2	0.6	24	
26	50.8	51.4	51.2	51.0	51.1	51.2	51.9	51.9	51.8	52.1	51.7	51.2	49.9	50.1	52.4	54.2	54.2	54.1	54.8	55.5	54.6	53.7	54.6	53.3	55.5	49.9	52.4	1.6	24	
27	51.5	52.7	50.7	51.0	51.2	49.9	49.6	61.3	73.0	66.0	60.0	61.1	74.9	85.1	82.5	89.8	86.0	81.8	72.3	70.0	69.1	61.2	60.5	64.3	89.8	49.6	65.6	12.8	24	
28	62.6	61.2	56.8	55.8	55.9	59.6	60.4	65.7	72.5	67.7	62.1	55.5	52.2	50.8	51.2	51.0	53.6	55.5	59.9	64.9	66.5	64.5	59.8	59.5	72.5	50.8	59.4	5.8	24	
29	55.5	53.6	50.6	47.5	47.1	46.3	46.3	46.8	46.8	46.4	46.4	46.8	47.3	47.7	47.7	47.7	47.8	48.1	48.2	47.8	48.2	48.7	48.8	48.8	55.5	46.3	48.2	2.2	24	
30	48.9	48.9	48.8	49.0	49.3	49.4	48.8	49.1	49.2	48.9	48.1	48.2	48.2	48.4	48.1	48.3	48.5	48.7	49.0	48.9	49.1	48.8	48.9	-49.7	49.7	48.1	48.8	0.4	24	
31	50.1	49.7	49.8	50.6	50.7	50.8	50.3	50.7	50.6	50.1	50.2	49.1	48.7	48.6	48.5	48.5	48.7	49.0	49.3	49.4	49.7	50.0	50.0	50.0	50.8	48.5	49.7	0.8	24	
最大値	62.6	61.2	56.8	59.6	63.2	65.0	60.4	65.7	73.0	67.7	62.1	65.4	74.9	85.1	82.5	89.8	86.0	81.8	72.3	70.0	69.1	64.5	65.2	64.3	89.8	65.6				
最小値	47.9	47.9	47.9	47.5	47.1	46.3	46.3	46.8	46.8	46.4	46.4	46.8	47.3	47.5	47.4	47.6	47.6	47.9	47.9	47.7	47.6	47.6	47.9	47.9	47.9	46.3	48.2			
平均値	50.9	50.8	50.4	50.8	51.3	51.5	51.1	51.5	52.6	52.5	51.6	51.1	51.5	52.0	51.5	51.3	51.4	51.6	51.5	51.3	51.3	51.3	51.3	51.1	51.1	51.4	51.4			
標準偏差	3.1	2.8	2.1	2.7	3.6	3.8	3.1	3.9	6.0	5.2	4.2	4.2	6.7	8.2	6.9	7.7	7.0	6.5	6.0	5.4	5.2	4.4	4.1	3.5			5.1			
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	30	30	31	31	31	31	31	31	31	31			741		
有効測定日数	31																													
測定時間	741																													
測定値合計	38070.3																													
欠測時間数	0																													
日平均値の最大値	89.8																													
日平均値の最小値	46.3																													
日平均値	51.4																													