

塩汲放射線測定所

2012年04月

単位: nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間				
1	35.7	35.7	36	36.1	36.8	37	36.6	36.5	38.9	40.1	39.5	40.2	44.6	42.6	38.6	37.4	36.7	37.7	37	37.2	38.8	36.7	36.1	35.9	44.6	35.7	37.8	2.3	24				
2	35.7	35.5	35.6	35.7	35.9	35.8	36.1	36.8	37.1	36.8	36.4	36.5	36.6	36.7	36.6	36.4	36.4	36.3	36.3	36	36	35.9	35.7	35.5	35.6	37.1	35.5	36.1	0.5	24			
3	35.4	35.5	35.5	35.9	35.8	35.9	35.7	35.9	36.8	38.8	39.2	43.9	40.8	42	51.1	48.6	40.4	37.3	49.5	47	41.7	41.2	39	41.9	51.1	35.4	40.2	4.8	24				
4	54.1	57.9	58.4	59.9	51.3	47.2	55.9	47.8	45	41.4	37.8	36.5	36	35.9	36.1	36.1	36.3	36.1	36	36.1	36.2	36.2	36.1	36.1	58.9	35.9	42.7	8.8	24				
5	36	36	36	36.1	36.2	36.2	36.4	36.4	36.9	38.9	42.1	37.3	38.5	36.4	36.1	37	37.1	37.1	36.4	35.8	36.2	36	36	36.1	36.1	35.8	38.4	0.6	24				
6	36	36.3	38.7	37.1	36.4	40.7	50.7	42.3	39.4	41.8	42.3	39.5	37.5	36.9	37.2	38.8	42.9	40.4	38.7	36.7	35.9	35.8	37.1	41.4	50.7	38.2	33	24					
7	39.7	37.3	37.5	38.7	43.1	40.5	37.6	36.9	36.4	35.9	35.7	35.7	35.7	36.1	35.8	35.9	35.8	35.8	35.6	35.6	35.5	35.7	35.9	35.9	43.1	35.5	36.9	2	24				
8	35.9	36.3	36.3	36.4	36.4	36.3	36.9	37.1	37.5	37.7	37.4	37	37	37.1	36.9	36.7	36.5	36.1	36.1	36.3	36.2	36.3	36.3	36	37.7	35.9	36.6	0.5	24				
9	36.1	35.8	36.1	36.2	36.2	36.3	36.3	36.4	36.5	36.7	36.6	36.4	36.6	38.1	36.8	36	35.9	35.6	35.7	35.6	35.6	35.6	35.6	35.5	38.1	35.4	36.2	0.6	24				
10	35.6	35.6	35.7	35.6	35.8	35.8	35.9	36.5	37	36.4	36.3	36.3	36.5	36.7	36.5	36.5	38.4	36.3	36.2	36.3	36.2	36	36	35.9	37	35.6	36.2	0.4	24				
11	36.3	38.3	37.9	38.2	37.3	36.8	36.2	40.1	45.9	47.3	46.4	41.2	37.8	37.3	38.9	41.4	42.8	39.5	36.8	35.9	36.4	36.4	36.1	36.7	47.3	35.9	39.1	3.4	24				
12	37.3	37.6	36.2	35.6	35.5	35.7	35.6	35.6	36	36	36.1	36.3	36.4	36.4	36.2	36.3	36.5	36.4	36.4	36.1	36	36	35.8	36.7	35.8	37.6	35.5	36.1	0.5	24			
13	35.9	35.8	35.8	35.5	35.8	35.8	36.1	36.1	36.1	36.1	36.1	36.3	36.4	36.4	38.1	39.3	41.1	44.3	45.8	42.7	41.6	38.3	37.4	36.4	45.8	35.5	37.9	3	24				
14	35.9	37.7	41.8	46.9	45.6	40.8	39.5	41.3	38.4	38.8	36.8	36.2	36	35.9	36.1	36.2	35.9	35.8	35.5	35.5	35.6	35.7	35.7	35.7	46.9	35.5	37.8	3.2	24				
15	35.8	35.9	35.7	35.6	36.1	36.3	36	35.9	36.1	35.9	36.2	36.1	36.2	36.3	36.3	36.2	36.1	36.2	36.2	36	36.2	36.1	36.1	36.4	36.4	36.4	36.1	0.2	24				
16	36.4	36.3	36.5	36	36.5	36.7	36.6	36.7	36.9	36.8	36.3	36.3	36.4	36.4	36.5	36.5	36.6	36.2	36.2	35.9	36	35.8	35.9	36	36.9	36.9	36.3	0.3	24				
17	35.9	35.7	35.8	35.7	36	36.1	36.5	36.2	36	35.9	36	35.9	35.9	36.1	36	36	35.9	35.9	35.9	35.5	35.7	35.9	35.8	35.6	36.5	35.5	35.9	0.2	24				
18	35.5	35.7	35.8	35.6	35.4	35.7	35.7	35.6	36.1	36.1	36.1	36.2	36.3	36.3	36.1	36.3	36.2	36	36.1	36	36	35.7	35.6	35.6	36.3	35.4	35.9	0.3	24				
19	35.7	35.5	35.8	35.8	35.9	35.9	35.9	36.2	36	36.4	36.8	36.9	37.1	36.5	37.1	36.9	37.1	36.5	36.3	36.2	36.4	36.2	36.6	36.5	37.1	35.5	36.3	0.5	24				
20	36.7	37.5	38	38.2	38.9	39.1	39.4	38.6	39.3	39.6	39	37.5	39.2	38.3	37.1	36.6	36.3	36.2	36.2	35.9	36.2	36.2	36.5	36.5	39.6	35.9	37.6	1.3	24				
21	36.2	36	36.6	37	36.5	36.1	36.6	36.5	36.3	36.3	36.3	36.2	36	36.1	36.1	36.1	35.7	35.6	35.6	35.6	35.5	35.6	36	36.1	37	35.5	36.1	0.4	24				
22	36.9	37	37.2	40.2	38.3	36.6	36.3	37.8	37.9	37.8	39.3	39.1	38.5	38.3	36.4	35.6	35.1	35.5	35.7	35.6	35.4	35.4	35.4	35.7	40.2	35.1	37	1.5	24				
23	35.5	35.7	37.2	36.1	35.7	35.6	35.9	36	35.9	36	36.1	36.4	36.5	36.6	36.5	36.4	36.3	36.4	35.9	35.9	35.8	35.7	35.6	36.4	37.2	35.4	36	0.4	24				
24	35.8	35.7	35.8	35.6	35.7	36	36.5	37.2	37	36.9	37	37.1	36.8	37	37.1	37	36.6	36.5	36.2	36.1	36.2	36.3	36.3	36.2	37.2	35.6	36.4	0.5	24				
25	35.9	36	36	36.2	36	36.3	36.7	36.9	37.4	37.8	37.6	37.9	38	37.9	37.7	37.2	37.1	37.1	37.1	37.5	37.1	36.7	36.8	37.9	38	35.9	37	0.7	24				
26	38.8	40	37.9	37.7	36.9	36.4	36.1	36.1	36.2	36.1	36.6	36.4	36.6	36.6	37.3	50.6	49.9	47.3	48.9	43.1	37.9	36.2	35.9	35.8	50.6	35.8	39.2	4.9	24				
27	35.9	35.7	35.9	35.8	35.9	35.7	35.9	36	36.3	36.4	36.4	36.4	36.6	36.5	36.6	36.6	36.7	36.4	36.1	35.8	35.9	35.8	35.8	35.7	36.7	35.7	36.1	0.3	24				
28	35.7	35.7	36.2	36	36.1	36.3	36.3	36.7	37.1	37.3	37.1	36.8	37	36.8	37	36.9	37	36.7	36.4	36.3	36.3	36.5	36.5	36.6	37.3	36.7	36.5	0.4	24				
29	36.7	36.8	37	36.9	36.9	37.2	37.5	37.7	37.9	38	37.9	38.1	38.2	38.2	38	37.9	37.9	36.9	36.7	36.8	36.9	37.3	37.3	37.5	38.2	36.7	37.4	0.5	24				
30	37.7	37.8	37.4	37.3	37.2	36.9	36.8	37.1	37.4	37.6	37.6	37.4	37.5	37.6	37.3	37	37.1	36.7	37	36.7	36.4	36.2	36.1	36.1	37.8	36.1	37.1	0.5	24				
31																																	
最大値	54.1	57.9	58.4	59.9	51.3	47.2	55.9	47.8	45.9	41.8	42.3	43.9	44.6	42.6	51.1	50.6	49.9	47.3	49.5	47	41.7	41.2	39	41.9	58.9	42.7							
最小値	35.4	35.5	35.5	35.4	35.6	35.6	35.6	35.6	36	35.9	35.7	35.7	35.7	35.9	35.8	35.6	35.1	35.5	35.5	35.5	35.4	35.4	35.4	35.4	35.4	35.4	35.1	35.9					
平均値	36.9	37.1	37.4	37.7	37.4	37.1	37.7	37.4	37.6	37.7	37.5	37.3	37.2	37.2	37.2	37.8	37.6	37.2	37.4	36.9	36.5	36.3	36.3	36.2	36.5	36.2	37.2	37.2					
標準偏差	3.4	4.1	4.2	4.6	3.4	2.4	4.4	2.5	2.4	2.4	2.2	1.8	1.8	1.6	2.7	3.4	3	2.6	3.7	2.6	1.5	1.1	0.7	1.5	1.5	2.8							
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720					
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30		
測定値合計	26789.1																																
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL											
時間数	0	0	0	0	0	0	0	0	193	479	28	13	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26.81	66.53	3.89	1.81	0.56	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
日平均値の最大値	42.7																																
日平均値の最小値	35.1																																
局番/項目コード	104/01																																

塩波 放射線測定所

2012年05月

単位: nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間				
1	36.1	36.4	36.5	36.5	36.3	36.3	36.2	36.3	36.6	36.6	36.4	36.5	36.6	36.3	36.4	36.2	36.2	36	36.1	36.1	36.2	36.4	36.3	36.3	36.3	36.6	36	36.3	0.2	24			
2	36.3	36.2	36.2	36.2	36.2	35.9	36.3	36.4	37.1	39.4	42	42.2	43.3	44.2	42	41	43.3	45	46.5	49.6	49.8	48.6	53.2	50.7	53.2	53.2	35.9	42	5.5	24			
3	44.1	41	41.2	40.7	37.4	36.4	36.3	36.4	36.1	35.8	35.7	35.7	35.9	35.8	36	36	36.2	36.1	36	36.3	35.9	35.6	35.6	35.7	44.1	35.6	37	2.3	24				
4	36.1	36.4	36.1	36.2	35.9	36	36.4	37.2	37.2	36.7	36.3	36.7	37.3	37.8	38.2	39.1	37.2	35.6	35.6	35.3	35.2	34.9	35.1	34.9	39.1	34.9	36.4	1.1	24				
5	34.8	35.1	35.3	35.1	35.3	35.3	35.4	35.7	35.9	36.2	36.6	36.7	37	37	37	36.9	36.9	37.3	37.1	36.8	36.6	36.3	36.3	37.3	34.8	36.2	34.8	0.8	24				
6	36.7	37	37.1	37.1	37.1	36.8	36.9	36.9	37.7	40.4	42.9	38.9	37.2	36.3	36.3	36.6	36.6	36.5	36.1	36.1	35.9	35.9	35.9	36.2	42.9	35.9	37.1	1.6	24				
7	36.6	36.4	36.5	36.6	36.6	36.9	36.7	36.7	37.1	37.8	37.6	37.7	37.4	37	37.5	37.6	37.4	36.9	41.5	40.7	37.2	36.8	36.6	36.3	41.5	36.3	37.3	1.2	24				
8	36.2	36.3	36.3	37.4	37.5	37.1	36.7	36.8	37	37.3	37.3	37.7	37.8	37.7	37.6	37.4	37.3	36.9	36.5	36.9	36.9	36.8	36.8	36.8	37.8	36.2	37	0.5	24				
9	36.5	37.2	37.1	37.5	37.1	36.7	36.6	37.3	37.7	37.1	37	37.2	37.4	37.5	36.8	36.8	36.8	36.4	36.3	36.3	36.2	36.5	36.4	36.1	37.7	36.1	36.8	0.5	24				
10	36.4	36.4	36.2	36	35.8	36.1	35.9	36	36.1	36.1	36.1	36	36.2	36.3	36.2	36.3	36	35.9	35.8	35.6	35.9	36	36.3	36.4	36.3	36.4	35.6	36	0.2	24			
11	36	35.8	35.6	35.6	35.6	35.9	36.2	36.5	36.6	36.6	36.9	39.2	38.6	36.5	36.7	36.2	36.2	36.1	36.2	36.2	36.9	36.5	36.5	36.6	39.2	35.6	36.5	0.9	24				
12	36.5	36.8	36.7	37.2	36.2	37	38	36	35.2	35	35.2	35	35.3	35.3	35.2	35.3	35.2	35.1	34.9	35	35.1	35.1	35.1	35	35	38	34.9	0.9	24				
13	35.1	35.5	35.3	35.2	35.7	35.9	36.1	36.6	35.6	35.8	35.6	35.9	36	35.9	35.7	35.7	35.9	35.7	35.5	35.5	35.5	35.3	35.4	35.5	36.6	35.1	35.7	0.3	24				
14	35.7	35.9	36	36.2	36.2	36.4	36.3	36.9	37	37.3	37.8	37.4	37.2	37.2	37	37	37	36.8	36.5	36.4	36.8	37.9	39.2	39.2	39.2	39.2	35.7	36.9	0.9	24			
15	44	45.3	44.5	43.1	44	44.1	40.7	47.4	50.9	51.8	55.2	49.7	45.3	40.5	40.5	44.1	41	37.7	38	39.3	39	36.8	36.2	35.7	55.2	35.7	43	5.2	24				
16	35.7	35.7	36	35.9	35.9	35.9	36	36.3	36.6	36.6	36.6	36.8	36.9	37	37	37	37.1	36.7	36.5	36.3	36.3	36.3	36.3	36.4	37.1	35.7	36.4	0.4	24				
17	36.6	37	37.3	37.3	37.3	37.5	37.3	37.4	37.8	37.9	37.5	37.3	37.3	37.2	37.3	37	37.1	36.7	36.5	36.6	36.1	36.5	44.9	38.7	44.9	36.1	37.9	2.2	24				
18	36.6	36	36.2	36.2	36.2	36.3	36.2	36.2	37.8	36.8	36.3	36.2	36.1	36	36.2	36.4	36.5	36.1	36	35.9	35.9	35.6	35.7	35.6	37.8	35.6	36.2	0.5	24				
19	35.5	35.6	35.6	35.9	35.9	35.7	36.3	36.6	36.9	36.7	36.6	36.6	36.7	36.7	36.7	36.8	36.4	36.2	36.3	36.2	36	36	36.2	36.4	37	35.5	36.3	0.4	24				
20	36.3	36.5	36.8	36.8	37	37	37	37.6	38	38.3	37.8	37.2	36.9	36.8	36.7	36.4	36.2	36.3	36.4	36.2	36.2	36.3	36.3	36.2	38.3	36.2	36.8	0.6	24				
21	36	36	36	36	36.1	36.3	36.5	36.7	36.8	36.8	37	37.3	37.2	37.1	37.1	36.7	36.8	36.9	36.5	36.3	36.1	36	36.4	36.5	37.3	36	36.6	0.4	24				
22	36.4	36.6	36.8	36.8	36.5	36.9	36.7	37.2	37.9	37.6	38.1	37.8	37.8	37.8	37.5	37.4	37	36.8	36.8	36.5	36.4	36.4	36.4	36.5	38.1	36.3	37	0.6	24				
23	36.3	36.3	36.2	36.2	36.2	36.3	36.2	36.2	37.8	36.8	36.3	36.2	36.1	36	36.2	36.4	36.5	36.1	36	35.9	35.9	35.6	35.7	35.6	37.8	35.6	36.2	0.5	24				
24	36.2	36.4	36.4	36.4	36.4	36.7	36.7	36.4	37.5	37.3	37.9	37.6	38	37.8	37.4	37.4	37.3	36.9	36.9	36.8	36.5	36.6	36.9	37.2	38	36.2	37	0.5	24				
25	37.6	37.8	38.2	38.7	39	38.2	39.4	40	41.6	43.2	42.7	42.4	41.4	41.2	43.2	44.1	40.4	37.7	36.8	36.5	36.8	36.6	36.5	44.1	36.4	36.5	37	2.5	24				
26	36.6	37.1	37.5	37.5	37.8	37.7	37.7	37.3	37.3	37.2	37.1	36.9	36.9	37.1	36.9	36.7	36.9	36.7	36.7	37.2	37.1	36.8	36.3	36.4	36.5	37.8	36.3	37	0.4	24			
27	36.6	36.6	37.1	37.7	37.9	38.2	38.1	38.6	38.8	39	38.6	38.3	38.6	38.5	38.6	38.2	38.1	37.7	37.5	37.2	37.1	36.8	37.1	37.4	39	36.6	37.8	0.7	24				
28	37.6	38	37.6	37.4	37.4	37.6	37.9	38	37.8	38	38	38	38.3	38.3	38.4	38	37.4	37.2	36.7	36.6	36.4	36.5	36.6	36.4	38.4	36.4	37.5	0.6	24				
29	36.5	36.3	36.6	36.4	36.5	36.5	36.9	36.9	37.3	37.3	37.7	39	37.8	37.4	44.3	51.4	42.5	39.3	37.3	36.2	35.9	35.7	35.9	36	51.4	35.7	38.1	3.5	24				
30	35.8	36	36.3	35.9	36.2	35.9	35.8	36	35.9	36.1	36.2	36	36.3	36.1	36.3	36.4	36.2	36.1	36.1	36.1	36.1	35.9	35.9	35.7	36.4	35.7	36.1	0.2	24				
31	35.9	36.2	36.2	36.3	36.3	36.5	36.9	37.3	37.2	37.1	37.1	37.3	37.3	37.3	37.2	37.3	37.3	37.1	36.8	36.8	37	36.8	36.9	37	37.5	35.9	36.9	0.4	24				
最大値	44.1	45.3	44.5	43.1	44	41.1	40.7	47.4	50.9	51.8	55.2	49.7	45.3	44.2	44.3	43.3	45	46.5	49.6	49.8	48.6	48.6	53.2	50.7	55.2	43	43						
最小値	34.8	35.1	35.1	35.2	35.1	35.3	35.4	35.7	35.2	35	35.2	35	35.3	35.3	35.2	35.3	35.2	35.1	34.9	35	35.1	34.9	35.1	34.9	34.9	34.8	35.7						
平均値	36.8	36.8	36.9	36.9	36.8	36.8	36.9	37.3	37.6	37.9	38.1	37.9	37.7	37.4	37.6	37.9	37.4	36.9	36.9	36.8	36.8	36.9	37.1	36.8	37.1	36.8	37.2	36.4					
標準偏差	2	1.9	1.8	1.6	1.5	1.1	1.1	2.1	2.7	3	3.7	2.7	2.1	1.8	2.1	3.3	1.9	1.7	2.1	2.6	2.5	2.7	3.4	2.7	3.4	2.7	2.4						
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	744					
有効測定日数	31	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744	744		
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL											
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
測定日	104/01																																

塩汲 放射線測定所

2012年06月

単位: nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間			
1	37	37	36.8	37.1	37	36.7	37.7	38.3	38.4	38.4	37.8	37.6	37.3	37	37	36.8	36.7	36.6	36.7	36.6	36.5	36.5	36.4	36.4	36.4	36.4	37.1	0.6	24			
2	36.4	36.3	36.5	36.7	36.8	36.4	36.6	36.9	37.1	36.9	36.9	37.2	37.5	37.6	37.5	37.2	37.5	37.2	37	37.1	37.2	37.5	37.4	37.5	37.6	37.6	37	0.4	24			
3	37.5	37.2	37.2	37.4	37.3	37.2	37.2	37.2	37.9	38.6	38	38.2	38.5	38.3	38.1	38	37.6	37.6	37.6	37.2	37.3	37.1	37.2	37	37	38.6	37	0.5	24			
4	37.5	37.4	37.6	37.6	37.5	37.2	38.1	38.4	38.6	38.6	38.5	38.7	38.8	38.4	38.4	38.1	37.7	37.8	37.8	37.5	37.5	37.5	37.5	37.5	38.7	37.2	0.5	24				
5	37.6	37.2	36.9	36.8	36.8	37	37.2	37.2	37.9	38.1	37.6	37.6	37.6	37.3	37.1	37.2	36.9	36.9	36.9	36.8	36.8	36.7	37	36.8	36.7	38.1	36.7	0.4	24			
6	36.8	36.9	37.1	37.1	37.1	37	37.3	37.5	37.3	37.5	37.6	37.6	37.6	37.8	37.8	38	37.9	37.5	37.3	37.3	37.3	37.4	37.4	37.3	38	36.8	37.4	0.3	24			
7	37.7	37.5	37.8	37.6	37.6	37.7	37.7	38.3	38.2	38.4	38.1	38.2	38.3	38.5	38.5	38.3	38.4	38.1	37.7	37.6	37.6	37.4	37.6	37.8	38.5	37.4	37.9	0.4	24			
8	37.9	38.3	38.3	38.2	38.4	38.3	38.4	38.2	38.5	38.4	38.9	38.8	38.5	37.9	38.5	37.9	38.9	40.6	45.3	46.8	47.5	54.3	57.7	57.6	57.7	37.9	42.5	6.9	24			
9	57.1	43.1	38.5	42.1	44.9	41.7	39	37.9	41.5	39.6	43.1	40.2	43.1	53.2	45.2	38.9	37.1	37.4	39.1	41.7	39.1	38.9	37.7	37.1	57.1	37.1	41.5	4.9	24			
10	38.2	36.6	36.3	35.9	36.2	36.1	36.3	36.4	36.3	36.4	36.3	36.6	36.9	36.7	36.6	36.6	36.2	36.4	36.4	36.6	36.5	36.1	36	36	35.8	36.9	35.8	36.3	0.3	24		
11	36	35.8	36.7	36.8	36.1	36.4	36.4	36.4	36.4	36.4	36.4	36.6	36.5	36.6	36.6	36.4	36.4	36.3	36.3	36.5	36.6	36.7	36.5	36.6	36.8	35.8	36.4	0.3	24			
12	36.3	36.4	36.3	36	36.2	36.2	36.1	36.1	36.6	36.8	37.1	36.9	38.1	38.3	38.4	37.9	36.6	36.4	36.7	36.7	36.7	36.6	36.6	36.6	36.4	36	36.8	0.7	24			
13	36.6	36.5	36.5	36.5	36.4	36.4	36.5	36.5	36.6	37.1	37.1	37.2	37.1	37	36.8	36.9	37.1	37.4	37.4	37.2	37.2	37.1	36.9	36.9	37.4	36.4	36.8	0.3	24			
14	37.1	36.8	36.6	36.9	36.7	37.1	37.1	37.4	37.2	37.3	37.7	37.8	37.4	37.2	37.1	37.4	37	37	37	36.6	36.4	36.5	36.3	36.5	36.2	37.8	36.2	0.7	24			
15	38.4	36.9	36.5	37.1	37.3	37.3	37.6	37.4	38.1	38	37.3	37.1	37.1	37.3	36.8	37.2	37	36.9	36.9	36.6	36.5	36.8	36.2	36.6	39.2	36.4	37.3	0.7	24			
16	38	38.2	39.1	39.3	42	41.4	39.8	38	36.4	36.2	36.3	36.8	36.9	36.8	36.5	36.3	36.3	36.2	37.6	37.7	37	37.3	36.7	37.2	39	42	36.2	37.8	1.6	24		
17	38.9	48.4	49.6	47.2	41.6	37.3	36	35.7	35.7	35.9	35.8	36	36.1	36.3	36.4	36.4	36.2	36.3	36	35.9	35.9	35.6	35.9	35.7	49.6	35.6	37.8	4	24			
18	35.8	35.9	35.9	36.1	36.3	36.3	36.8	36.9	37.6	37.3	37.7	37.9	37.3	37.1	37.1	37	36.9	36.8	37	36.8	36.5	36.8	36.8	36.8	37.9	35.8	36.8	0.6	24			
19	37.5	38	38.4	38.4	39.6	40	42.6	45.6	47.1	42.6	38.8	37.4	37	37.6	38.2	37.8	39.1	43.9	48.3	52.8	65.4	77.1	68.5	52.9	77.1	37	45.2	10.9	24			
20	38.3	38.3	38.3	38.3	39.6	42.3	44.8	40.4	37.4	36.4	36.4	36.2	36.4	36.4	36.2	36.2	36.2	36.1	36.2	36.1	36	36.1	36	36.1	45.3	36	38	2.9	24			
21	36.2	36	36	35.9	35.9	36	36.9	38.5	39.7	41.6	42.8	41.2	39.4	38.9	38.7	40.6	39.5	38.2	43	43.2	43.4	42.2	45.4	47	47	35.9	39.8	3.2	24			
22	47.5	51.5	56.5	51.6	43.8	42.7	41.3	36.2	36	35.6	35.7	35.7	35.7	35.9	35.8	35.8	35.8	35.6	35.7	35.6	35.3	35.5	35.3	35.5	56.5	35.3	39.5	6.4	23			
23	35.6	35.5	35.5	35.5	35.6	35.6	35.5	35.5	35.6	35.5	35.7	35.9	35.9	36.1	36	35.9	35.9	35.4	35.7	35.6	35.4	35.4	35.3	35.5	36.1	35.3	35.6	0.2	24			
24	35.4	35.3	35.4	35.7	35.6	35.7	35.7	35.8	36.1	36.3	36.7	36.9	36.9	37.1	36.9	36.7	36.7	36.6	36.3	36	36.3	36.4	36.5	36.5	37.1	35.3	36.2	0.5	24			
25	36.9	36.9	36.9	36.6	36.8	36.8	36.7	36.8	36.9	37	37	37.1	37	36.6	36.7	36.4	36.1	36	36	36	35.9	35.9	35.8	35.8	37.1	35.8	36.5	0.4	24			
26	36	36.1	36	36.1	36.2	36.2	36.4	36.2	36.2	36.5	36.7	36.8	36.8	37	37.1	36.8	36.8	36.5	36.5	36.3	36.3	36.2	36.2	36.3	36.4	37.1	36	0.3	24			
27	36.5	36.6	36.4	36.7	36.7	36.7	36.7	36.7	37.1	37.2	37.5	37.3	37.2	36.8	37	36.9	37.1	37.1	37.1	36.7	36.9	36.7	36.7	36.5	37.5	36.4	36.9	0.3	24			
28	36.4	36.1	36.3	36.2	36.4	36.5	36.4	36.5	36.6	36.9	36.9	37	37.1	37.1	37.3	37.1	36.9	37.3	37.2	36.8	36.6	36.6	36.4	36.4	37.3	36.1	36.7	0.4	24			
29	36.8	37.2	36.8	37.2	37.3	37.2	37.3	37.6	37.6	37.7	37.6	37.6	37.3	37.4	37.5	37.4	37.4	37.3	37.2	36.8	36.5	36.6	36.6	36.4	36.7	37.7	36.4	0.4	24			
30	37.1	37.2	37.5	37.4	37.9	37.8	38.1	38.1	38	37.7	38	38.2	38.1	37.9	38.9	41	41	40.8	40.5	40.3	39.8	39.8	38.4	38.4	41	37.1	38.6	1.2	24			
31																														24		
最大値	57.1	51.5	56.5	51.6	44.9	42.7	44.8	45.6	47.1	42.6	43.1	41.2	43.1	53.2	45.2	41	41	45.3	48.3	52.8	65.4	77.1	68.5	57.6	77.1	45.2						
最小値	35.4	35.3	35.4	35.5	35.6	35.6	35.5	35.5	35.6	35.5	35.7	35.7	35.7	35.9	35.8	35.8	35.8	35.6	35.6	35.6	35.4	35.3	35.3	35.5	35.5	35.3	35.3	35.6				
平均値	38.1	37.9	38	37.9	37.8	37.6	37.7	37.6	37.7	37.6	37.7	37.5	37.5	37.8	37.8	37.4	37.3	37.5	37.9	37.9	38	38.6	39	38.7	38.3	37.9	37.9					
標準偏差	4.4	3.4	4.3	3.4	2.4	2	2.1	1.8	2.2	1.6	1.7	1.2	1.3	3	1.7	1.2	1.3	2.2	3	3.8	6.1	8.2	6.8	5.1	5.1	3.6						
測定時間	30	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	3.6				
有効測定日数	30	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	719				
測定時間	719																															
測定値合計	27220.6																															
測定値の最大値	77.1																															
1時間値の最大値	77.1																															
1時間値の最小値	35.3																															
平均値	37.9																															
日平均値の最大値	45.2																															
日平均値の最小値	35.6																															
標準偏差	3.6																															
測定時間	719																															
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL										
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

岡安 放射線測定所

2012年04月

単位: nGv/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間			
1	36.6	36.7	37.3	37.3	37.8	37.6	37.5	37.1	39.2	40.4	40.3	41	45.5	44.2	39.1	37.1	36.5	36.4	36.7	37.9	37.4	37	36.7	36.6	45.5	36.4	38.3	2.4	24			
2	36.2	36.4	37	37.1	37.5	37.6	37.7	37.7	37.5	37.2	36.5	36.3	37	36.2	36	36	36	36.1	36.1	36.5	36.2	35.8	35.9	35.9	37.7	35.8	36.6	0.7	24			
3	35.8	35.9	35.9	35.9	36.1	36	36.1	36.4	37.2	39.4	39.3	42.9	40	41.6	49.3	45.8	39.2	37.2	51	47.4	41.2	39.3	38.3	42.7	51	35.8	40	4.5	24			
4	54.1	57.5	59.2	56.9	51.7	49.2	55.9	48.9	48.8	41.5	37.6	36.3	35.9	35.8	36	35.9	36	36.1	36	36.1	36.2	36.2	36.2	36.5	36	35.8	42.8	8.8	24			
5	36.1	36.2	36.3	36.2	36.2	36.1	36.4	36.5	36.6	37.2	37.2	37.3	37.7	36.5	36.3	36.3	36.3	35.9	36.1	36.1	36.2	36.2	36.2	36.5	36.2	35.9	36.5	0.4	24			
6	36.7	37.1	38.9	36.8	36.4	36.6	48.7	40.5	38.3	43.5	43.2	38.8	36.7	36.4	36.9	38.4	41.4	40	38.5	36.6	36.3	36.6	36.6	38.5	41.6	46.7	36.3	2.7	24			
7	38.9	37	37.6	41.8	44.3	42.1	38.8	37.2	36.1	35.6	35.2	35.2	35.3	35.6	35.4	35.3	35.4	35.5	35.4	35.7	35.9	36.1	36.3	36.3	36.5	44.3	37	2.5	24			
8	36.7	37	37.7	37.7	38.2	38.5	38.5	38.4	37.8	37.3	36.4	36.2	36.1	36	36.1	36	36.1	36	36.2	36.3	36.3	36.3	36.3	36.3	36.1	38.5	36	0.9	24			
9	36.2	36.3	36.3	36.1	36.2	36.4	36.4	36.4	36.5	36.2	36.2	36.1	36.1	36.1	36.5	37.8	36.4	35.6	35.7	36.2	36.4	36.4	36.3	36	38.1	38.5	36.4	0.8	24			
10	36.4	36.5	36.8	37	37.6	37.8	38.2	38	37.6	36.5	36.4	36.1	36.1	36.3	36.3	36	36.1	36.4	36.3	36.6	36.5	36.3	36.2	36.2	36.2	36.2	36	0.8	24			
11	36.5	38	37.5	37.7	36.8	36.8	36.6	41.1	44.9	46.2	44.3	40.1	37.5	37.3	38.5	41.1	42	39.1	36.9	36.6	37.1	37.7	36.3	36.3	46.2	36.3	39.9	2.9	24			
12	37.1	37	36	35.7	35.7	35.8	35.9	35.9	35.7	35.7	35.6	35.7	35.8	35.9	35.9	35.8	35.9	36	36.1	36.2	36.4	36.4	36.6	36.6	37.1	35.6	36.1	0.4	24			
13	36.6	36.7	37	36.9	37	37	37	36.1	35.9	36	36	35.9	36	36.4	38.4	39.4	41.2	43.8	44.2	41.5	40.8	38.1	37.4	36.9	44.2	35.9	38	2.5	24			
14	36.5	38.7	43.1	46.3	44.3	39.5	39.4	41.8	38.6	36.9	35.9	35.7	35.6	35.8	35.7	35.7	35.7	35.6	35.6	35.6	35.6	35.9	36.1	36.3	46.3	35.6	37.7	3.1	24			
15	36.4	36.3	36.4	36.9	37.3	37.4	37.2	37	36.5	36.3	36.2	36.4	36.4	36.1	35.9	35.7	35.8	35.9	35.9	36.1	36.5	36.5	36.5	36.8	37	37.4	35.7	38.4	0.5	24		
16	37.1	36.9	37.2	37.1	37.3	37.2	37.5	37.5	37.2	36.6	36.4	36.1	36.1	36.1	36.2	36.2	36.5	36.4	36.2	36	36	36.4	36.4	36.6	36.9	37.5	36	36.7	0.5	24		
17	36.8	37.2	37.2	37.7	37.4	37.8	38.4	37.6	36.1	35.8	35.6	35.9	35.8	35.8	35.8	35.9	35.7	35.7	35.7	35.8	36	36	36.4	36.6	38.4	35.6	36.4	0.8	24			
18	36.2	36.1	36.4	36.2	36.6	36.9	37.2	37	36.1	35.7	35.8	35.8	35.9	35.7	35.8	35.8	35.8	35.8	35.8	35.8	36.1	36.3	36.5	36.5	37.2	35.7	36.2	0.4	24			
19	36.6	36.8	36.7	36.9	37.3	37.5	37.4	37.2	36.5	36.5	36.1	36.2	36.3	36.3	36.3	36.3	36.3	36.3	36.3	36.2	36.8	37	37.5	37.8	37.8	36.3	36.7	0.5	24			
20	38	38.4	38.7	40.1	40.4	40.4	40.1	39.6	40	40.3	39	37.3	38.1	38	37	36.4	38.1	36.1	36.1	36.2	36.7	37.2	37.7	37.8	40.4	36	38.2	1.6	24			
21	37.8	38.1	38.3	37.7	37.4	37.3	37.2	36.9	36.7	35.7	35.4	35.3	35.2	35.3	35.4	35.4	35.3	35.6	35.3	35.5	35.5	35.6	35.9	36	38.3	36	36.3	1.1	24			
22	36.5	36.4	36.9	38.4	37	36.1	36.5	37.5	37.6	38	38.9	38.5	37.9	37.4	35.9	35.5	35.3	35.7	35.6	35.4	35.4	35.2	35.7	35.7	38.9	35.2	36.6	1.1	24			
23	35.6	35.9	37.5	36.6	36.3	36.5	36.8	36.3	35.8	35.9	35.6	35.8	35.9	35.8	35.8	36	35.9	35.8	35.9	35.7	36	36	36	36.4	37.5	35.6	36.1	0.4	24			
24	36.5	37	36.9	37	37.2	37.8	37.9	37.5	37.3	37.3	36.6	36.6	36.6	36.3	36.3	36.3	36.2	36.2	36.2	36.2	36.5	36.8	36.9	37.8	37.8	36.9	36.2	0.5	24			
25	36.9	37.3	37.8	38	37.9	38.1	38.4	38.3	38.1	37.6	37.1	37.4	37.6	37.1	37	36.8	36.5	36.7	37	37	36.3	36.4	36.7	37.4	38.4	36.3	37.3	0.6	24			
26	38.5	39.3	37.6	37.4	36.8	36.4	36.3	36.2	36.2	36.3	36.2	36.2	36.1	36.2	37	48.7	48.9	43.6	45.9	41.8	37.6	36.2	35.9	35.8	49.7	35.8	38.7	4.2	24			
27	36	35.9	35.8	35.9	36.1	36.1	36.3	36.2	35.9	35.8	35.8	35.9	35.9	35.9	36	36	35.9	36.1	36	36	36	36.1	36.5	36.6	36.6	36	36	0.2	24			
28	36.5	36.9	37	37.2	37.4	37.3	37.4	37.4	37.4	37.2	36.6	36.1	36.1	36.1	35.9	35.9	35.9	36.1	36.1	36.5	36.6	36.7	36.8	37.3	37.4	35.9	36.7	0.6	24			
29	37.2	37.7	37.8	37.8	38.2	38.1	38.5	38.2	38	37.7	37.2	37.1	37.2	36.8	36.8	37.1	36.6	36.7	37.3	37.5	37.8	38	38.3	38.3	38.5	36.6	37.6	0.6	24			
30	38.6	38.6	38.9	38.9	38.4	38	38	38.1	38.3	38.4	37.6	37	36.9	36.8	36.3	36.3	36.7	36.1	36.7	36.6	36.6	36.7	36.7	36.9	38.9	36.1	37.4	0.9	24			
31	54.1	57.5	59.2	56.9	51.7	49.2	55.9	48.9	48.8	41.5	37.6	36.3	35.9	35.8	36	35.9	36	36.1	36	36.1	36.2	36.2	36.5	36.2	35.8	42.8	36	2.7	720			
最大値	54.1	57.5	59.2	56.9	51.7	49.2	55.9	48.9	48.8	41.5	37.6	36.3	35.9	35.8	36	35.9	36	36.1	36	36.1	36.2	36.2	36.5	36.2	35.8	42.8	36	2.7	720			
最小値	35.6	35.9	35.8	35.7	35.7	35.8	35.9	35.9	35.7	35.7	35.6	35.7	35.8	35.9	35.9	35.8	35.9	36	36.1	36.2	36.4	36.4	36.6	36.6	37.1	35.6	36.1	0.4	24			
平均値	37.4	37.7	38.1	38.3	38.2	38	38.4	38	37.7	37.2	37.2	36.9	36.9	36.8	36.9	37.2	37.1	36.8	36.7	37.3	37.5	37.8	38	38.3	38.5	36.6	37.6	0.6	24			
標準偏差	3.3	3.8	4.2	4.1	3.3	2.5	3.8	2.5	2.5	2.5	2.2	1.7	1.9	1.9	2.5	3.1	2.9	2.1	3.5	2.5	1.3	0.8	0.7	1.5	1.5	37.4	2.7	0.9	24			
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	2.7	720		
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	2.7	720		
測定値合計	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	26897.3	
測定時間	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL	105/01									
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

京都 放射線測定所

2012年05月

単位: nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	36.8	37	36.8	36.9	37	36.8	36.7	36.8	36.8	36.9	36.7	36.7	36.9	36.9	36.8	37	36.9	36.6	37	36.8	37	36.9	37	36.8	37	36.6	36.9	0.1	24	
2	36.9	37.2	37	36.9	37	37.2	37.7	39.3	40.2	40.6	42.1	41	39.8	40.1	39	38.7	39.2	41.4	42.2	42.4	41	39	37.8	37.8	42.4	42.4	36.9	39.2	1.9	24
3	37.5	37.5	37.7	40.6	41.3	38.9	38.2	37.8	37.6	37.5	37.6	37.6	37.7	37.6	37.4	37.4	37.5	37.5	37.5	37.4	37.5	37.4	37.5	37.4	37.4	37.4	37.4	37.9	1.1	24
4	37.6	37.8	37.8	37.8	37.9	38	38.2	38.1	37.8	37.5	37.4	37.5	37.3	37.2	37.1	37.2	37.1	37.3	37.3	37.5	37.4	37.1	37.2	37.2	37.2	37.2	37.1	37.5	0.3	24
5	37.1	37.2	37	37.3	37.4	37.4	37.6	37.7	37.5	37.5	37.6	37.6	37.8	37.9	38	37.9	38	38.5	42.2	45.6	45.6	40.8	39	38.7	38.5	45.6	37	38.4	1.9	24
6	39.3	39.3	39.5	39.6	40	40	40	39.8	39.5	40.8	43	47.1	41.1	38.8	38	37.9	38	37.9	37.7	37.8	37.8	37.8	38	38.2	47.1	37.7	39.5	2.1	24	
7	38.8	39.1	38.8	38.9	39.2	39.6	39.1	39.3	39.8	39.3	38.8	38.4	38	37.8	37.8	37.8	37.6	37.8	37.7	37.8	38	38.1	38.3	38.4	38.3	39.8	37.6	38.9	0.7	24
8	38.4	38.4	38.9	39.8	39.6	39.6	39.2	39.3	39.3	39.1	38.6	38	38	38	38.1	37.8	37.8	37.9	37.7	37.7	38	37.8	37.8	37.9	38.7	39.8	37.7	38.5	0.7	24
9	39.5	40	39.6	40.3	40.2	40.7	40.7	42.1	46.5	43.4	42.4	41.8	39.8	38.3	38.8	38.6	45.1	42	39.5	39.5	38.8	37.9	37.9	38.4	46.5	37.9	40.5	2.2	24	
10	38.7	38.2	38.9	39.2	38.9	38.9	39.5	39.1	37.8	37.5	37.5	37.6	37.6	37.6	37.4	37.5	37.3	37.3	37.3	37.4	37.4	37.5	37.4	37.4	37.4	39.5	37.3	38	0.7	24
11	37.4	37.3	37.4	37.2	37.5	37.6	37.8	37.6	37.4	37.3	37.2	37.3	37.3	37.2	37.3	37.2	37.2	37	37.3	37.2	37.2	37.3	37.4	37.3	37.3	37.8	37	37.3	0.2	24
12	37.4	37.7	37.6	37.3	37.5	37.6	37.5	37.5	37.5	37.4	37.5	37.2	37.3	37.3	37.3	37.3	37.3	37.3	37.2	37.4	37.3	37.4	37.5	37.4	37.5	37.7	37.2	37.4	0.1	24
13	37.5	37.8	38.3	38.6	39	39.3	39	38.7	38.3	38.1	38	37.9	37.9	37.8	37.6	37.6	37.6	37.5	37.5	37.8	37.6	37.7	37.7	37.9	38.4	39.3	37.5	38.1	0.5	24
14	38.3	38.6	38.7	38.8	39	39.6	39.5	39.4	38.5	38.5	38.5	38.4	38	37.9	37.8	37.6	37.6	37.6	37.5	37.4	37.5	38.5	40.4	39.7	39.6	40.4	37.4	38.6	0.8	24
15	40.5	40.2	40.1	38.8	38.2	37.7	37.7	38.2	40.2	42.8	44.3	40.6	43.4	51.6	48.8	50.4	53	48.2	41.6	38.9	37.9	37.9	42.5	41.2	39	53	37.7	42.3	4.7	24
16	38.4	38.1	38	38	38.4	38.8	39.2	38.8	38.1	37.9	38	37.8	37.9	38.2	37.9	38	38	38.3	38.1	38.1	38.1	38.1	38.1	38.5	39.2	39.2	37.8	38.2	0.4	24
17	39.8	40.2	40.3	40.6	40.5	40.5	40.9	40.2	40	39.6	38.6	38.5	37.7	37.9	37.7	37.5	37.6	37.8	37.9	37.9	38.6	40	40.5	39.8	40.9	37.5	39.2	1.2	24	
18	38.6	38.4	38.5	38.6	38.5	38.2	38.3	38	37.9	37.7	37.6	37.5	37.6	37.5	37.6	37.6	37.6	37.6	37.6	37.9	37.7	38	37.7	38	38.6	37.5	37.9	0.4	24	
19	37.9	38.3	38.7	39	38.9	38.9	39.1	38.9	38.6	37.9	37.8	38	38	38.1	38.1	38	38	37.9	38.1	38	37.7	37.6	38	38.2	39	39.1	37.6	38.3	0.5	24
20	39.6	39.6	39.9	39.2	38.6	38.7	38.5	38.3	38.3	38.2	37.7	37.6	37.5	37.6	37.7	37.6	37.6	37.5	37.4	37.4	37.5	37.5	37.6	37.5	37.6	39.9	37.4	38.1	0.8	24
21	37.5	37.5	37.6	37.6	37.6	37.7	38	37.9	37.8	37.7	37.5	37.3	37.3	37.5	37.4	37.5	37.5	37.5	37.5	37.5	38.1	38.1	38.1	42.2	39.5	45.9	37.3	38.3	2	24
22	38.5	38.3	38.1	38.4	38.6	38.5	38.8	38.9	38.3	38.2	38.9	38.2	38.4	38.8	39.4	39.2	39.2	39.2	38.6	38.6	38.3	38.5	38.8	39.2	38.8	39.8	38.1	38.7	0.4	24
23	40	39.9	39.8	40.1	40.1	41.2	40.5	39.7	39.2	39.1	38.5	38.2	37.5	37.4	37.3	37.5	37.5	37.5	37.8	37.9	37.8	37.6	37.7	38.1	38.6	41.2	37.3	38.7	1.2	24
24	39.1	39.3	39.5	39.9	40	40.2	40	40.1	40.1	39.3	38.5	38.1	38.1	***	***	***	***	***	38.8	38.9	38.9	38.3	38.3	38.6	40.2	38.1	39.1	38.1	0.7	20
25	39.5	40.8	41.6	41.2	41.1	41.4	42.1	42.6	44.2	48.4	***	***	***	***	***	***	***	39.4	39.1	39.7	39.5	39.9	39.9	39.9	46.4	46.4	39.1	41.1	1.9	17
26	40.1	40.4	40.2	40.3	40.4	40.3	40.4	40.1	40	39.2	39.4	39.1	36.6	38.3	38.4	38.3	38.4	38.4	38.3	38.3	38.8	38.9	38.9	38.9	39	40.4	39.3	39.3	0.8	24
27	39.3	40.5	40.9	40.9	40.9	40.8	40.8	40.1	39	38.9	38.9	38.9	38.4	38.2	37.9	37.9	38.2	38.2	38.4	38.2	38.3	38	38.2	38.1	40.9	37.9	39.1	1.1	24	
28	38.5	39.1	39.7	40.1	40	40.4	40.2	40.1	39.2	38.6	38.6	38.2	38.2	38.2	38.5	38.3	38.3	38.5	38.4	38.8	39	39.3	39.1	38.9	40.4	38.2	39	0.7	24	
29	38.9	39.1	39.3	39	38.7	38.8	39.1	39.4	39.3	39.2	38.5	38.6	44.6	42.1	39.3	43.9	52.2	52.8	44.4	39.4	38.5	37.8	38.2	38.4	52.8	37.8	40.8	4.1	24	
30	38.6	38.6	38.6	38.7	39	39.1	39.1	39	38.8	38.6	38.6	38.4	38.2	38.4	38.3	38.3	38.3	38.3	38.3	38.1	38.1	38.4	38.4	38.6	39	39.1	38.1	38.6	0.3	24
31	38.9	38.9	39.2	39.2	39.4	39.5	38.6	38.5	38.7	39.2	39.2	38.7	38.3	38.3	38.3	38.4	38.4	38.5	38.5	38.6	38.2	37.8	37.9	38.1	38.2	39.6	37.8	38.7	0.5	24
最大値	40.5	40.8	41.6	41.2	41.3	41.4	42.1	42.6	46.5	48.4	44.3	47.1	44.6	51.6	48.8	50.4	53	52.8	44.4	45.6	41	45.9	42.2	39.9	53	42.3	42.3			
最小値	36.8	37	36.8	36.9	37	36.8	36.7	36.8	36.8	36.9	36.7	36.7	36.9	36.9	36.8	37	36.9	36.6	37	36.8	37	36.9	37	36.8	37	36.8	36.6	36.9		
平均値	38.5	38.7	38.8	39	39	39.1	39.1	39.1	39.1	39	38.8	38.6	38.5	38.6	38.3	38.5	39.1	39	38.6	38.6	38.4	38.2	38.6	38.5	38.4	38.5	38.4	38.7		
標準偏差	1	1.1	1.2	1.2	1.2	1.3	1.3	1.3	1.9	2	1.8	2	1.7	2.7	2.1	2.6	4	3.3	1.7	1.7	1	1.8	1.2	0.8	0.8	1.9				
測定時間	31	31	31	31	31	31	31	31	31	31	30	30	30	29	29	29	29	29	31	31	31	31	31	31	31	31	31	733		
有効測定日数	30																													
測定時間	733																													
測定値合計	28395.3																													
1時間間の最大値	53.0																													
1時間間の最小値	36.6																													
平均値	38.7																													
日平均値の最大値	42.3																													
日平均値の最小値	36.9																													

**高浜発電所及び大飯発電所環境放射線監視結果
(平成24年度第1四半期)**

平成24年12月発行

編集・発行 京都府文化環境部

環境・エネルギー局環境管理課

〒602-8570

京都市上京区下立売通新町西入藪ノ内町

TEL 075-414-4709 (直通)

FAX 075-414-4710

ホームページURL <http://www.aris.pref.kyoto.jp>

