

上同放射線測定所

2014年08月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間
1	52.0	52.0	52.0	52.2	52.2	52.1	52.1	52.4	52.4	52.7	52.6	52.6	52.5	52.9	52.6	52.3	52.3	52.5	52.6	52.6	52.6	52.3	52.0	52.2	52.9	52.0	52.4		
2	52.3	52.2	52.1	52.3	52.6	52.8	52.8	52.0	52.7	52.7	52.5	52.2	52.1	51.9	52.0	52.2	52.1	51.9	52.0	52.1	51.9	52.0	52.2	52.5	52.3	52.3	52.4		
3	52.3	52.0	52.0	52.1	52.1	52.7	52.6	52.8	52.8	52.8	52.7	52.4	52.3	52.4	52.6	52.6	52.6	52.7	52.4	52.0	52.9	52.3	52.6	52.7	52.5	52.5	52.4		
4	53.3	52.6	52.5	52.0	52.4	52.7	52.0	51.9	52.3	51.9	52.3	51.9	51.8	51.6	51.5	51.8	51.6	51.4	51.6	51.5	51.4	51.6	51.5	51.6	53.3	51.4	51.9		
5	51.6	51.4	51.6	51.6	51.6	51.7	51.6	51.6	51.6	52.0	51.8	51.9	52.1	52.1	52.1	52.1	52.1	52.0	51.9	51.9	52.7	53.3	52.4	52.1	51.8	53.3	51.4	51.9	
6	51.9	51.9	52.1	52.2	52.1	52.1	52.1	52.2	52.2	52.5	52.5	52.9	52.9	53.0	53.1	53.0	53.1	52.9	52.6	52.9	52.9	53.2	53.0	52.9	53.2	51.9	52.6		
7	52.7	52.6	52.9	52.7	52.8	53.0	52.9	52.7	52.8	52.7	52.6	52.7	52.8	52.7	52.6	52.6	52.9	52.8	52.9	52.6	52.6	52.5	52.7	52.7	52.7	52.7	52.7		
8	52.6	52.8	53.4	53.8	53.9	54.0	53.2	53.1	53.5	53.3	53.5	52.7	51.8	52.2	51.6	54.1	53.3	54.6	52.9	52.3	51.3	50.5	49.7	48.8	56.3	49.7	52.7		
9	50.7	51.6	51.2	48.7	48.4	48.3	48.3	48.3	48.3	50.6	53.9	51.9	51.6	52.5	50.9	48.2	47.9	48.1	48.5	48.4	48.0	47.9	48.0	47.9	48.0	53.9	47.9		
10	48.4	49.6	50.2	50.4	49.8	48.8	48.2	48.3	48.3	50.6	53.9	61.8	68.2	63.3	53.6	50.2	48.9	48.7	48.8	48.6	48.7	48.7	48.8	48.7	68.2	48.2	51.4		
11	50.5	50.3	49.3	49.0	48.8	48.3	48.7	49.3	49.3	49.8	49.7	49.6	49.8	50.0	49.5	49.3	48.9	48.7	48.6	48.6	50.7	54.0	58.3	55.8	49.3	50.5	48.3		
12	49.6	49.7	50.1	50.3	50.5	50.6	50.8	50.5	50.7	50.8	50.8	50.8	50.8	50.6	50.5	50.2	50.5	50.5	50.4	50.5	50.7	50.5	50.6	50.6	51.0	49.6	50.5		
13	51.0	51.1	51.3	51.1	51.3	51.3	51.6	51.2	51.0	51.4	51.4	51.3	51.3	51.0	50.9	50.5	50.8	50.7	50.2	50.9	51.2	51.5	51.6	51.5	51.6	50.2	51.1		
14	51.2	51.2	51.6	51.8	52.0	52.1	52.3	52.7	52.5	52.2	52.1	52.0	51.5	51.5	51.6	51.1	50.6	50.7	52.3	50.3	49.5	49.5	49.3	49.3	52.7	49.3	51.3		
15	49.3	49.4	49.5	49.8	50.2	50.1	49.5	49.5	49.6	49.7	50.1	50.2	55.4	57.7	58.3	55.4	52.6	56.6	55.6	55.6	54.7	58.8	56.4	50.8	58.8	49.3	52.6		
16	49.0	48.5	47.9	47.9	47.9	48.1	61.7	70.1	59.1	59.2	55.6	60.9	64.7	65.1	65.6	62.8	58.1	55.1	50.7	54.0	58.9	58.3	55.8	57.1	70.1	47.9	56.7		
17	61.0	57.0	58.8	58.5	64.7	61.3	55.3	52.2	50.2	49.5	49.1	48.4	48.4	48.2	48.2	48.2	51.9	50.6	49.0	48.5	49.5	49.0	48.0	47.9	64.7	47.9	52.4		
18	48.0	48.6	48.7	48.9	48.8	48.0	48.8	48.8	48.6	48.0	48.6	48.7	48.9	49.1	49.2	48.9	49.4	48.7	48.5	48.4	48.5	48.3	48.3	48.3	49.4	48.0	48.7		
19	48.3	48.4	48.7	48.7	48.8	48.7	48.8	48.7	49.2	49.5	49.5	49.7	49.6	49.9	49.9	49.9	50.3	50.3	49.5	49.5	49.4	49.6	49.5	49.6	50.3	48.3	49.4		
20	48.8	48.7	48.6	48.7	48.8	48.9	49.9	50.0	50.2	50.0	49.8	49.8	50.1	49.9	50.1	50.4	50.3	50.0	50.5	50.3	50.3	50.6	50.9	51.0	51.0	49.6	50.1		
21	50.5	50.9	51.1	50.8	50.5	50.2	50.1	50.4	50.8	50.8	50.7	50.5	50.8	50.5	50.7	50.8	50.6	50.6	50.6	50.6	50.5	50.4	50.7	50.3	50.4	51.1	50.1		
22	50.3	50.3	50.3	50.4	50.5	50.3	50.5	50.5	50.5	50.6	50.6	51.6	51.4	49.5	49.1	49.0	49.1	49.0	49.0	48.8	49.6	50.0	49.1	49.2	49.2	51.6	48.8		
23	48.3	49.5	49.8	50.0	50.2	50.2	50.3	50.4	50.1	50.2	50.1	50.0	50.3	50.7	54.9	50.8	49.4	49.1	50.9	51.6	50.1	49.7	49.2	49.5	54.9	49.1	50.3		
24	49.0	48.9	48.9	48.9	49.2	49.1	49.2	49.1	49.2	49.4	49.6	50.1	54.1	61.2	60.3	56.5	56.1	53.6	50.5	49.9	52.5	56.6	53.7	51.1	61.2	48.9	52.0		
25	51.7	50.2	49.2	49.3	49.6	49.6	49.6	50.2	50.3	50.1	51.0	52.7	51.3	50.9	50.7	50.8	60.9	72.0	68.6	57.1	51.8	49.8	49.3	49.1	72.0	49.1	52.8		
26	50.3	49.6	49.7	49.9	50.0	50.2	51.1	50.3	50.0	49.7	49.7	50.6	53.9	54.2	50.6	49.3	49.4	49.1	48.8	48.7	49.5	51.0	49.9	49.5	54.2	48.7	50.2		
27	49.8	49.7	49.6	50.8	53.4	50.6	49.4	49.0	48.9	49.2	52.4	53.8	52.0	50.6	48.8	48.5	48.2	48.1	48.2	48.2	48.2	48.4	48.4	48.4	53.8	48.1	49.7		
28	48.5	49.2	49.6	49.5	49.8	49.9	49.9	49.7	49.7	49.3	48.6	48.3	48.6	48.8	48.6	48.6	49.0	48.7	49.6	49.2	48.9	48.7	49.2	49.1	49.9	48.3	49.1		
29	49.0	49.1	49.2	49.4	49.3	49.3	49.4	49.5	49.2	49.5	49.6	49.3	49.0	49.2	49.1	48.9	49.1	48.9	49.3	50.3	50.2	50.0	50.3	49.4	50.3	48.9	49.4		
30	49.5	49.6	49.7	49.3	49.5	50.3	50.0	50.2	49.5	49.2	49.2	49.2	49.0	48.9	49.1	48.9	48.7	49.0	48.9	48.9	49.0	49.5	49.6	49.9	50.3	48.7	49.4		
31	49.7	49.9	50.1	50.0	50.8	50.8	50.4	50.3	49.6	49.5	49.1	49.0	49.3	49.4	49.1	49.3	49.1	49.3	49.1	49.1	49.4	49.5	49.5	49.8	50.0	50.8	49.0		
最大値	61.0	57.0	58.8	58.5	64.7	61.3	61.7	70.1	59.1	59.2	55.6	60.9	64.7	65.1	65.6	62.8	60.9	58.1	55.1	50.7	58.9	58.3	55.8	57.1	70.1	47.9	56.7		
最小値	48.0	48.4	47.9	47.9	47.9	48.1	48.2	48.3	48.3	49.0	48.6	48.3	48.4	48.2	48.2	48.2	47.9	48.1	48.2	48.2	48.2	48.0	47.9	47.9	47.9	47.9	48.7		
平均値	50.7	50.6	50.7	50.7	51.1	50.9	51.1	51.4	51.0	51.1	51.1	51.6	52.2	52.3	51.9	51.3	51.3	51.5	51.1	50.7	50.9	51.1	50.7	50.5	51.2	47.9	51.2		
標準偏差	2.4	1.8	2.0	2.0	2.9	2.4	2.5	3.8	2.1	2.1	1.7	3.0	4.2	4.1	3.7	2.9	3.0	4.4	3.7	2.1	2.2	2.7	2.1	1.9	4.8	2.9			
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	744		
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	109/01		
測定時間	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	106	111	116	121	126	TOTAL		
測定値合計	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5	38057.5		
欠測時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
時間数	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	125	744		
出現割合(%)	0	16	32	48	64	80	96	112	128	144	160	176	192	208	224	240	256	272	288	304	320	336	352	368	384	399	100		

地頭放射線測定所

2014年08月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間				
1	42.0	42.2	42.3	42.8	42.8	42.9	43.2	43.4	42.6	42.1	41.5	41.1	41.0	41.1	41.3	41.0	40.6	40.6	41.0	40.7	40.3	41.7	41.8	42.6	42.9	43.4	40.6	41.8	0.9	24			
2	42.9	42.8	42.6	43.3	42.9	42.1	41.9	41.9	41.7	41.5	41.1	40.7	40.6	40.5	40.3	40.5	40.4	40.4	40.4	40.1	40.2	40.0	40.7	40.9	41.2	43.3	40.0	41.2	1.0	24			
3	41.2	41.2	41.1	41.0	41.1	41.5	41.1	40.9	41.0	41.0	40.7	40.6	40.6	40.5	40.7	41.3	41.1	40.8	41.1	41.3	41.5	41.5	42.5	41.4	41.4	42.5	40.5	41.1	0.4	24			
4	41.5	41.4	41.2	42.3	43.3	42.7	40.6	40.4	40.0	40.0	39.9	40.0	39.8	39.8	39.8	39.5	39.8	39.7	39.6	39.4	39.5	39.5	39.5	39.5	39.5	43.3	39.4	40.4	1.1	24			
5	39.6	39.6	39.8	39.4	39.6	39.6	39.7	39.5	39.6	39.7	39.8	39.8	39.8	39.8	40.0	40.1	40.2	40.1	40.0	40.0	40.5	40.3	40.4	40.6	40.8	40.8	39.4	39.9	0.4	24			
6	40.9	40.7	40.8	40.9	41.1	40.9	41.0	40.1	40.2	40.4	40.4	40.7	40.8	40.9	41.1	40.9	41.0	41.0	41.0	41.0	40.7	40.3	40.3	40.9	41.6	41.6	40.1	40.8	0.3	24			
7	41.6	41.7	41.8	42.0	42.6	42.8	42.4	41.1	40.9	40.5	40.5	40.7	40.8	40.6	40.6	40.6	40.5	40.6	40.7	40.5	41.0	41.5	42.1	42.9	42.9	42.9	40.5	41.3	0.8	24			
8	43.2	43.8	44.1	43.7	44.1	44.3	43.7	42.6	41.0	40.4	40.4	40.5	40.5	40.1	40.7	43.9	45.6	43.3	42.0	41.5	41.7	41.1	40.3	40.7	45.6	40.1	42.3	1.7	24				
9	41.3	41.3	40.8	40.5	40.9	41.0	41.6	41.5	41.2	42.6	44.1	***	***	45.5	41.3	39.2	38.8	38.8	38.7	39.1	39.1	39.6	40.0	40.0	45.5	38.7	40.8	1.7	22				
10	40.9	41.0	40.6	41.5	40.4	39.4	39.0	39.2	39.2	41.9	45.1	51.9	57.4	51.6	43.6	40.4	39.6	39.5	39.4	39.5	39.9	40.1	41.0	41.6	57.4	39.0	42.2	4.7	24				
11	42.0	42.0	40.5	40.3	40.2	40.1	40.3	40.4	40.1	40.8	40.7	40.9	42.6	40.3	39.5	39.5	39.3	39.9	40.2	39.4	39.0	39.5	39.9	40.3	42.6	39.0	40.3	0.9	24				
12	40.8	40.7	41.2	41.6	41.6	41.8	42.1	41.8	42.1	41.0	41.1	41.1	41.1	41.1	42.3	41.4	40.7	40.5	40.3	40.5	40.4	41.4	42.0	42.0	42.3	40.3	41.2	0.6	24				
13	42.5	42.9	42.8	43.0	42.9	42.9	42.9	42.8	41.8	41.3	41.0	40.9	40.7	41.1	41.0	40.9	40.5	40.4	40.5	40.5	40.5	40.9	41.3	42.2	42.8	43.0	40.4	41.7	1.0	24			
14	42.9	43.2	43.5	43.8	43.8	44.0	44.1	44.3	43.6	42.8	42.5	42.1	41.8	40.7	40.5	40.3	40.1	39.9	39.8	40.2	40.0	39.6	39.5	39.4	39.4	44.3	39.4	41.8	1.8	24			
15	39.3	39.4	39.3	39.2	39.4	39.4	39.5	39.5	39.6	39.8	39.8	40.0	40.3	47.5	44.5	40.9	44.2	48.1	48.3	45.5	46.3	48.6	48.6	45.4	48.6	48.6	39.2	42.3	3.5	24			
16	39.5	39.4	39.2	39.8	39.6	40.7	51.3	55.9	47.9	43.6	41.6	42.2	45.7	50.9	51.0	52.9	52.1	50.8	47.7	54.7	59.0	62.5	55.0	***	62.5	39.2	48.0	7.0	23				
17	***	***	***	63.1	65.2	63.9	62.9	49.8	43.6	41.0	40.3	39.8	39.5	39.3	38.6	39.9	39.9	39.0	38.4	48.5	45.5	40.8	39.4	39.5	65.2	38.4	45.6	9.5	21				
18	39.5	40.0	40.2	40.1	40.4	41.0	40.9	40.6	39.9	39.3	39.1	39.0	39.2	39.0	38.8	39.0	38.8	39.0	38.7	38.3	38.7	38.7	38.7	39.1	41.0	38.3	39.4	0.8	24				
19	39.1	39.0	39.6	39.7	39.9	40.2	40.3	39.9	39.7	39.6	39.7	39.5	39.8	39.9	39.9	39.8	39.7	39.6	39.3	39.2	39.4	39.7	40.2	40.7	40.7	39.0	39.7	0.4	24				
20	41.0	41.3	41.5	41.6	41.7	41.8	42.0	40.6	39.8	39.5	39.3	39.4	39.6	39.7	39.8	39.8	39.8	39.8	40.0	40.4	40.7	40.9	41.3	41.7	42.0	39.3	40.5	0.9	24				
21	41.9	42.3	42.6	42.6	42.8	43.1	43.1	42.6	41.5	40.5	39.9	40.2	40.1	39.7	39.9	40.1	39.9	39.5	39.4	39.7	40.0	40.3	40.6	40.5	43.1	39.4	41.0	1.3	24				
22	40.7	40.5	40.3	40.4	40.7	41.0	40.8	40.0	40.8	40.0	39.8	40.5	43.3	42.0	40.0	39.3	39.4	39.7	39.7	39.9	40.3	45.4	44.0	40.7	45.4	39.3	40.7	1.5	24				
23	39.6	39.6	39.9	39.8	39.8	39.8	40.1	40.1	39.6	39.8	40.2	40.2	40.2	40.1	40.0	40.2	39.9	39.6	39.5	39.8	40.9	40.0	39.8	40.9	40.9	39.5	40.0	0.4	24				
24	40.0	39.6	39.7	40.0	40.1	40.4	40.6	40.3	40.3	40.3	40.2	42.8	53.7	51.9	47.4	43.7	43.3	43.2	42.7	41.3	45.0	46.1	41.8	41.6	53.7	39.6	42.7	3.8	24				
25	43.3	42.1	41.5	40.6	40.7	41.0	40.9	40.8	40.8	40.5	40.9	41.1	40.8	40.4	40.5	40.5	45.9	63.0	60.8	47.6	42.2	40.8	40.1	40.1	63.0	40.1	43.2	6.0	24				
26	40.2	40.2	40.3	40.6	40.7	40.9	41.1	40.9	40.6	40.3	40.1	40.1	41.7	41.6	41.0	39.7	39.7	40.9	40.2	40.6	39.7	39.4	39.8	39.6	41.7	39.4	40.4	0.6	24				
27	39.7	40.0	40.2	40.2	40.5	40.5	40.3	40.2	39.8	39.5	39.6	41.5	42.0	39.9	39.2	39.0	38.9	39.0	39.0	39.1	39.3	39.3	39.4	39.5	42.0	38.9	39.8	0.8	24				
28	39.7	40.3	40.5	40.7	40.9	40.9	41.4	40.8	40.4	40.1	39.6	39.2	39.2	38.9	38.8	39.0	38.9	38.9	39.2	39.3	39.4	39.7	40.1	41.4	38.8	39.8	0.8	24					
29	40.4	40.5	40.6	40.6	40.8	41.1	41.4	41.0	40.4	40.2	40.1	39.7	39.6	39.3	39.3	39.1	39.0	39.1	39.3	39.7	39.5	39.9	40.6	40.8	41.4	39.0	40.1	0.7	24				
30	41.1	41.4	41.7	42.1	42.1	41.7	41.7	41.4	41.0	40.1	40.4	39.9	39.6	39.3	39.2	39.1	39.1	39.0	39.0	39.0	39.3	39.5	39.8	40.3	42.1	39.0	40.3	1.1	24				
31	40.3	40.4	40.7	40.7	41.2	41.2	41.4	40.8	40.3	39.7	39.5	39.2	39.3	39.4	39.3	39.2	39.4	39.3	39.1	39.2	39.6	39.7	40.3	40.3	41.4	39.1	40.0	0.7	24				
最大値	43.3	43.8	44.1	63.1	65.2	63.9	62.9	55.9	47.9	43.6	45.1	51.9	57.4	51.9	51.0	52.9	52.1	63.0	60.8	54.7	59.0	62.5	55.0	42.9	65.2	48.0	48.0						
最小値	39.1	39.0	39.2	39.2	39.4	39.4	39.0	39.2	39.2	39.3	39.1	39.0	39.2	38.9	38.6	38.8	38.8	38.4	38.3	38.7	38.7	38.7	38.7	39.1	38.7	38.3	39.4	39.4					
平均値	41.0	41.0	41.0	41.9	42.1	42.1	42.4	41.8	41.0	40.6	40.6	40.9	41.9	41.6	40.8	40.7	40.8	41.4	41.1	41.2	41.3	41.6	41.2	41.2	40.8	41.4	41.3	41.3					
標準偏差	1.2	1.2	1.2	4.1	4.5	4.2	4.4	3.3	1.7	1.0	1.3	2.3	4.2	3.6	2.5	2.6	2.8	4.8	4.3	3.4	3.8	4.4	2.9	1.0	3.4	4.3	4.3	3.2					
測定時間	30	30	31	31	31	31	31	31	31	31	31	30	30	31	31	31	31	31	31	31	31	31	31	31	30	30	30	30					
有効測定日数	31																																
測定時間	738																																
測定値合計	30464.0																																
測定時間の最大値	65.2																																
測定時間の最小値	38.3																																
平均値	41.3																																
日平均値の最大値	48.0																																
日平均値の最小値	39.4																																
日平均値の標準偏差	110/01																																
時間数	0	6	11	16	21	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL										
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

地頭 放射線測定所

2014年09月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	40.8	41.2	41.5	41.7	42.0	42.2	42.3	41.8	41.6	41.3	41.1	41.3	41.2	41.1	41.2	40.5	40.8	40.7	40.4	40.6	41.1	41.6	42.9	44.9	44.9	40.4	41.5	0.9	24	
2	43.5	42.5	42.1	42.2	42.1	42.3	43.5	42.6	41.6	41.0	40.5	40.0	40.0	39.7	39.7	39.7	39.4	39.5	39.7	39.9	40.5	40.7	41.2	41.4	43.5	39.4	41.1	1.3	24	
3	41.5	42.0	41.9	42.1	42.2	42.4	42.1	41.5	40.3	40.2	40.3	40.3	40.3	40.4	40.1	40.2	40.7	41.5	41.6	41.2	41.2	39.8	39.7	39.8	42.4	39.7	40.7	1.0	24	
4	39.5	39.6	39.6	40.8	41.6	40.2	39.7	39.6	39.8	39.7	40.0	40.4	40.3	40.4	40.1	40.2	40.7	41.5	41.6	41.2	41.2	56.2	56.5	56.0	56.5	39.5	42.8	5.8	24	
5	53.1	45.5	45.7	43.6	41.2	42.1	44.9	41.6	42.4	41.1	40.0	39.8	39.8	39.6	39.6	39.5	39.3	39.3	39.3	39.3	39.7	40.0	40.4	40.5	53.1	39.3	41.6	3.2	24	
6	41.0	41.2	41.4	41.4	41.5	41.7	41.5	41.0	41.0	41.0	41.3	41.1	41.1	40.9	49.8	63.7	58.6	50.1	59.1	60.0	54.6	49.1	45.0	41.0	63.7	40.9	46.2	7.5	24	
7	39.8	39.5	39.7	40.2	40.4	40.6	40.1	40.1	40.1	40.1	40.0	39.7	39.6	39.7	39.6	39.7	39.6	39.5	39.5	39.7	40.1	40.2	40.5	40.9	40.9	39.5	39.9	0.4	24	
8	40.9	40.7	40.9	41.1	41.2	41.2	41.2	41.2	40.8	40.9	40.5	40.0	39.9	39.9	39.9	39.9	39.9	39.9	39.6	39.9	40.0	40.2	40.6	41.0	41.2	39.6	40.5	0.6	24	
9	41.1	41.1	41.1	41.2	41.3	41.6	41.5	41.5	40.9	40.3	40.3	40.0	40.0	39.9	40.2	40.2	40.0	39.6	39.5	39.8	40.1	40.4	40.7	40.8	41.6	39.5	40.5	0.6	24	
10	41.4	41.3	41.7	41.7	41.6	41.6	41.8	41.4	41.8	41.4	41.5	41.2	41.3	41.3	41.3	41.1	40.9	40.4	40.3	40.1	40.7	41.1	41.3	41.4	41.4	41.8	41.2	0.5	24	
11	41.7	41.6	42.0	42.1	42.4	42.6	42.9	42.8	42.8	42.3	42.0	41.3	40.2	39.9	39.6	39.9	40.1	39.7	39.8	39.7	40.0	40.2	40.3	40.6	47.3	39.6	41.3	0.9	24	
12	41.0	41.0	41.4	41.8	41.8	41.7	41.8	41.6	41.5	40.7	40.2	40.3	40.3	40.0	40.2	39.9	40.1	40.0	40.8	40.2	40.0	40.3	40.5	40.8	41.8	39.9	40.7	0.7	24	
13	40.9	41.2	41.3	41.8	42.1	42.3	41.9	42.2	41.7	40.6	40.1	40.1	40.3	40.1	39.9	39.5	39.5	39.5	39.5	39.5	39.5	40.1	40.3	40.6	40.9	42.3	39.5	40.7	1.0	24
14	41.0	41.4	41.7	41.9	42.0	42.1	42.2	41.8	41.4	40.7	40.1	40.0	40.1	40.0	39.9	39.8	39.8	39.7	39.6	40.0	40.0	40.3	40.6	40.8	42.2	39.6	40.7	0.9	24	
15	41.4	41.4	41.4	41.5	41.6	42.0	42.2	42.1	42.2	41.7	41.4	41.2	41.2	41.2	41.1	41.4	41.4	41.9	42.6	42.7	43.1	43.2	43.4	43.8	43.8	41.1	42.0	0.8	24	
16	43.4	43.6	43.5	43.8	43.9	44.2	44.3	44.1	43.7	42.6	41.0	40.6	40.3	40.4	40.4	40.4	40.4	39.9	40.0	40.0	40.0	40.3	40.9	41.0	44.3	39.9	41.8	1.7	24	
17	41.7	41.8	42.1	42.3	42.4	42.4	42.6	42.4	42.2	42.2	41.6	40.7	40.5	40.4	40.3	40.3	40.2	40.1	40.2	40.0	40.1	40.1	40.2	40.1	42.6	40.0	41.1	1.0	24	
18	40.3	40.4	40.6	40.8	40.7	40.5	40.7	40.7	40.5	41.2	41.3	41.1	40.5	40.5	40.5	40.5	40.5	40.4	40.6	40.4	40.7	40.9	41.2	41.6	41.6	40.3	40.7	0.3	24	
19	41.9	41.9	41.9	42.2	42.4	42.6	42.7	42.8	42.9	43.3	42.8	42.7	40.9	40.5	40.4	40.5	40.2	40.4	40.6	40.9	41.2	41.4	41.9	42.2	43.3	40.2	41.7	1.0	24	
20	42.5	42.5	42.7	43.1	43.2	43.9	44.0	43.9	43.6	42.0	41.0	40.6	40.7	40.6	40.7	40.7	40.6	40.5	40.5	40.8	41.2	41.2	41.6	41.9	44.0	40.5	41.8	1.3	24	
21	42.6	42.7	43.1	43.2	43.4	43.8	44.0	43.6	43.0	42.8	41.7	41.1	41.0	41.1	41.0	40.9	40.6	40.4	40.5	40.7	41.0	41.5	41.4	41.9	44.0	40.4	42.0	1.2	24	
22	42.4	42.2	41.9	42.7	43.0	43.0	43.0	42.9	42.7	41.9	41.0	41.0	40.9	41.2	41.1	40.9	40.5	40.5	40.5	40.3	40.3	40.6	41.0	41.7	43.0	40.3	41.6	1.0	24	
23	41.9	41.9	42.2	42.4	43.0	42.6	43.0	42.7	42.3	41.7	41.6	41.7	41.8	41.8	41.8	41.3	41.1	41.0	41.1	42.0	42.2	42.3	42.5	42.9	43.0	41.0	42.0	0.6	24	
24	43.0	43.3	43.6	44.6	44.7	44.2	43.9	43.9	43.8	43.4	42.8	42.0	41.7	41.7	41.5	41.1	41.1	41.1	42.0	41.5	41.4	42.0	44.9	46.5	47.6	47.6	41.1	43.2	1.7	24
25	46.0	42.6	40.8	41.4	41.1	41.1	41.1	41.0	41.4	40.7	45.0	46.7	45.2	44.2	45.9	45.4	43.1	41.9	40.6	39.3	39.1	39.0	39.2	39.2	46.7	39.0	42.1	2.5	24	
26	39.1	39.3	39.2	39.2	39.0	39.1	39.2	39.7	39.5	39.5	39.8	39.9	40.1	40.2	40.2	40.1	39.7	39.8	39.7	39.7	40.0	40.3	40.7	41.0	41.0	39.8	39.8	0.5	24	
27	41.2	41.6	41.6	42.0	41.5	41.5	41.6	41.9	41.7	41.1	40.6	40.4	40.2	40.5	40.5	40.6	40.6	40.5	41.0	41.7	41.7	42.1	42.4	42.6	42.6	40.2	41.3	0.7	24	
28	42.7	42.9	43.2	43.1	43.3	42.9	43.2	43.1	43.1	43.1	41.8	40.4	40.1	40.2	40.2	40.0	40.1	39.9	39.7	39.7	39.7	39.8	40.0	40.1	40.3	39.7	41.2	1.5	24	
29	40.5	40.2	40.4	40.6	40.9	41.2	41.4	41.5	40.8	40.3	40.4	40.5	40.5	40.5	40.5	40.4	40.4	40.3	40.6	40.9	41.3	41.7	41.8	42.2	42.2	40.2	40.8	0.6	24	
30	42.3	42.9	43.0	43.1	43.4	43.5	43.7	43.5	42.6	41.7	41.1	40.8	40.9	40.9	40.9	40.9	40.6	40.8	41.0	41.9	42.0	42.4	43.4	42.9	43.7	40.6	42.1	1.1	24	
31	45.5	45.7	44.6	44.7	44.7	44.2	44.9	44.1	47.3	45.0	45.0	46.7	45.2	44.2	49.8	63.7	58.6	50.1	59.1	60.0	54.6	56.2	56.5	63.7	46.2	46.2	46.2	2.4	720	
最大値	53.1	45.5	45.7	44.6	44.7	44.2	44.9	44.1	47.3	45.0	45.0	46.7	45.2	44.2	49.8	63.7	58.6	50.1	59.1	60.0	54.6	56.2	56.5	63.7	46.2	46.2	46.2	2.4	720	
最小値	39.1	39.3	39.2	39.2	39.0	39.1	39.2	39.6	39.5	39.5	39.8	39.7	39.6	39.6	39.6	39.5	39.3	39.3	39.3	39.3	39.3	39.0	39.2	39.2	39.2	39.0	39.8	39.8	2.4	720
平均値	42.0	41.7	41.8	42.0	42.0	42.1	42.3	42.0	41.9	41.4	41.0	40.8	40.7	40.6	40.9	41.3	41.0	40.7	41.0	41.1	41.5	41.8	42.0	42.1	42.1	41.8	41.5	41.5	1.1	720
標準偏差	2.5	1.3	1.3	1.1	1.2	1.2	1.4	1.2	1.5	1.2	1.1	1.3	1.0	0.9	2.0	4.4	3.4	1.9	3.5	3.7	3.4	3.3	3.2	3.1	3.1	3.1	41.5	41.5	2.4	720
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720
測定値合計	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3	29871.3
測定時間	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720
測定値の最大値	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7	63.7
測定値の最小値	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0
平均値	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5	41.5
日平均値の最大値	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2
日平均値の最小値	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8	39.8
局番/項目コード	110/01	110/01																												

上杉 放射線測定所

2014年07月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	29.0	28.4	29.7	29.6	30.1	30.0	29.5	29.5	29.1	28.5	28.4	28.3	28.1	28.2	28.2	28.2	28.2	28.3	28.0	27.9	27.9	28.0	28.2	28.3	30.1	27.9	28.7	0.7	24	
2	28.6	29.0	29.0	29.4	29.8	30.0	30.3	30.0	29.4	29.6	29.7	29.4	29.5	29.3	29.3	29.3	29.1	29.1	28.8	28.8	28.9	28.9	29.5	29.4	29.2	30.3	28.6	29.4	0.4	24
3	29.4	29.6	29.8	30.0	29.8	29.4	29.4	29.9	30.8	33.2	32.4	33.6	33.3	35.1	36.4	36.9	34.8	33.4	34.9	36.4	36.0	34.4	30.2	28.9	36.9	28.9	32.4	2.7	24	
4	28.7	28.9	30.6	35.7	38.7	32.3	28.2	28.3	28.2	28.5	28.3	28.4	28.0	27.9	27.8	27.7	27.5	27.4	27.4	28.7	28.8	28.7	28.9	29.1	36.7	28.2	30.4	3.2	24	
5	28.2	28.7	29.9	30.7	30.5	30.2	30.2	30.5	32.0	34.7	35.5	36.7	36.6	31.8	29.3	29.3	28.8	28.7	28.7	28.1	31.9	32.4	31.9	31.7	36.7	28.7	31.2	2.4	24	
6	32.1	31.4	30.9	29.9	29.9	29.9	29.7	29.2	28.1	28.9	28.4	28.3	28.5	29.3	29.8	32.0	31.9	32.0	32.9	34.3	34.9	35.1	34.5	30.5	35.1	28.3	31.0	2.1	24	
7	28.3	27.7	29.7	31.9	30.6	30.0	28.8	29.9	32.7	40.4	32.9	29.0	27.9	27.5	27.6	27.9	27.9	27.9	28.2	28.1	27.8	27.9	28.1	28.1	40.4	27.5	28.4	2.8	24	
8	29.2	29.4	31.7	30.2	29.8	29.9	30.2	29.7	29.4	29.0	28.7	28.1	28.3	28.3	28.0	27.9	28.0	28.0	28.0	28.3	28.2	28.5	28.8	29.0	34.9	27.9	29.2	1.5	24	
9	28.7	28.1	28.2	28.2	28.2	28.2	28.2	28.2	28.3	28.4	28.0	27.9	27.7	27.9	27.8	27.7	27.5	27.4	27.4	27.4	27.3	27.5	27.6	27.8	27.7	27.3	27.9	0.3	24	
10	27.8	28.1	28.0	28.3	27.9	27.6	27.7	27.5	30.1	30.0	28.9	29.1	29.0	29.3	28.1	28.5	28.1	28.1	28.2	28.3	28.7	31.0	29.9	28.1	31.0	27.6	28.7	0.9	24	
11	27.5	28.5	28.5	28.3	28.8	28.1	28.2	28.0	27.7	27.8	27.8	27.8	27.9	28.1	28.4	28.5	28.5	28.5	28.4	28.4	28.5	28.5	29.3	29.8	29.5	29.8	27.5	28.4	0.6	23
12	30.2	30.2	30.6	30.4	30.9	31.1	30.9	30.5	30.9	30.9	30.7	30.3	30.0	30.0	30.0	29.6	29.4	29.3	29.2	29.8	28.5	30.9	31.0	31.2	31.2	29.2	30.3	0.6	24	
13	31.6	32.1	31.9	32.0	32.2	31.0	31.6	31.9	42.2	46.4	41.8	32.9	29.6	34.4	30.8	29.1	28.0	27.6	28.2	28.6	28.6	29.1	29.5	28.8	28.5	46.4	27.6	32.3	4.9	24
14	28.4	28.4	28.4	30.8	29.0	28.9	28.4	28.3	28.5	30.0	32.0	29.5	28.5	28.2	28.4	28.7	28.7	28.6	28.4	28.4	28.6	28.6	29.2	28.6	32.0	28.2	29.0	0.9	24	
15	29.9	30.3	30.5	30.6	30.8	31.2	31.0	30.8	30.6	30.0	30.1	28.8	28.4	28.2	28.2	28.1	28.1	27.7	27.6	27.5	27.8	28.0	28.4	28.4	30.3	27.5	28.7	0.9	24	
16	30.1	30.1	30.0	29.3	29.1	28.7	28.6	28.4	28.0	27.8	27.8	28.0	28.1	28.3	28.6	28.8	28.6	28.6	28.5	28.4	28.4	28.5	29.2	29.6	29.7	30.1	27.8	28.8	0.7	24
17	28.6	28.7	29.3	29.9	30.1	30.2	30.3	30.3	30.0	29.8	29.5	29.2	28.8	28.8	28.8	28.6	28.6	28.6	28.4	28.4	28.5	29.2	29.6	29.7	30.1	27.8	28.8	0.7	24	
18	29.4	29.8	29.5	28.9	29.9	30.1	30.2	29.9	29.4	28.4	28.4	28.5	28.6	28.5	40.9	34.7	29.6	28.4	28.6	28.6	28.7	28.9	29.0	29.0	40.9	28.4	30.0	2.7	24	
19	32.6	29.6	29.0	29.2	29.3	29.9	30.2	29.7	29.8	29.3	29.0	28.5	30.1	36.9	36.3	31.4	33.1	33.9	30.6	28.8	28.2	28.4	28.6	28.8	36.9	28.2	30.5	2.4	24	
20	28.1	29.2	29.4	29.2	29.3	29.5	30.0	30.3	30.0	30.1	28.8	28.4	28.2	28.2	28.1	28.1	28.1	27.7	27.6	27.5	27.8	28.0	28.4	28.4	30.3	27.5	28.7	0.9	24	
21	28.6	28.7	29.3	29.9	30.1	30.2	30.3	30.3	30.0	29.8	29.5	29.2	28.8	28.8	28.8	28.6	28.6	28.6	28.4	28.4	28.5	29.2	29.6	29.7	30.1	27.8	28.8	0.7	24	
22	28.1	28.7	28.6	28.4	28.4	28.6	28.6	28.5	28.4	28.4	28.4	28.5	28.6	28.7	28.8	28.7	28.7	28.7	28.7	28.5	29.4	30.1	30.0	29.6	29.6	28.4	28.8	0.5	24	
23	28.2	28.4	29.8	29.7	29.6	30.1	30.3	29.6	29.1	28.5	28.5	28.6	28.7	28.9	29.0	28.7	28.4	28.6	28.6	28.6	28.6	28.7	28.9	29.0	30.9	28.4	29.3	0.7	24	
24	31.0	31.6	32.0	32.0	32.8	33.3	33.5	33.5	32.6	31.6	30.3	29.9	30.1	30.0	28.9	28.3	28.3	28.0	28.0	28.1	28.1	28.3	28.8	28.4	33.5	28.0	30.3	2.0	24	
25	28.8	30.1	30.3	30.7	30.9	30.6	31.3	31.5	30.5	29.6	29.5	29.2	28.9	28.9	28.9	28.8	28.5	28.4	28.2	28.3	28.8	29.7	30.1	30.9	31.5	28.2	29.7	1.0	24	
26	31.0	31.8	31.9	32.0	32.0	32.2	31.9	31.0	30.0	29.4	29.5	29.4	29.4	29.4	29.4	29.3	29.1	28.9	28.8	28.0	29.0	29.0	29.0	29.2	29.2	28.8	29.4	0.6	24	
27	28.2	28.2	28.1	28.1	28.8	30.1	30.3	32.3	31.4	29.5	29.1	28.7	28.6	28.8	28.8	28.8	28.6	28.6	28.5	28.3	28.3	28.4	28.5	28.8	32.2	28.8	30.1	1.3	24	
28	29.2	29.3	29.6	29.5	29.9	29.8	29.9	29.7	28.8	28.5	28.5	28.3	28.4	28.4	28.5	28.6	28.6	28.6	28.5	28.3	28.4	28.7	28.9	29.1	28.3	28.9	28.3	0.6	24	
29	28.6	28.9	30.2	30.5	30.5	31.0	31.3	31.4	31.4	30.1	29.8	29.6	29.5	29.4	29.3	29.4	29.1	29.0	29.0	29.2	29.3	29.3	29.1	29.2	31.4	29.0	29.8	0.8	24	
30	28.4	29.5	29.5	29.4	29.6	29.5	29.4	29.3	29.3	29.6	29.6	29.5	29.5	29.6	29.6	29.4	29.0	28.9	28.8	28.5	28.7	28.7	28.8	29.0	28.6	28.5	28.2	0.4	24	
31	28.7	28.6	28.9	30.1	30.2	30.2	30.3	30.0	29.8	29.6	29.7	29.6	29.7	29.9	29.8	29.7	30.7	30.7	34.8	29.6	28.2	28.2	28.1	28.2	42.7	28.1	30.4	2.9	24	
最大値	32.6	34.9	32.0	35.7	38.7	33.3	33.5	37.9	42.2	46.4	41.8	36.7	36.6	36.9	40.9	36.9	37.3	44.3	37.8	38.4	36.0	35.1	34.5	35.7	46.4	27.3	32.4			
最小値	27.5	27.7	28.0	28.2	27.9	27.6	27.7	28.0	27.7	27.8	27.8	27.7	27.5	27.6	27.8	27.7	27.7	27.5	27.4	27.4	27.4	27.3	27.5	27.6	27.8	27.3	27.9			
平均値	29.5	29.7	29.8	30.1	30.3	30.1	30.0	30.1	30.2	30.5	30.0	29.4	29.3	29.6	29.8	29.6	29.5	30.0	29.4	29.1	29.3	29.5	29.5	29.5	29.5	29.5	29.7			
標準偏差	1.2	1.4	1.1	1.5	2.1	1.2	1.2	1.9	2.6	3.8	2.7	1.8	1.7	2.1	2.9	2.2	2.2	3.9	2.4	1.8	1.9	1.7	1.3	1.5	1.5	2.1				
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	30	31	31	31	31	31	31	31	31	31	31	31	743			
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	743	
測定時間	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	
測定値ラック	0	6	11	16	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	101	TOTAL	32.4	27.9	27.9	27.9	111/01		
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	