

上司放射線測定所

2014年04月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間		
1	49.4	49.4	49.3	49.3	49.1	49.3	49.5	49.6	50.0	49.3	49.1	49.3	49.2	49.7	49.7	49.5	49.0	49.3	49.2	49.3	49.5	49.5	49.5	49.5	49.7	50.0	49.0	49.4	0.2	24	
2	49.9	50.4	50.4	50.2	50.5	50.2	49.9	50.1	50.0	50.0	50.3	50.5	50.6	50.5	50.3	50.2	50.5	50.0	50.5	50.0	50.2	50.2	50.0	50.0	49.8	50.6	49.8	50.2	0.2	24	
3	49.7	49.6	49.7	49.5	49.5	49.6	49.6	49.8	50.0	50.3	49.9	50.2	50.4	50.3	50.4	50.3	50.4	50.5	50.5	50.4	50.5	50.5	50.5	50.8	51.9	50.9	49.5	50.2	0.6	24	
4	55.3	55.4	55.4	53.5	51.8	51.9	50.9	50.2	49.6	49.7	58.3	70.2	66.6	64.2	58.4	54.6	53.8	50.9	49.7	48.8	48.1	48.0	48.0	48.1	47.8	70.2	47.8	53.8	6.1	24	
5	47.8	48.3	49.0	48.9	49.0	48.6	48.7	48.6	48.8	49.0	48.9	49.2	49.2	49.2	49.6	49.1	48.8	49.1	48.8	49.2	49.3	49.2	49.2	49.7	49.5	49.7	47.8	49.0	0.4	24	
6	49.7	49.8	50.2	50.2	51.7	55.5	51.9	52.2	56.6	57.6	56.0	50.9	48.8	48.4	50.2	51.2	49.8	48.8	48.4	48.4	48.6	48.8	48.9	48.9	48.9	57.6	48.4	50.9	2.8	24	
7	49.0	49.1	49.3	49.5	49.6	49.5	49.6	50.3	49.7	50.0	50.0	50.2	50.2	50.2	50.2	50.7	50.3	50.1	50.2	49.9	50.1	49.9	49.9	50.2	50.7	49.0	49.9	0.4	24		
8	50.0	49.9	50.0	50.1	50.2	50.6	50.9	50.9	50.8	50.7	50.7	50.5	51.2	50.6	50.4	50.5	50.6	50.0	50.1	50.4	50.5	50.5	50.8	50.9	51.2	49.9	50.5	0.3	24		
9	50.3	50.7	51.0	50.9	50.7	50.2	50.4	50.7	50.6	50.5	51.1	50.7	50.4	50.7	50.6	50.8	50.6	50.8	50.8	50.6	50.7	50.6	50.6	50.6	50.7	51.1	50.2	50.7	0.2	24	
10	50.6	50.7	50.5	50.4	50.4	50.3	50.6	51.0	50.8	51.3	50.3	50.3	50.0	49.8	49.7	49.7	49.7	49.6	49.2	49.2	49.1	49.0	49.0	48.8	49.0	51.3	48.8	50.0	0.7	24	
11	48.8	48.1	48.0	48.9	48.9	49.2	49.1	49.3	49.4	49.1	49.1	49.4	49.6	49.8	50.0	50.2	50.1	49.9	49.7	49.7	49.4	49.4	49.6	49.6	49.7	50.2	48.8	49.4	0.4	24	
12	50.0	50.0	50.1	49.9	49.7	49.4	49.9	50.2	50.7	50.4	50.0	50.1	50.3	50.5	50.4	50.3	50.4	49.8	50.4	50.3	50.4	50.2	50.5	50.6	50.7	50.7	49.4	50.2	0.3	24	
13	50.1	50.4	50.3	50.0	50.2	50.1	50.3	51.3	51.1	50.7	50.4	50.5	50.4	50.4	50.4	50.4	50.4	50.4	50.4	50.3	50.8	50.5	50.2	50.3	50.2	51.3	50.0	50.4	0.3	24	
14	50.2	50.2	50.1	50.1	50.2	50.1	50.1	50.3	50.2	50.3	50.0	50.0	49.8	49.9	50.3	50.3	50.3	50.1	50.5	50.3	50.1	50.0	50.3	50.1	50.1	51.0	49.8	50.2	0.2	24	
15	50.0	49.8	49.7	50.0	50.1	50.5	50.7	50.8	50.8	50.8	51.5	51.8	51.6	51.6	51.6	51.6	51.9	51.5	51.4	51.6	51.5	51.3	51.6	51.9	51.9	51.2	49.7	51.1	0.7	24	
16	51.8	51.3	51.2	51.0	51.1	51.2	52.2	52.6	52.9	52.6	52.4	52.4	52.3	52.2	52.1	52.0	51.8	51.7	51.8	51.7	52.2	52.1	51.9	52.0	52.9	51.0	52.0	0.5	24		
17	52.2	52.4	52.4	52.5	52.6	52.7	53.2	53.4	53.5	53.2	53.1	52.8	52.6	52.4	52.2	52.1	52.1	52.1	52.1	52.1	52.3	52.2	52.2	52.6	52.7	53.5	52.1	52.6	0.4	24	
18	52.3	55.9	59.7	58.6	58.4	54.4	51.4	50.7	50.3	50.2	50.5	50.8	50.7	50.5	50.7	50.5	50.2	50.3	50.1	50.5	50.4	50.1	49.8	49.7	59.7	59.7	49.7	51.9	3.0	24	
19	49.7	49.7	49.7	49.4	49.4	49.4	49.4	49.6	49.8	50.0	49.9	50.1	50.2	50.2	50.0	50.4	50.1	49.7	49.8	49.9	49.9	50.0	49.8	49.6	50.4	49.4	49.8	0.3	24		
20	49.8	49.7	49.7	49.8	49.8	50.5	50.5	50.6	50.5	50.5	50.8	51.0	51.2	51.1	51.1	51.1	50.9	50.7	50.9	51.0	50.9	50.6	50.9	50.8	51.2	49.7	50.6	0.5	24		
21	50.8	50.7	50.9	51.3	51.6	51.6	51.1	51.3	52.3	52.2	52.8	53.7	58.2	60.2	57.1	58.7	59.9	57.9	55.6	54.1	51.4	51.4	50.0	49.6	49.4	60.2	49.4	53.4	3.4	24	
22	49.5	49.6	49.8	50.1	49.9	49.7	49.9	49.5	49.8	50.0	49.9	49.9	50.0	50.1	50.1	49.8	49.7	49.9	50.0	49.8	49.8	50.0	50.4	51.0	51.0	51.0	49.5	49.9	0.3	24	
23	51.3	50.9	50.4	50.4	50.4	50.4	50.9	51.1	50.7	50.3	50.1	50.9	51.1	50.8	51.1	50.8	51.2	51.3	51.2	51.1	51.3	51.7	51.7	51.8	51.8	51.8	50.1	51.0	0.5	24	
24	51.6	52.1	51.7	51.2	51.3	51.3	51.5	51.4	51.3	51.1	50.7	50.6	51.1	50.7	51.4	51.4	51.3	51.2	51.1	51.2	50.8	50.9	50.7	50.4	52.1	50.4	51.2	50.4	0.4	24	
25	50.7	50.6	50.8	51.1	51.3	51.8	51.7	51.6	51.6	51.6	52.4	52.5	52.1	51.8	51.8	51.8	51.7	51.4	51.4	51.4	51.7	51.7	51.7	51.8	52.0	52.5	50.6	51.6	0.5	24	
26	51.7	51.9	52.2	52.3	52.7	52.0	51.6	51.9	52.1	51.9	52.2	52.5	52.7	52.5	52.2	52.5	52.5	52.4	52.3	52.3	52.1	52.3	52.3	52.3	52.3	52.7	51.6	52.2	0.3	24	
27	51.8	51.7	51.7	51.7	51.7	51.6	51.5	51.7	52.6	52.6	52.5	52.5	52.6	52.1	52.2	52.0	51.9	52.2	51.9	51.6	51.3	51.2	51.2	51.2	50.9	52.6	50.9	51.9	0.5	24	
28	51.2	51.1	51.2	51.2	51.2	51.2	51.2	51.7	51.6	51.8	51.8	51.7	52.0	52.0	52.0	52.3	53.0	52.6	56.1	56.4	54.4	54.6	54.6	54.1	53.1	56.4	51.1	52.6	1.6	24	
29	52.4	52.8	53.1	52.1	52.2	52.6	51.2	51.3	52.3	52.0	50.8	50.7	50.9	51.2	51.0	51.0	50.8	50.5	53.7	56.4	55.4	54.3	56.5	52.3	56.5	52.3	56.5	50.5	52.4	1.7	24
30	50.2	50.2	52.8	51.8	50.9	49.8	49.3	49.3	49.4	49.5	49.6	49.6	50.0	49.9	49.5	49.3	49.2	49.2	49.2	49.4	49.4	49.4	49.6	49.7	50.2	52.8	49.2	49.9	0.9	24	
31																															
最大値	55.3	59.7	59.7	58.6	58.4	55.5	53.2	53.4	56.6	57.6	58.3	70.2	66.6	64.2	59.4	58.7	59.9	57.9	56.4	56.4	55.4	54.6	56.5	53.1	70.2		53.8				
最小値	47.8	48.3	49.0	48.9	48.6	48.7	48.6	48.6	48.8	49.0	48.9	49.2	48.8	48.4	49.5	49.3	49.0	48.8	48.4	48.4	48.1	48.0	48.1	47.8		47.8	49.0				
平均値	50.6	50.8	51.0	50.9	50.8	50.8	50.6	50.8	51.0	51.0	51.2	51.5	51.3	51.1	51.3	51.1	51.0	50.9	50.9	50.7	50.6	50.7	50.6	50.7	50.6	50.5	51.0	51.0			
標準偏差	1.4	1.7	2.2	1.8	1.8	1.5	1.0	1.1	1.6	1.7	2.0	3.7	3.3	3.1	2.1	1.8	2.0	1.9	1.8	1.7	1.6	1.5	1.6	1.3			2.0				
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720		
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	109/01		
測定値ランク	0	6	11	16	21	25	26	30	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL							
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

上司放射線測定所

2014年06月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間			
1	51.5	52.0	51.8	52.2	52.0	51.9	52.1	53.0	53.1	53.1	52.8	52.5	51.6	52.0	51.8	51.8	51.7	51.9	51.7	51.4	51.4	51.7	51.6	51.9	53.1	51.4	52.0	0.5	24			
2	52.0	52.0	52.0	52.0	52.0	53.0	53.0	54.0	53.6	52.7	52.7	53.4	53.8	53.6	53.3	53.2	53.1	52.7	52.6	52.3	51.9	51.8	51.8	51.6	52.0	51.6	52.7	0.7	24			
3	51.8	51.7	51.7	51.6	51.4	51.3	51.8	51.9	52.1	52.2	52.4	52.4	52.1	52.4	52.3	51.9	51.8	51.8	51.9	51.5	51.5	51.8	51.9	51.7	52.4	51.3	51.9	0.3	24			
4	52.1	51.9	51.7	52.0	52.3	53.1	52.8	53.2	52.9	52.6	52.6	52.4	52.2	52.3	52.1	51.6	51.6	52.9	54.6	52.9	51.7	52.6	53.0	52.3	54.6	51.6	52.5	0.7	24			
5	52.3	53.9	52.6	52.2	51.9	50.0	50.1	51.4	51.8	52.5	51.6	49.9	50.2	49.7	49.8	50.8	50.8	50.3	50.1	49.9	50.3	50.1	50.2	49.8	53.9	49.7	50.9	1.1	24			
6	50.5	50.3	50.5	50.5	51.5	51.8	52.2	52.0	53.1	52.3	51.9	52.2	53.3	52.5	51.6	51.0	50.7	50.5	50.3	50.2	50.2	50.6	50.7	50.5	50.7	53.3	50.2	51.3	0.9	24		
7	50.8	51.2	51.1	50.8	50.6	51.0	50.7	50.6	51.1	51.0	50.9	51.2	51.4	51.4	51.0	50.9	50.9	50.7	50.6	50.2	50.2	50.2	51.0	50.6	51.4	50.2	50.9	0.3	24			
8	50.5	50.7	51.0	51.4	51.0	51.2	51.5	51.6	51.5	51.5	51.3	51.4	51.2	51.6	51.6	51.1	50.8	50.9	50.7	50.6	50.7	50.6	50.7	51.1	51.3	51.9	50.5	0.4	24			
9	51.9	52.2	52.6	52.8	52.9	52.5	52.6	52.2	52.2	52.1	52.2	51.5	51.5	51.8	52.1	52.1	51.7	51.3	50.9	50.9	51.1	51.2	51.9	51.7	52.9	50.9	51.9	0.6	24			
10	52.2	52.3	52.7	53.1	53.6	53.5	53.2	53.7	52.9	52.9	52.8	52.8	53.1	53.4	52.7	56.4	56.6	52.2	51.1	51.1	51.1	51.7	52.0	52.0	56.6	51.1	52.9	1.4	24			
11	51.7	51.6	52.0	52.0	51.7	52.0	51.9	52.0	51.9	51.5	51.3	51.4	52.0	52.0	51.7	51.8	51.4	53.2	52.0	51.6	52.1	53.5	53.6	52.0	53.6	51.3	52.0	0.6	24			
12	51.0	51.2	52.5	55.9	57.2	59.3	61.3	56.8	54.4	51.2	50.0	51.0	53.5	55.5	51.5	49.4	49.7	59.0	58.1	51.1	48.2	47.5	47.8	47.5	61.3	47.5	52.9	4.1	24			
13	47.6	47.4	47.4	47.7	47.8	48.0	48.2	48.2	48.5	48.5	48.5	48.4	48.6	48.8	48.8	48.8	48.8	48.8	48.6	48.6	48.5	48.9	48.9	49.2	49.2	47.4	48.4	0.5	24			
14	49.0	49.3	49.6	49.5	49.5	49.4	49.7	50.3	50.3	50.1	51.1	50.5	50.3	50.6	50.2	50.5	50.4	50.3	49.9	49.8	50.1	50.1	50.1	50.2	51.1	49.0	50.0	0.5	24			
15	50.5	51.0	50.7	51.1	51.5	51.6	51.7	51.4	51.1	50.8	50.9	51.1	50.8	50.6	50.9	50.7	50.6	50.6	50.3	50.7	50.5	51.0	50.9	51.1	51.7	50.3	50.9	0.4	24			
16	51.0	51.4	51.5	51.1	51.3	50.9	51.6	51.9	51.8	51.5	51.4	51.2	50.9	51.0	50.9	50.9	50.9	51.1	50.5	50.8	50.8	50.5	51.1	51.4	51.4	51.9	50.5	51.2	0.4	24		
17	51.2	51.3	51.6	52.2	51.6	51.7	52.2	52.0	51.7	52.5	52.3	51.7	51.7	51.8	51.7	51.6	51.3	51.1	51.3	51.1	50.9	50.9	51.4	52.0	52.5	50.9	51.6	0.4	24			
18	52.1	52.0	51.9	51.4	50.8	50.5	50.5	50.6	50.9	50.9	50.9	50.9	50.9	50.9	50.9	50.9	50.9	50.7	50.8	50.8	50.8	50.9	51.1	51.1	52.1	50.5	51.2	0.5	16			
19	51.2	51.8	51.7	51.8	51.5	51.5	51.3	50.8	51.2	51.3	51.3	51.1	50.9	51.1	51.2	51.3	51.1	50.9	50.7	51.0	50.9	51.3	51.5	51.6	51.8	50.7	51.3	0.3	24			
20	51.7	52.1	52.5	52.9	52.9	52.5	52.3	52.0	52.4	52.3	52.8	52.8	52.8	52.7	52.6	51.8	51.9	52.0	51.5	51.4	51.1	51.6	51.7	52.1	52.9	51.1	52.2	0.5	24			
21	52.6	52.9	52.5	52.8	52.8	53.0	53.5	53.6	53.9	53.6	53.8	53.9	53.6	53.0	52.5	52.3	52.0	52.0	51.5	52.1	68.7	60.9	54.2	55.5	56.2	68.7	51.5	54.2	3.6	24		
22	55.6	56.7	57.6	58.1	56.6	55.2	56.7	57.0	61.4	57.0	51.1	49.4	49.3	49.4	49.6	49.3	49.2	49.0	49.3	49.1	49.3	49.2	49.4	49.3	61.4	49.0	52.7	4.1	24			
23	49.3	49.4	49.5	49.5	50.1	50.1	50.1	50.0	49.7	49.6	49.5	49.5	49.6	49.7	49.7	49.9	49.8	49.6	49.2	49.3	49.4	49.6	49.9	50.2	50.2	49.2	49.7	0.3	24			
24	50.3	50.4	50.3	50.6	51.0	50.7	50.4	50.8	50.5	50.1	50.0	50.5	50.5	50.6	50.6	50.4	50.4	50.3	50.4	50.1	50.3	50.5	50.9	51.2	51.2	50.0	50.5	0.3	24			
25	51.2	51.3	51.5	51.9	51.5	51.6	51.8	51.3	51.3	50.9	50.9	50.7	51.0	51.1	51.1	51.0	50.9	50.6	50.6	50.3	50.7	51.1	51.1	51.1	51.9	50.3	51.1	0.4	24			
26	51.3	51.7	51.7	52.0	51.8	52.0	52.5	52.3	52.4	52.3	53.0	52.9	52.8	52.8	52.6	52.4	52.6	51.9	52.0	51.9	52.2	51.8	51.8	51.6	53.0	51.3	52.2	0.5	24			
27	51.6	51.9	51.7	51.9	52.1	52.3	52.3	52.3	52.8	52.9	52.5	52.3	51.9	51.5	51.7	51.7	51.5	51.6	51.7	52.6	52.5	52.6	52.5	52.2	52.9	51.5	52.1	0.4	24			
28	52.4	52.5	52.6	52.3	51.9	51.9	51.6	51.9	52.0	52.3	52.4	52.4	52.4	51.8	52.0	52.0	52.1	53.9	57.2	56.1	53.6	53.0	54.2	53.0	54.2	51.6	52.8	1.4	24			
29	52.5	52.6	53.0	52.6	51.6	51.9	52.2	52.4	52.3	52.3	52.5	53.4	54.9	52.8	51.8	51.9	51.9	51.6	51.6	51.2	51.3	51.3	51.6	52.0	52.1	54.9	51.2	52.2	0.8	24		
30	52.4	52.2	52.2	52.0	52.2	52.2	52.3	52.5	52.7	52.7	52.8	52.7	52.6	52.3	52.1	52.0	51.8	51.8	51.4	51.4	52.0	52.1	52.3	52.4	52.8	51.4	52.2	0.4	24			
31	55.6	56.7	57.6	58.1	57.2	59.3	61.3	57.0	61.4	57.0	53.8	53.9	54.9	55.5	53.3	56.4	56.6	59.0	58.1	68.7	60.9	54.2	55.5	56.2	68.7	54.2	54.2					
最大値	47.6	47.4	47.4	47.7	47.8	48.0	48.2	48.2	48.5	48.5	48.5	48.4	48.6	48.5	48.8	48.8	48.8	48.9	48.6	48.6	48.2	47.5	47.8	47.5	48.4	47.4	48.4					
最小値	51.4	51.6	51.7	51.9	51.9	51.9	52.1	52.1	52.2	52.0	51.7	51.6	51.7	51.7	51.4	51.4	51.3	51.5	51.5	51.6	51.2	51.2	51.4	51.4	51.4	51.7	51.7					
平均値	1.4	1.5	1.6	1.8	1.7	1.9	2.3	1.8	2.1	1.5	1.2	1.3	1.4	1.4	1.0	1.4	1.4	1.8	2.0	3.5	2.2	1.3	1.5	1.5	1.5	1.8						
標準偏差	30	30	30	30	30	30	30	30	30	29	29	29	29	29	29	29	29	29	30	30	30	30	30	30	30	30	30					
測定時間	29	712																														
有効測定日数	29																															
測定値合計	36775.7																															
次測時間数	8																															
測定時間	712																															
1時間間の最大値	68.7																															
1時間間の最小値	47.4																															
平均値	51.7																															
日平均値の最大値	54.2																															
日平均値の最小値	48.4																															
局番/項目コード	109/01																															
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL										
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

