

老富放射線測定所

2015年11月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間					
1	46.6	47.0	47.1	47.2	47.5	47.9	48.2	48.0	47.4	45.2	44.2	43.4	43.3	43.3	43.4	43.1	43.2	43.3	43.7	43.8	44.2	44.4	44.4	45.0	46.0	48.2	43.1	45.3	45.3	1.9	24			
2	50.9	57.1	56.5	54.6	53.8	55.2	55.5	54.0	56.0	53.4	50.6	47.5	46.1	44.8	44.5	44.2	44.2	44.3	44.4	44.7	44.4	44.4	44.2	43.8	43.4	43.8	49.1	49.1	5.2	24				
3	44.4	44.5	44.6	44.8	44.7	44.8	45.4	45.6	45.4	45.0	43.4	43.3	43.3	43.1	42.8	42.4	42.3	42.5	42.9	42.7	42.6	42.8	42.8	43.4	43.6	45.6	42.3	43.8	1.1	24				
4	43.6	43.9	44.0	44.6	44.6	44.5	44.3	44.4	44.0	43.4	43.4	43.6	43.7	43.5	43.6	43.7	43.4	43.6	43.8	44.0	44.0	44.1	44.1	44.2	44.2	44.6	43.4	43.9	0.4	24				
5	43.9	44.0	44.3	44.3	44.4	44.6	44.8	45.2	44.9	44.8	44.6	44.6	43.9	44.1	44.8	44.4	43.9	43.9	43.8	43.7	43.9	44.1	44.3	44.2	44.2	45.2	43.7	44.3	0.4	24				
6	44.5	44.7	44.9	44.7	44.8	44.9	44.8	44.8	44.9	44.3	44.3	43.9	43.9	43.9	43.9	44.1	43.9	43.9	44.0	43.9	43.7	44.0	44.3	44.3	44.3	44.9	44.3	44.3	0.4	21				
7	44.4	44.4	44.4	44.9	45.0	44.9	45.4	45.2	45.0	43.6	43.4	43.7	44.3	43.7	43.7	43.8	44.2	44.6	44.6	44.8	44.6	44.6	44.3	43.7	43.8	45.4	43.4	44.3	0.6	24				
8	45.0	45.1	46.0	45.7	46.0	45.5	45.5	43.5	43.7	46.1	45.8	46.3	46.2	45.6	46.1	44.5	43.4	43.0	43.4	43.4	43.1	43.2	43.1	43.4	46.3	43.0	44.7	1.3	24					
9	49.0	57.0	59.9	59.9	52.5	46.7	44.0	43.2	43.7	44.0	43.2	43.5	48.7	55.5	51.0	46.8	45.6	45.6	47.6	52.4	55.9	53.2	51.4	51.3	59.9	43.2	49.7	5.3	24					
10	60.6	53.5	46.0	43.6	47.9	66.7	82.0	80.9	78.9	74.5	57.5	46.9	43.4	42.4	42.2	42.3	42.1	42.1	42.1	42.4	42.4	43.2	42.7	42.5	82.0	42.1	52.0	14.0	24					
11	42.1	42.4	42.4	42.2	42.6	44.9	43.9	43.6	43.3	42.3	42.5	42.3	42.3	42.4	42.4	42.3	42.4	42.3	42.3	42.3	42.3	42.2	42.3	42.3	44.9	42.1	42.6	0.7	24					
12	42.5	42.7	43.0	43.0	43.4	43.7	43.7	43.5	43.1	42.6	42.5	42.7	42.5	42.4	42.5	42.3	42.4	42.6	42.6	43.0	43.3	43.4	43.7	43.9	43.9	42.3	43.0	0.5	24					
13	43.8	44.1	44.3	44.3	44.4	44.5	44.3	44.3	44.0	43.0	42.7	43.8	44.2	44.4	44.1	44.4	45.3	46.4	44.3	44.3	44.3	44.3	44.2	44.4	44.3	42.7	46.4	42.7	44.3	0.9	24			
14	43.0	43.2	43.4	44.3	46.0	45.5	43.5	42.7	42.3	42.5	42.4	42.4	42.3	44.5	45.9	47.7	49.7	49.5	48.1	44.9	44.2	44.8	44.8	44.5	46.7	49.7	42.3	44.8	2.2	24				
15	48.9	46.9	49.4	52.4	48.0	47.1	44.9	43.4	47.5	48.2	44.3	46.7	46.7	45.2	45.4	44.0	42.7	42.3	42.1	42.2	42.0	42.2	42.2	42.0	42.2	52.4	42.0	45.3	2.9	24				
16	43.1	42.5	43.0	43.3	42.6	42.5	42.6	42.8	42.7	42.5	42.6	42.7	42.6	42.4	42.3	42.2	42.3	42.6	42.9	43.1	43.3	43.5	43.8	43.8	43.8	42.2	42.8	0.4	24					
17	44.4	44.2	43.8	43.5	43.1	42.9	42.7	42.7	42.6	42.8	42.8	43.1	44.1	44.7	46.0	49.7	54.1	52.6	49.0	49.6	55.1	50.0	49.5	45.7	55.1	42.6	46.2	3.9	24					
18	43.7	43.1	46.9	59.7	51.6	45.7	45.6	47.0	48.1	50.4	50.2	57.9	59.1	56.3	55.5	54.1	50.0	49.9	48.1	46.5	47.7	68.8	86.4	91.3	91.3	43.1	54.3	12.2	24					
19	94.3	79.5	60.3	62.5	58.1	48.7	44.2	42.9	43.2	45.1	44.2	42.6	42.2	42.1	42.3	42.1	42.0	41.9	41.9	42.3	42.7	42.9	43.4	43.2	94.3	41.9	48.9	13.3	24					
20	43.6	43.7	43.5	44.0	44.3	44.4	44.6	45.1	45.1	44.2	43.1	42.7	42.8	42.5	42.4	42.4	42.3	42.3	42.8	42.9	43.4	43.7	43.7	43.5	45.1	42.3	43.5	0.9	24					
21	43.2	43.5	43.4	43.0	42.7	42.7	42.9	42.8	42.8	42.9	43.1	43.1	43.2	43.2	43.2	43.2	43.3	43.3	43.0	43.4	43.4	44.2	44.8	44.8	45.1	45.1	42.7	43.3	0.6	24				
22	45.6	45.8	46.2	46.1	46.1	46.2	46.8	47.1	47.0	45.9	44.5	44.1	43.8	43.7	43.6	43.6	43.3	43.4	43.5	43.9	44.0	44.4	44.4	44.7	47.1	43.3	44.9	1.3	24					
23	44.8	45.1	45.1	45.3	45.4	45.6	46.2	46.7	46.4	45.7	44.6	44.5	44.3	44.4	43.9	43.7	43.7	43.9	43.9	43.8	44.1	44.4	44.7	44.6	46.7	43.7	44.8	0.9	24					
24	44.9	45.4	44.7	44.2	44.5	44.7	44.8	44.5	47.7	56.9	55.0	58.1	60.6	57.5	57.6	62.9	58.3	51.7	46.5	43.9	43.1	42.9	43.0	43.2	62.9	42.9	49.4	6.8	24					
25	43.3	43.2	43.5	43.7	43.5	43.3	43.3	43.6	43.6	43.6	46.9	47.4	46.7	46.4	46.7	46.8	46.3	47.8	50.0	47.6	45.2	44.7	44.4	44.4	45.0	50.0	43.2	45.4	1.9	24				
26	45.4	46.2	45.7	45.2	44.7	44.1	43.8	43.8	44.1	44.2	44.2	44.3	44.3	44.1	44.2	44.0	43.5	43.7	44.0	44.4	44.2	44.0	44.0	44.6	66.9	43.5	47.4	7.0	24					
27	44.9	45.5	44.7	44.3	43.9	44.6	44.3	44.1	44.2	44.2	44.3	46.3	54.6	49.2	47.4	44.9	43.8	43.2	43.5	43.9	44.0	44.0	44.0	43.8	54.6	43.2	45.1	2.4	24					
28	43.8	43.8	43.8	44.0	44.0	44.4	44.5	44.6	44.4	44.4	43.9	43.4	43.5	43.1	43.1	42.7	42.5	42.8	42.7	42.8	42.7	42.9	43.1	43.1	43.8	44.6	42.5	43.5	0.6	24				
29	44.3	44.3	44.1	44.3	44.6	44.5	44.5	44.7	44.3	44.0	43.7	43.2	43.2	43.3	43.1	43.1	43.1	43.3	43.4	44.0	44.5	44.9	45.3	45.3	45.3	45.3	43.1	44.0	0.7	24				
30	46.1	45.8	46.1	46.2	46.1	46.0	45.8	45.5	45.4	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	44.5	44.5	45.1	45.3	45.3	46.2	43.0	45.1	1.0	18				
31																																		
最大値	94.3	79.5	60.3	62.5	58.1	48.7	44.2	42.9	43.2	45.1	44.2	42.6	42.2	42.1	42.3	42.1	42.0	41.9	41.9	42.3	42.7	42.9	43.4	43.2	94.3	41.9	48.9	13.3	24					
最小値	42.1	42.4	42.4	42.2	42.6	44.9	43.9	43.6	43.3	42.3	42.5	42.3	42.3	42.4	42.4	42.3	42.4	42.3	42.3	42.3	42.3	42.2	42.3	42.3	44.9	42.1	42.6	0.7	24					
平均値	47.0	46.7	46.2	46.7	46.0	46.1	46.2	46.0	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2	46.2		
標準偏差	9.6	7.2	4.6	5.4	3.6	4.5	7.1	7.0	6.7	6.3	5.1	5.6	5.7	4.6	3.8	4.4	3.7	2.9	2.2	2.2	3.1	5.0	7.9	8.7	8.7	8.7	45.7	5.6	5.6	5.6	5.6			
測定時間	30	30	30	30	30	30	30	30	30	30	30	29	29	28	28	28	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30		
有効測定日数	29																																	
測定時間	711																																	
測定値合計	32471.3																																	
測定値の最大値	94.3																																	
測定値の最小値	41.9																																	
平均値	45.7																																	
日平均値の最大値	54.3																																	
日平均値の最小値	42.6																																	
標準偏差	5.6																																	
測定時間	711																																	
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL												
時間数	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

老富放射線測定所

2015年12月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間																																																																																				
1	45.4	45.6	48.5	66.1	76.8	78.4	74.5	66.7	58.3	52.6	47.2	44.2	43.6	43.3	43.8	44.1	42.9	42.6	42.5	42.4	42.7	43.0	43.8	44.6	78.4	42.4	51.0	12.1	24																																																																																				
2	45.4	46.5	46.6	47.0	46.9	47.0	47.6	48.3	49.1	47.7	45.5	44.1	43.6	43.2	43.1	43.0	43.3	43.2	43.4	43.2	43.2	43.3	42.9	43.0	44.1	42.9	42.9	45.0	2.1	24																																																																																			
3	43.4	44.0	44.6	47.6	52.4	52.4	51.8	64.1	55.5	48.9	50.0	45.9	43.8	43.1	43.0	42.9	43.5	43.7	44.2	44.4	43.5	43.3	43.6	43.6	64.1	42.9	46.8	5.2	24																																																																																				
4	43.7	43.5	43.6	43.5	43.8	45.2	49.6	57.9	52.3	48.3	45.9	45.5	45.2	45.1	44.9	44.5	44.3	43.9	43.6	43.5	43.9	43.9	43.8	43.8	57.9	43.5	45.6	3.4	24																																																																																				
5	43.7	43.7	43.8	43.9	43.5	43.9	44.2	44.6	44.4	44.2	43.8	43.5	43.4	43.4	43.3	42.9	42.5	42.4	42.6	42.6	42.6	42.8	43.1	44.9	44.9	42.4	43.5	0.7	24																																																																																				
6	44.6	43.8	42.9	42.6	42.5	42.6	42.7	42.8	42.9	43.0	42.8	42.9	42.7	42.7	42.7	42.6	42.4	42.3	42.5	42.8	42.8	43.2	42.9	43.3	44.6	42.3	42.9	0.5	24																																																																																				
7	43.2	42.8	42.8	42.9	42.8	43.0	43.2	43.3	43.1	42.9	42.6	42.8	42.6	42.8	42.7	42.6	42.7	42.5	42.4	42.5	42.5	42.6	42.6	42.3	42.3	42.8	42.8	0.3	24																																																																																				
8	42.4	42.6	42.7	42.7	42.6	42.8	43.1	43.0	43.1	42.9	42.6	42.7	42.6	42.4	42.5	42.6	42.6	42.6	42.6	42.7	42.5	42.3	42.5	42.7	42.5	43.1	42.2	42.6	0.2	24																																																																																			
9	42.4	42.5	42.7	43.0	43.8	44.2	45.1	45.7	45.2	43.7	42.9	42.6	42.6	42.7	42.5	42.6	42.4	42.6	43.1	43.5	43.6	43.8	44.3	44.3	45.7	42.4	43.4	1.0	24																																																																																				
10	44.7	44.7	44.7	44.7	45.5	46.1	45.6	45.0	44.1	43.1	42.8	42.7	42.5	42.6	42.8	43.2	43.2	45.0	45.8	45.0	44.4	43.6	44.2	45.1	46.1	42.5	42.5	44.3	1.1	24																																																																																			
11	45.5	45.4	46.2	48.7	51.8	50.5	53.1	50.4	51.2	54.2	52.6	55.9	54.9	56.6	57.7	55.2	54.0	55.9	53.5	51.7	55.2	61.4	61.2	64.9	64.9	45.4	53.7	4.8	24																																																																																				
12	54.9	48.8	44.9	43.4	43.5	44.6	45.6	43.6	42.7	42.5	42.4	42.4	42.6	43.6	43.3	43.0	43.0	43.0	43.3	43.4	43.8	44.2	43.9	44.3	54.9	42.4	44.2	2.6	24																																																																																				
13	44.8	44.6	45.2	45.6	45.7	45.7	45.5	45.4	45.3	44.7	43.9	42.8	42.7	42.8	42.9	43.1	43.1	43.1	43.2	43.8	45.1	44.9	45.2	45.7	42.7	42.7	44.3	1.1	24																																																																																				
14	45.1	44.9	46.6	46.5	44.7	42.8	42.8	43.2	43.1	43.2	43.1	42.8	42.6	42.6	42.9	42.7	43.0	43.2	43.3	43.6	44.2	44.3	44.6	44.6	46.6	42.6	43.7	1.2	24																																																																																				
15	44.9	45.4	45.6	46.0	46.0	46.8	47.6	48.2	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	48.2	54.7	50.3	45.4	44.4	44.8	44.8	54.7	44.4	47.1	2.6	16																																																																																				
16	48.8	48.8	47.4	51.7	48.6	45.1	43.9	43.9	43.8	43.8	43.8	43.8	43.8	43.8	43.8	43.8	43.8	43.8	43.0	43.3	43.6	43.5	43.4	44.0	51.7	42.8	45.3	2.8	16																																																																																				
17	44.3	44.2	44.5	45.1	44.0	43.8	43.9	43.8	43.7	43.7	43.7	43.7	43.7	43.7	43.7	43.7	43.7	43.7	44.8	44.7	44.8	44.8	44.8	44.8	44.8	42.4	44.2	15.6	21																																																																																				
18	53.3	47.8	46.9	45.0	43.4	43.6	43.4	43.3	43.1	43.4	43.2	43.1	43.0	42.5	42.5	42.2	42.1	42.5	42.5	43.1	43.3	43.8	44.1	43.9	53.3	42.1	44.0	2.4	24																																																																																				
19	43.8	45.9	49.0	47.2	45.0	44.4	48.6	51.4	51.3	46.3	43.0	42.2	41.9	42.0	42.1	42.0	42.0	42.0	42.0	42.3	42.0	42.1	42.1	42.1	51.4	41.9	44.3	3.1	24																																																																																				
20	42.8	43.6	44.2	44.7	44.8	44.9	44.6	44.6	44.3	42.9	42.6	42.5	42.4	42.6	42.5	42.5	42.4	42.8	42.4	45.3	48.1	45.8	43.9	43.5	53.0	42.4	44.9	3.1	24																																																																																				
21	48.7	47.9	48.2	48.8	50.1	50.9	51.2	50.3	51.1	53.4	52.4	47.6	47.9	45.5	43.7	43.6	43.2	43.4	45.2	45.3	45.3	45.1	44.9	44.9	57.1	42.7	47.3	3.2	24																																																																																				
22	42.8	43.5	44.4	44.8	44.7	44.3	45.1	44.6	44.2	43.2	42.3	42.4	42.5	42.2	42.5	42.3	41.9	42.3	42.5	42.7	43.3	44.0	44.3	44.1	45.1	41.9	43.4	1.0	24																																																																																				
23	43.6	44.2	44.8	44.8	44.9	45.1	45.1	45.6	46.1	45.6	44.6	44.4	44.1	43.3	43.5	45.5	48.3	51.7	53.5	50.0	50.2	49.1	49.9	47.4	53.5	43.3	46.5	2.8	24																																																																																				
24	49.2	47.3	50.9	53.0	47.9	47.1	44.5	43.2	42.7	42.6	42.6	42.5	42.4	42.6	42.5	42.5	42.4	42.8	42.4	45.3	48.1	45.8	43.9	43.5	53.0	42.4	44.9	3.1	24																																																																																				
25	43.6	43.1	44.2	43.6	43.0	43.0	43.3	44.4	43.2	48.2	47.2	52.1	52.1	52.5	54.6	48.1	45.4	45.4	55.5	57.1	59.3	64.7	64.9	55.7	64.9	43.0	50.1	6.9	24																																																																																				
26	51.1	48.4	51.5	57.4	48.6	44.8	43.5	43.6	43.4	42.9	43.2	43.1	42.9	42.9	42.7	43.0	43.0	43.0	43.3	43.4	43.3	43.3	43.5	43.9	57.4	42.7	45.0	3.7	24																																																																																				
27	43.2	43.5	46.8	59.2	63.4	70.0	64.6	60.1	57.4	51.4	48.8	48.3	52.2	59.1	60.3	60.1	54.9	53.8	51.8	51.2	48.1	45.2	44.7	45.8	70.0	43.2	53.5	7.4	24																																																																																				
28	45.6	45.5	46.3	44.4	43.6	43.0	43.5	43.1	42.8	42.7	42.5	42.6	42.8	42.8	42.9	42.9	44.0	43.5	42.6	42.2	42.7	42.5	42.6	42.9	46.3	42.2	43.3	1.1	24																																																																																				
29	42.9	42.7	46.1	52.3	46.6	43.5	43.6	45.0	48.0	47.6	45.0	43.4	42.3	42.5	43.9	42.6	42.0	41.8	42.2	42.7	43.0	43.2	43.9	44.4	52.3	41.8	44.2	2.4	24																																																																																				
30	44.4	44.3	44.4	44.3	44.5	45.3	45.3	45.1	44.5	44.5	43.9	43.3	42.8	42.7	42.4	42.0	41.8	41.7	41.8	42.1	42.6	43.2	43.6	43.8	44.2	45.3	41.7	43.5	1.2	24																																																																																			
31	44.3	44.4	44.8	45.3	45.3	45.3	45.5	46.1	46.1	44.8	44.3	42.8	42.9	44.1	47.4	44.5	53.9	53.3	46.2	49.1	47.2	45.8	47.1	52.5	53.9	42.8	46.3	3.0	24																																																																																				
最大値	54.9	48.8	51.5	66.1	76.8	78.4	74.5	66.7	58.3	54.2	52.6	55.9	54.9	56.6	57.7	60.3	60.1	74.8	74.4	69.3	76.1	80.0	82.4	82.4	69.7	82.4	56.4	56.4																																																																																					
最小値	42.4	42.5	42.7	42.6	42.5	42.6	42.7	42.8	42.7	42.5	42.3	42.2	41.9	42.0	42.0	42.0	41.8	41.7	41.8	42.0	42.2	42.0	42.1	42.1	42.1	42.1	41.7	42.6																																																																																					
平均値	45.4	45.0	45.7	47.3	47.1	47.1	47.1	47.4	46.6	45.8	44.7	44.3	44.2	44.4	44.7	44.5	45.4	45.8	45.9	45.7	46.1	46.3	46.5	46.5	46.5	46.5	45.8	45.8																																																																																					
標準偏差	3.1	1.9	2.2	5.4	6.9	7.7	6.7	6.3	4.5	3.6	3.0	3.1	3.3	4.2	4.7	4.3	6.9	6.8	6.7	5.7	6.8	8.0	8.3	6.3	6.3	6.3	5.6	5.6																																																																																					
測定時間	31	31	31	31	31	31	31	31	31	28	28	29	29	29	29	29	29	29	31	31	31	31	31	31	31	31	31	31	725																																																																																				
有効測定日数	29																																																																																																																
測定時間	725																																																																																																																
測定値合計	33236.1																																																																																																																
測定値の最大値	82.4																																																																																																																
測定値の最小値	41.7																																																																																																																
平均値	45.8																																																																																																																
日平均値の最大値	56.4																																																																																																																
日平均値の最小値	42.6																																																																																																																
非対称性																																																																																																																	
局番/項目コード																																																																																																																	
TOTAL	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	106	111	116	121	126	131	136	141	146	151	156	161	166	171	176	181	186	191	196	201	206	211	216	221	226	231	236	241	246	251	256	261	266	271	276	281	286	291	296	301	306	311	316	321	326	331	336	341	346	351	356	361	366	371	376	381	386	391	396	401	406	411	416	421	426	431	436	441	446	451	456	461	466	471	476	481	486	491	496	501	506	511	516	521	526	531	536	541	546	551	556	561

日出放射線測定所

2015年11月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	37.1	36.9	36.9	36.8	36.9	37.1	36.8	36.9	36.8	36.9	37.4	37.7	37.0	36.6	36.7	36.7	36.9	37.3	37.2	37.2	37.3	37.4	37.8	40.1	36.6	37.2	0.7	24		
2	44.6	48.1	48.5	47.3	47.1	46.9	47.2	46.4	43.5	41.1	40.4	37.2	36.6	36.4	36.6	36.5	36.0	36.4	36.9	40.8	42.7	40.0	37.6	36.6	48.5	36.0	41.3	4.6	24	
3	36.4	36.8	36.9	38.1	38.2	37.0	36.6	36.4	36.2	36.2	36.5	36.4	36.6	37.0	36.9	36.7	36.6	36.6	36.6	36.4	36.3	36.3	36.1	36.2	36.2	36.1	36.7	0.5	24	
4	36.3	36.4	36.5	36.5	36.8	36.8	36.8	36.8	36.4	37.0	36.9	36.4	36.8	37.0	36.6	36.5	36.4	36.3	36.5	37.0	37.2	37.3	37.2	37.3	37.5	36.3	36.7	0.3	24	
5	37.3	37.1	37.1	37.0	37.3	37.0	37.2	37.7	37.3	37.0	37.0	36.9	37.4	37.0	36.9	36.7	36.5	36.8	37.3	37.5	37.7	37.5	37.6	37.6	37.7	36.5	37.2	0.3	24	
6	37.5	37.6	37.6	37.8	38.0	38.3	38.1	38.0	38.2	38.2	38.4	37.8	37.2	36.7	36.6	36.7	36.5	36.8	36.9	37.2	37.3	37.4	37.3	37.4	38.4	36.5	37.5	0.6	24	
7	37.5	37.5	37.5	37.2	37.4	37.5	37.4	37.7	37.9	37.4	37.4	37.5	37.4	37.6	37.5	37.7	37.7	37.9	38.1	38.2	38.2	38.4	38.3	38.6	38.6	37.2	37.7	0.4	24	
8	40.1	41.4	43.5	45.0	43.2	41.8	40.1	38.2	38.4	40.0	39.7	38.6	40.4	43.0	43.3	42.6	40.4	39.4	38.0	39.4	40.0	37.8	40.4	43.7	45.0	37.8	40.8	2.1	24	
9	40.2	41.6	43.5	41.7	38.0	36.8	36.4	36.3	35.8	36.1	***	***	40.3	41.8	38.9	37.3	35.9	35.8	36.9	38.1	42.2	46.3	45.2	44.9	46.3	35.8	39.5	3.4	22	
10	41.5	38.4	41.8	41.8	45.4	41.8	40.4	37.7	36.3	35.9	35.2	35.2	35.3	35.1	35.3	35.3	35.4	35.9	35.9	36.2	36.3	36.3	36.2	36.3	51.4	35.1	37.9	4.0	24	
11	36.1	36.1	36.2	36.0	36.2	36.2	36.3	36.1	35.1	35.0	35.1	35.3	35.6	35.5	35.8	35.6	35.4	35.6	35.6	35.6	35.5	35.7	36.2	36.3	36.3	35.0	35.8	0.4	24	
12	36.2	36.3	36.3	36.3	36.3	36.4	36.3	36.4	35.6	35.6	35.1	35.2	35.3	35.4	35.4	35.5	35.4	35.2	35.5	35.7	36.1	36.2	36.2	36.4	36.5	36.5	35.1	35.9	0.5	24
13	36.6	36.5	36.6	36.5	36.8	36.8	36.9	37.1	36.5	36.1	36.2	36.2	36.4	36.2	36.4	36.8	38.0	39.5	40.6	39.9	39.3	38.8	37.5	38.2	40.6	36.1	37.4	1.3	24	
14	40.3	40.1	40.0	40.2	39.6	38.0	37.0	36.5	36.2	36.2	36.2	36.4	36.9	38.1	38.8	44.1	44.5	43.0	44.9	45.2	41.7	39.5	38.1	38.0	45.2	36.2	39.6	2.9	24	
15	39.2	39.0	37.5	40.4	42.7	40.1	37.9	40.2	40.8	37.7	38.0	38.3	39.3	40.6	38.5	37.5	36.8	36.1	35.8	35.4	35.5	35.4	35.6	35.8	42.7	35.4	38.1	2.1	24	
16	35.6	36.4	35.9	35.7	35.6	35.7	35.7	35.8	34.9	34.9	35.3	35.5	35.7	35.4	35.5	35.4	35.1	35.4	35.4	36.2	36.2	36.4	36.6	36.9	36.9	34.9	35.8	0.5	24	
17	37.0	36.9	36.7	36.8	36.7	36.5	36.6	36.9	36.0	35.5	35.7	39.9	49.5	41.3	48.8	54.5	49.6	45.7	42.3	43.5	45.3	45.4	41.0	37.5	54.5	35.5	41.1	5.5	24	
18	36.5	38.9	40.1	37.3	36.5	36.2	36.3	36.6	35.5	42.6	57.7	60.9	60.5	59.0	52.7	47.3	41.7	40.9	38.5	39.1	54.6	61.6	57.3	68.2	68.2	35.5	46.5	10.7	24	
19	69.4	51.1	41.1	43.8	51.3	42.5	37.4	36.3	35.3	36.2	36.5	35.5	35.4	34.6	34.3	34.2	34.4	34.3	34.8	35.2	35.5	35.4	35.6	69.4	34.2	39.0	8.1	24		
20	35.7	35.9	36.0	35.8	35.9	35.9	36.0	36.1	35.2	35.1	35.4	35.3	35.3	35.0	35.0	35.2	35.0	35.3	35.7	35.7	35.7	35.8	35.9	37.7	37.7	35.0	35.7	0.7	24	
21	37.0	36.5	36.5	36.4	36.5	36.5	36.6	36.5	36.5	36.6	36.7	36.7	36.8	36.8	36.8	36.9	36.9	36.7	36.8	36.8	36.8	36.8	36.9	36.8	36.7	37.0	36.4	36.7	0.2	24
22	37.0	36.9	37.0	37.0	37.0	37.1	37.1	37.0	37.3	37.4	37.9	38.2	38.0	38.0	38.0	37.6	37.3	37.2	37.1	36.9	37.0	37.1	37.0	36.9	38.2	36.9	37.3	0.4	24	
23	37.2	37.2	37.1	37.2	37.1	37.3	37.4	37.6	38.0	38.3	38.6	38.7	38.7	38.7	38.7	38.7	38.5	38.3	38.1	38.1	38.1	38.0	38.0	38.7	37.1	38.0	0.6	24		
24	37.6	39.3	38.9	37.6	37.2	37.2	38.4	41.3	45.6	42.2	41.6	51.7	53.1	57.2	64.6	59.2	44.0	37.4	36.0	35.8	35.7	35.9	36.1	36.1	64.6	35.7	42.5	8.4	24	
25	36.4	36.4	36.3	36.3	36.3	36.5	37.2	37.5	36.1	37.2	44.4	40.9	39.1	39.7	43.3	52.5	60.9	46.9	39.1	36.6	36.2	36.2	36.4	60.9	36.1	39.8	6.1	24		
26	36.5	36.9	36.6	36.6	37.1	37.1	37.4	37.4	38.0	39.8	40.6	37.4	35.8	35.4	35.2	35.2	35.2	35.5	36.1	36.3	36.3	36.4	36.5	36.8	36.4	40.6	35.2	36.8	1.3	24
27	36.4	36.4	36.3	36.3	36.3	36.4	36.3	36.6	36.7	46.1	46.8	50.3	52.4	57.1	56.0	47.7	40.8	44.7	43.8	41.4	37.6	36.6	36.5	57.1	36.3	41.7	6.8	24		
28	36.6	36.6	36.6	38.3	37.6	37.0	36.5	36.2	35.6	35.4	35.6	37.8	37.9	36.9	36.0	36.5	37.1	39.9	41.2	40.8	39.0	38.0	37.8	38.1	41.2	35.4	37.5	1.6	24	
29	38.6	36.9	36.3	36.1	36.2	36.2	36.5	36.2	36.5	39.6	37.6	36.5	37.3	36.9	36.4	36.2	36.3	36.2	36.4	36.2	36.4	36.3	36.5	36.6	36.6	36.1	36.8	1.0	24	
30	36.9	37.0	37.0	37.0	37.0	36.9	37.0	36.9	36.2	36.3	36.3	36.6	36.7	36.9	36.6	35.7	35.7	35.6	36.1	36.5	41.5	47.0	45.3	42.6	47.0	35.6	37.8	3.1	24	
31																														
最大値	69.4	51.1	48.5	51.4	51.3	46.9	47.2	46.4	45.6	46.1	57.7	60.9	60.5	59.0	64.6	59.2	60.9	46.9	44.9	45.2	54.6	61.6	57.3	68.2	69.4	46.5				
最小値	35.6	35.9	35.7	35.6	35.6	35.7	35.7	35.8	34.9	34.9	35.1	35.2	35.3	35.4	35.4	35.5	35.4	35.2	35.5	35.7	36.1	36.2	36.2	36.4	36.5	36.5	34.2	35.7		
平均値	38.7	38.3	38.2	38.5	38.5	37.8	37.4	37.5	37.3	37.6	38.5	38.9	39.4	39.4	39.6	39.5	37.9	37.7	37.8	37.7	37.8	38.5	38.4	38.8	38.8	38.4	38.4			
標準偏差	6.1	3.4	2.9	3.7	3.7	2.5	2.1	2.0	2.4	2.6	4.6	5.7	6.1	6.6	7.0	6.4	5.4	3.3	2.5	2.5	3.9	5.3	4.3	6.0	6.0	4.5				
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	718		
有効測定日数	30																													
測定時間	718																													
測定値合計	27568.8																													
1時間値の最大値	69.4																													
1時間値の最小値	34.2																													
平均値	38.4																													
日平均値の最大値	46.5																													
日平均値の最小値	35.7																													
標準偏差	35.7																													
局番/項目コード	108/01																													
測定値ラック	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		