

倉梯放射線測定所

2014年08月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間																																																																																																																																																																										
1	50.3	50.5	50.8	51.0	51.4	51.0	51.4	50.9	50.2	49.7	50.0	49.8	49.8	49.1	48.2	48.2	48.3	49.1	48.3	48.3	50.3	50.8	50.3	50.3	51.4	49.1	50.2	0.7	24																																																																																																																																																																										
2	50.0	50.4	50.1	50.8	51.5	51.7	51.8	51.6	50.4	50.0	49.7	49.5	49.0	48.7	49.0	48.8	49.0	49.2	49.2	49.2	48.4	49.4	49.8	50.2	50.7	51.8	48.7	50.0	1.0	24																																																																																																																																																																									
3	51.1	51.5	51.7	50.8	50.2	49.8	49.5	49.2	49.1	49.3	49.2	49.2	49.7	49.9	49.8	50.4	50.3	49.7	50.2	50.1	49.9	50.3	50.3	51.7	49.1	50.1	0.7	24																																																																																																																																																																											
4	51.1	50.7	50.0	49.2	49.7	51.7	50.8	49.2	48.8	48.8	48.9	48.7	48.5	48.3	48.3	48.3	48.4	48.4	48.4	48.4	48.6	48.5	48.6	48.5	51.7	48.3	48.1	1.0	24																																																																																																																																																																										
5	48.5	48.4	48.5	48.5	48.6	48.7	48.7	48.6	48.5	48.5	48.5	48.4	48.4	48.4	48.4	48.4	48.4	48.5	48.4	48.5	48.6	48.6	48.7	48.7	48.4	48.5	0.1	24																																																																																																																																																																											
6	48.8	48.8	48.9	48.8	48.7	48.7	48.7	48.7	48.7	48.8	48.8	48.9	49.0	49.1	49.1	49.3	49.4	49.4	49.4	49.2	49.4	49.4	49.3	49.4	49.4	49.4	48.6	49.0	0.3	24																																																																																																																																																																									
7	48.4	48.6	49.3	49.6	49.8	50.1	49.9	49.3	49.3	49.9	49.5	49.7	49.5	48.9	48.9	48.9	49.0	48.7	49.0	49.3	50.2	50.7	50.7	50.2	50.7	48.7	49.5	0.5	24																																																																																																																																																																										
8	50.8	51.1	51.4	50.9	51.0	51.2	51.4	50.6	49.9	49.1	48.9	49.1	49.0	54.9	54.3	52.0	50.9	50.4	50.1	49.9	58.1	49.9	51.2	2.3	24	48.9	51.2	2.3	24																																																																																																																																																																										
9	51.0	50.5	50.2	50.5	50.6	50.8	51.9	52.1	52.0	53.4	54.8	56.4	56.4	56.3	58.5	53.4	49.3	48.2	48.4	47.9	47.9	47.9	48.1	48.0	58.5	47.9	51.0	2.9	24																																																																																																																																																																										
10	48.5	48.8	49.1	48.8	49.9	49.1	48.1	48.2	48.9	51.7	54.3	58.8	64.4	70.2	58.0	50.5	48.7	48.2	47.8	47.9	48.2	48.8	48.5	48.4	70.2	47.8	51.4	5.8	24																																																																																																																																																																										
11	48.5	48.5	48.4	48.5	48.8	49.5	49.1	49.0	48.7	48.5	48.6	48.4	48.2	48.1	47.7	47.7	47.7	47.7	47.8	47.7	47.7	47.9	47.8	48.1	49.5	47.7	48.3	0.5	24																																																																																																																																																																										
12	48.7	48.9	49.3	49.0	49.5	49.8	50.0	50.0	50.6	50.3	49.9	49.5	50.7	52.7	51.1	49.5	48.4	48.2	48.2	48.5	50.2	50.4	50.7	52.7	52.7	48.7	49.9	0.9	24																																																																																																																																																																										
13	51.0	51.5	51.4	50.8	50.3	50.6	51.0	51.3	51.3	51.3	50.7	50.3	50.0	49.5	49.2	48.8	48.9	48.1	48.1	48.6	49.7	50.2	50.4	50.8	51.5	48.8	50.3	0.8	24																																																																																																																																																																										
14	50.9	50.8	51.0	51.1	51.8	51.4	51.2	51.9	51.9	50.4	49.6	51.3	51.2	48.3	48.5	48.1	47.9	48.1	48.6	48.7	48.6	48.5	48.3	48.1	51.9	47.9	49.9	1.5	24																																																																																																																																																																										
15	48.3	47.9	47.8	47.7	47.7	47.7	47.7	47.6	47.6	48.0	48.1	48.2	49.0	55.1	51.4	48.7	48.7	48.7	53.1	57.0	52.4	51.7	50.8	48.1	48.8	57.0	47.6	49.7	2.8	24																																																																																																																																																																									
16	47.8	47.9	48.0	48.0	47.9	48.0	48.0	48.0	48.0	48.0	48.0	48.1	48.1	48.1	48.1	48.1	48.1	48.1	48.1	48.1	48.1	48.1	48.1	48.1	48.1	48.1	48.1	48.1	2.8	24																																																																																																																																																																									
17	62.8	70.4	71.1	73.3	74.3	72.1	70.8	60.6	51.5	48.9	48.1	48.9	48.1	47.7	47.5	49.0	48.2	47.9	47.8	48.1	48.9	48.7	48.7	62.0	75.8	47.8	58.5	8.8	24																																																																																																																																																																										
18	48.5	48.5	48.8	48.7	49.1	49.3	48.4	48.9	47.8	47.5	47.4	47.4	47.2	47.1	48.9	46.6	46.6	46.8	46.8	47.0	47.2	48.2	47.6	47.6	74.3	47.5	55.5	10.4	24																																																																																																																																																																										
19	47.6	47.8	47.7	48.2	48.4	48.3	48.0	48.2	47.7	47.7	47.7	47.5	47.2	47.2	47.2	47.2	47.2	47.3	47.2	47.3	47.2	47.6	47.8	48.1	48.4	46.6	47.8	0.9	24																																																																																																																																																																										
20	48.3	48.5	48.6	48.7	48.1	48.5	48.3	48.2	48.1	47.7	47.6	47.3	47.3	47.3	47.5	47.6	47.3	47.4	47.3	47.7	48.0	48.1	48.4	48.3	49.0	47.2	47.7	0.5	24																																																																																																																																																																										
21	48.3	49.5	49.5	50.1	50.3	50.5	50.6	49.7	48.8	48.4	48.7	48.3	48.1	47.8	47.5	47.5	47.5	47.5	47.5	47.7	48.2	48.7	49.1	49.3	48.1	50.6	47.5	48.8	1.0	24																																																																																																																																																																									
22	49.1	48.7	48.4	48.5	48.1	48.1	48.2	48.4	48.3	48.2	48.2	48.2	48.2	48.5	48.3	48.2	48.4	48.5	48.5	48.5	48.9	49.0	51.3	57.5	53.5	57.5	48.1	49.3	2.2	24																																																																																																																																																																									
23	49.5	48.4	48.4	48.3	48.6	48.8	49.0	49.1	49.0	48.8	48.9	48.3	48.0	48.0	48.5	48.1	48.2	48.3	48.1	48.6	48.5	48.4	48.4	48.9	49.0	49.5	48.0	48.7	0.4	24																																																																																																																																																																									
24	48.9	48.9	49.0	48.8	49.4	49.6	49.7	49.5	49.5	49.2	49.3	49.0	57.4	63.4	60.1	53.9	51.6	51.0	51.0	51.7	50.1	51.3	54.3	51.7	50.2	63.4	48.8	51.6	3.8	24																																																																																																																																																																									
25	52.9	51.5	50.2	49.4	49.5	49.8	49.8	49.6	49.7	49.4	49.4	49.0	48.7	49.4	49.4	49.4	51.3	70.4	73.0	58.0	51.2	49.1	48.8	48.6	73.0	48.4	51.9	6.5	24																																																																																																																																																																										
26	48.8	49.0	49.3	49.4	49.5	49.7	50.3	49.9	49.3	48.0	47.7	48.1	48.1	56.1	59.5	51.1	48.5	47.5	47.3	47.3	47.3	47.7	48.4	48.4	48.2	59.5	47.3	49.5	2.8	24																																																																																																																																																																									
27	48.6	49.0	49.4	49.2	49.5	49.9	49.5	48.3	47.9	47.7	47.5	48.6	55.9	51.8	49.3	47.7	47.4	47.2	47.1	47.1	47.5	47.6	47.9	47.8	55.9	47.1	48.5	1.8	24																																																																																																																																																																										
28	47.9	47.7	48.0	48.0	48.1	48.0	48.2	48.5	48.2	47.8	47.5	48.9	48.9	48.9	47.1	47.0	47.0	47.1	47.1	47.1	47.5	47.6	48.0	48.1	48.5	46.9	47.6	0.5	24																																																																																																																																																																										
29	48.5	48.5	48.6	48.8	48.3	48.6	48.8	48.7	48.3	48.1	47.6	47.4	47.3	47.3	47.2	47.3	47.3	47.3	47.3	47.6	47.5	48.1	48.3	49.1	48.2	48.0	47.2	48.0	0.6	24																																																																																																																																																																									
30	48.8	48.9	49.3	49.0	49.1	49.1	49.1	49.0	49.4	48.7	49.1	48.3	47.8	47.4	47.4	47.2	47.1	47.1	47.1	47.0	47.4	47.6	47.9	48.2	49.4	47.0	48.2	0.8	24																																																																																																																																																																										
31	48.1	48.3	48.8	48.5	48.4	48.5	48.9	48.8	48.1	47.7	47.5	47.3	47.2	47.2	47.4	47.5	47.3	47.0	47.4	47.3	48.0	47.9	48.0	48.3	48.9	47.0	47.9	0.6	24																																																																																																																																																																										
最大値	62.8	70.4	71.1	73.3	74.3	72.1	70.8	60.6	56.7	51.7	54.7	50.3	58.6	60.7	62.1	59.1	63.2	65.9	59.2	69.9	74.3	75.8	68.4	62.0	75.8	47.8	58.5	2.8	24																																																																																																																																																																										
最小値	47.6	47.7	47.7	47.8	47.7	47.7	47.8	47.6	47.6	47.5	47.4	47.4	47.2	47.1	48.9	46.6	46.6	46.8	46.8	47.0	47.2	48.2	47.6	47.6	74.3	47.5	55.5	10.4	24																																																																																																																																																																										
平均値	49.8	50.0	50.0	50.0	50.2	50.3	50.5	50.3	49.4	48.9	48.9	49.1	49.0	49.1	49.1	49.2	49.2	49.2	49.3	49.9	49.7	49.8	50.0	50.0	50.7	46.6	47.6	49.9	3.9	24																																																																																																																																																																									
標準偏差	2.7	4.0	4.1	4.4	4.6	4.2	4.1	3.7	1.8	1.4	2.0	2.5	4.0	5.4	4.1	2.6	3.3	5.2	5.1	4.3	4.7	5.0	4.1	2.6	47.6	47.6	49.9	3.9	24																																																																																																																																																																										
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	744	744																																																																																																																																																																									
有効測定日数	31																								測定値合計	37099.1																								測定日の最大値	75.8																								測定日の最小値	46.6																								平均値	49.9																								日平均値の最大値	58.5																								日平均値の最小値	47.6																								局番/項目コード	103/01																							
測定値ランク	31																								744																								0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL				103/01																																																																																																																													
時間数	31																								744																								0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	以上				744																																																																																																																													
出現割合(%)	31																								744																								0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				744																																																																																																																											

時刻 日	測定時間																															測定時間
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差				
1	48.3	48.3	49.1	49.6	49.5	49.6	49.8	49.7	49.5	49.4	49.4	49.2	48.7	48.9	50.1	49.1	48.7	48.8	49.5	49.2	48.8	48.8	49.1	50.5	48.3	49.2	49.2	0.5	24			
2	49.8	49.7	49.3	49.9	50.0	50.5	51.1	50.2	49.3	48.6	48.2	47.9	47.6	47.7	47.5	47.6	47.4	47.5	47.6	47.6	48.1	48.4	48.5	47.9	48.8	47.4	48.7	1.1	24			
3	49.2	49.5	49.6	49.8	50.0	50.3	49.8	49.9	48.1	48.0	48.1	48.2	48.1	48.2	48.1	48.1	48.0	47.9	48.1	48.4	48.0	49.4	51.7	53.0	50.3	47.8	48.6	0.8	24			
4	48.1	47.9	47.9	48.0	48.6	48.2	48.0	47.9	48.0	48.5	48.2	48.1	48.1	48.1	48.0	48.1	48.1	48.1	48.4	48.0	48.0	49.4	51.7	53.0	50.3	47.9	48.6	1.3	24			
5	54.8	64.9	72.9	74.7	58.6	51.3	53.9	55.1	50.7	49.4	48.1	47.7	47.5	47.5	47.4	47.5	47.3	47.2	47.4	47.8	48.0	48.0	48.3	74.7	47.2	52.3	8.0	24				
6	48.4	48.4	48.5	49.0	49.0	49.1	49.2	49.0	48.7	48.6	48.6	48.7	48.7	48.4	49.3	59.5	69.3	68.3	70.4	71.9	63.7	55.7	51.6	49.2	71.9	48.4	53.8	8.3	24			
7	48.4	48.1	48.1	48.5	48.7	48.6	48.8	48.9	48.9	48.5	47.9	47.8	47.5	47.6	47.7	47.5	47.6	47.4	47.8	47.7	47.9	47.8	48.0	48.4	48.9	47.4	48.1	0.5	24			
8	48.6	48.6	49.1	49.3	49.3	49.2	49.4	49.5	49.1	49.1	48.7	48.2	48.0	47.7	47.9	47.7	47.6	47.7	47.7	47.7	48.0	48.1	48.2	48.3	48.5	47.6	48.5	0.6	24			
9	48.7	48.9	49.1	49.4	49.7	49.5	49.4	49.2	48.6	47.7	47.6	47.8	47.7	47.7	47.6	47.8	47.5	47.6	48.0	48.0	48.0	48.1	48.5	48.3	48.5	47.5	48.4	0.7	24			
10	48.9	49.1	49.1	48.9	49.4	49.4	48.9	49.4	50.2	50.3	50.3	49.6	49.2	49.1	48.8	48.7	48.6	48.5	48.6	48.5	48.9	48.9	49.1	50.3	48.5	49.2	0.5	24				
11	49.0	48.9	49.2	49.3	49.3	49.6	49.9	50.6	50.6	52.6	59.0	56.1	51.0	48.6	47.7	47.6	47.9	47.8	47.9	48.1	48.2	48.4	48.5	48.4	59.0	47.6	49.6	2.7	24			
12	48.5	48.3	48.6	48.9	49.0	49.2	49.5	49.3	49.4	48.6	48.1	48.0	48.0	48.4	48.0	48.1	48.0	48.0	48.0	48.3	48.3	48.6	48.6	48.8	48.8	47.9	48.5	0.5	24			
13	48.9	49.0	48.7	48.9	48.1	49.0	49.1	49.2	49.3	49.3	49.3	48.5	47.8	47.9	47.8	47.7	47.4	47.5	47.6	47.9	48.0	48.6	48.7	48.6	49.3	47.4	48.4	0.7	24			
14	48.4	49.0	49.1	49.0	49.3	49.5	49.6	49.5	49.1	48.5	47.9	47.7	47.7	47.5	47.6	47.4	47.5	47.6	47.6	47.9	48.0	48.2	48.2	48.6	49.6	47.4	48.4	0.8	24			
15	48.9	48.9	49.1	49.5	49.6	49.8	50.2	50.3	50.5	50.6	50.3	49.4	49.0	48.9	48.9	49.0	49.2	49.7	50.2	50.4	50.0	50.6	50.0	50.3	50.6	48.9	49.7	0.6	24			
16	50.2	50.4	50.4	50.6	50.8	51.3	51.2	51.0	51.2	49.6	48.9	48.0	48.1	47.9	47.7	47.9	47.7	47.9	48.0	48.1	48.4	48.6	48.6	48.7	51.3	47.7	49.2	1.3	24			
17	48.9	48.8	49.0	49.0	49.1	49.2	49.3	49.7	49.7	49.5	48.4	48.3	48.4	48.4	48.5	48.5	48.5	48.3	48.3	48.4	48.3	48.5	48.7	49.7	48.3	48.8	0.5	24				
18	48.7	48.5	48.4	48.4	48.6	48.5	48.7	48.7	48.4	49.1	48.6	50.4	49.3	48.6	48.5	48.6	48.7	48.5	48.6	48.7	48.9	48.9	49.2	49.4	50.4	48.4	48.8	0.4	24			
19	49.4	49.7	49.7	50.0	50.1	50.0	49.8	49.8	49.7	49.5	49.2	48.6	48.5	48.6	48.4	48.4	48.4	48.4	48.5	48.7	48.9	49.0	49.4	49.6	50.1	48.4	49.2	0.6	24			
20	50.0	50.0	50.3	50.9	50.8	50.7	50.6	50.9	50.6	49.4	48.8	48.6	48.7	48.7	48.5	48.6	48.7	48.8	48.8	48.7	48.8	48.7	49.1	49.3	49.5	49.7	50.9	48.5	0.9	24		
21	50.0	50.1	50.3	50.7	50.9	51.2	51.3	51.0	51.3	50.1	49.3	49.0	48.7	48.9	48.6	48.7	48.7	48.7	48.5	48.9	48.9	49.2	49.1	49.4	49.4	51.3	48.5	49.7	1.0	24		
22	49.4	50.0	50.0	50.0	50.4	50.4	50.4	50.5	50.6	49.5	48.8	48.3	48.4	48.6	48.7	48.5	48.5	48.3	48.3	48.4	48.3	48.5	48.8	48.9	49.3	50.6	48.3	49.2	0.8	24		
23	49.4	49.4	49.5	49.1	49.0	49.0	49.1	49.0	49.3	49.1	49.2	49.2	49.0	48.1	48.8	48.9	48.1	48.8	48.9	49.1	49.2	49.6	50.3	50.6	50.6	48.8	49.3	0.5	24			
24	50.8	50.9	51.1	51.6	52.0	52.0	51.4	51.4	51.2	51.0	50.4	49.2	48.9	48.8	48.8	48.9	48.8	48.8	49.2	49.1	49.0	49.2	52.1	54.1	55.1	55.1	48.8	50.6	1.7	24		
25	54.1	50.1	48.4	48.4	48.9	48.9	48.6	48.6	48.5	48.5	52.2	55.2	58.3	58.4	58.4	56.2	51.1	48.5	50.1	50.3	48.2	47.6	47.2	47.0	47.1	58.4	47.0	50.5	3.4	24		
26	47.1	47.0	47.6	48.3	47.8	47.4	47.5	47.5	47.6	47.6	47.5	46.5	47.3	48.0	48.4	48.3	47.9	47.9	47.9	48.2	48.1	48.2	48.5	48.7	48.7	46.5	47.8	0.5	24			
27	49.2	48.9	49.4	49.7	49.7	49.7	49.9	50.2	49.9	49.4	48.9	48.1	48.0	48.1	48.2	48.3	48.0	48.6	48.8	49.1	49.0	49.6	49.2	49.4	50.2	48.0	49.1	0.7	24			
28	49.4	49.6	49.5	49.6	49.6	49.8	50.3	50.2	50.0	48.3	47.7	47.7	47.7	47.7	47.8	47.7	47.7	47.8	47.7	47.8	47.7	47.8	48.0	48.3	50.3	47.7	48.6	1.0	24			
29	48.2	48.2	48.3	48.4	48.3	48.6	48.7	48.5	48.1	48.0	48.0	48.1	48.4	48.0	48.1	48.3	48.2	48.0	48.4	48.6	48.7	49.0	49.0	49.3	49.3	48.0	48.4	0.4	24			
30	49.3	49.8	49.7	50.0	50.1	50.4	50.3	50.1	49.3	50.1	48.6	48.6	48.6	48.6	48.7	48.7	48.5	48.7	49.0	49.2	49.4	49.3	50.4	51.3	48.5	49.5	0.8	24				
31	54.8	64.9	72.9	74.7	58.6	51.3	53.9	55.1	50.7	49.4	48.1	47.7	47.5	47.5	47.4	47.5	47.3	47.2	47.4	47.8	48.0	48.0	48.3	74.7	47.2	52.3	8.0	24				
最大値	47.1	47.0	47.6	48.3	47.8	47.4	47.5	47.5	47.6	47.6	47.5	46.5	47.3	48.0	48.4	48.3	47.9	47.9	48.2	48.1	48.2	48.5	48.7	48.7	48.7	46.5	47.8	0.5	24			
最小値	49.4	49.6	49.5	49.6	49.6	49.8	50.3	50.2	50.0	48.3	47.7	47.7	47.7	47.7	47.8	47.7	47.7	47.8	47.7	47.8	48.0	48.6	48.7	48.0	49.1	48.0	49.1	0.7	24			
平均値	48.2	48.2	48.3	48.4	48.3	48.6	48.7	48.5	48.1	48.0	48.0	48.1	48.4	48.0	48.1	48.3	48.2	48.0	48.4	48.6	48.7	49.0	49.0	49.3	49.3	48.0	48.4	0.4	24			
標準偏差	1.6	3.0	4.4	4.7	1.9	1.0	1.2	1.4	1.1	2.0	1.7	1.5	1.9	1.9	1.6	2.2	3.9	3.7	4.1	4.3	2.8	1.6	1.5	1.4	1.4	4.93	2.6					
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	26				
有効測定回数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	26				
測定時間	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720				
測定値合計	35474.3																															
測定値の最大値	74.7																															
測定値の最小値	46.5																															
測定値の最大値	53.8																															
測定値の平均値	49.3																															
測定値の最大値	53.8																															
測定値の平均値	49.3																															
測定値の最大値	53.8																															
測定値の平均値	49.3																															
測定値の最大値	53.8																															
測定値の平均値	49.3																															
測定値の最大値	53.8																															
測定値の平均値	49.3																															

塩汲放射線測定所

2014年08月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間				
1	37.6	37.2	37.8	37.7	37.4	37.7	37.7	38.2	38.9	38.6	38.6	38.5	38.7	38.9	38.2	38.4	38.5	38.4	37.9	38.1	38.1	38.2	37.7	37.7	37.7	37.2	38.9	37.4	37.9	0.4	24		
2	37.7	37.5	37.7	38.0	38.1	38.3	38.1	38.4	38.3	38.7	38.3	38.5	38.1	37.5	37.5	37.4	37.6	37.8	37.7	37.6	37.8	37.9	37.9	37.9	38.4	38.0	37.4	38.0	0.4	24			
3	38.2	38.6	38.6	38.5	38.2	38.1	37.9	38.0	37.8	37.6	37.7	37.9	38.5	38.8	38.4	38.7	38.8	38.0	38.1	39.0	38.6	38.7	39.0	39.2	38.7	38.5	37.6	38.9	0.6	24			
4	39.0	38.2	37.7	37.5	37.3	38.4	38.3	37.6	37.5	37.6	37.9	37.8	37.3	37.5	37.5	37.3	37.3	37.0	38.2	37.1	37.1	37.2	37.1	37.2	37.2	37.1	38.0	37.6	37.6	0.5	24		
5	37.0	37.1	37.1	37.3	37.6	37.7	37.7	37.4	37.2	37.3	37.3	37.4	37.3	37.5	37.4	37.3	37.3	37.5	37.3	37.3	37.3	37.3	37.4	37.2	37.2	37.0	37.3	37.0	37.3	0.2	24		
6	37.6	37.4	37.5	37.4	37.4	37.5	37.4	37.4	37.7	37.5	37.6	37.8	38.2	38.3	38.3	38.3	38.5	38.5	38.5	38.2	38.1	37.9	38.0	38.1	38.1	38.5	37.4	37.9	0.4	24			
7	38.0	37.9	38.1	37.9	37.8	38.0	38.0	38.2	38.2	38.1	38.5	38.3	38.8	42.8	39.7	38.2	37.9	37.7	37.7	38.2	37.4	37.3	37.4	37.7	37.6	42.8	37.3	38.2	1.1	24			
8	37.6	37.2	37.3	37.3	37.3	37.6	37.4	37.7	37.6	37.4	37.7	37.7	37.3	37.3	37.9	44.3	46.7	44.4	43.6	41.2	40.4	39.3	38.8	38.9	37.0	39.1	37.0	39.1	2.8	24			
9	40.1	41.3	41.9	43.8	44.3	48.0	48.9	48.6	48.2	47.2	47.4	48.9	46.7	46.7	44.8	39.5	38.6	37.7	36.7	36.2	36.1	36.1	36.0	35.9	47.4	35.9	42.0	44.4	4.4	24			
10	38.7	37.1	37.8	38.8	39.3	38.7	37.4	38.8	37.2	39.5	43.1	48.5	53.3	59.2	48.5	40.3	37.7	37.1	37.0	37.0	37.0	37.1	37.2	37.1	37.2	37.1	59.2	36.7	40.4	6.0	24		
11	37.2	38.9	38.7	38.9	37.2	37.2	37.3	37.6	37.8	38.7	40.8	39.1	41.5	39.3	37.3	36.9	36.4	36.3	36.3	36.2	36.2	36.3	36.2	36.2	36.2	36.2	36.2	37.5	37.5	1.4	24		
12	38.2	38.3	38.2	38.1	38.4	38.7	38.7	37.5	38.1	38.6	38.8	38.7	38.8	41.0	39.9	38.8	38.2	38.0	38.0	37.9	37.5	37.6	37.4	37.3	37.4	37.3	41.0	36.1	37.8	1.2	24		
13	37.5	37.5	37.7	37.5	37.6	38.6	39.4	39.2	39.0	39.2	38.7	38.9	39.1	38.8	39.2	37.9	38.1	38.2	37.9	37.5	37.0	37.1	36.9	37.0	38.4	38.9	38.1	38.8	0.8	24			
14	37.1	37.1	37.6	37.0	36.9	37.1	37.1	37.4	38.3	38.9	38.4	38.4	40.2	38.6	38.0	37.4	37.3	37.5	37.5	37.2	37.1	37.0	37.1	37.0	40.2	36.9	37.7	0.9	24				
15	36.8	36.7	36.6	36.7	36.6	36.5	36.6	36.8	37.0	36.9	37.0	37.1	38.0	45.9	43.3	38.5	41.2	48.0	54.1	46.2	45.1	46.2	42.5	41.0	41.4	39.0	54.1	38.5	40.1	4.6	24		
16	37.0	36.5	36.5	36.6	36.8	36.6	44.4	57.8	49.9	41.8	42.4	39.8	44.0	51.2	51.3	48.5	50.8	52.9	51.0	53.7	64.6	64.4	57.4	51.6	64.6	36.5	47.3	8.8	24				
17	49.0	53.0	53.2	50.5	48.5	51.5	50.8	48.5	39.5	37.8	37.2	38.8	37.9	36.8	37.8	37.4	36.7	36.8	38.4	38.5	36.8	36.7	36.6	36.6	36.7	53.2	36.4	41.6	6.5	24			
18	38.7	38.7	38.6	38.8	38.7	38.5	38.0	36.4	36.5	36.5	36.7	36.9	36.8	36.7	36.5	36.6	36.2	36.5	36.0	36.1	36.9	36.5	36.2	36.1	36.9	36.0	36.5	0.3	24				
19	36.2	36.7	36.5	36.2	36.3	36.3	36.3	36.6	36.6	36.9	37.1	36.9	36.9	36.9	36.7	36.7	36.6	36.6	36.5	36.5	36.3	36.4	36.4	36.4	36.4	37.1	36.2	36.6	0.2	24			
20	38.5	38.5	38.5	38.5	38.5	38.5	38.5	38.6	37.1	37.1	37.2	36.9	36.8	36.8	36.9	37.1	36.9	36.9	36.8	36.8	36.8	36.7	36.6	36.5	36.5	36.5	36.8	0.2	24				
21	38.8	37.1	37.3	37.4	37.3	37.2	37.2	37.4	37.2	37.3	37.6	37.9	37.5	37.0	37.0	37.0	37.0	36.9	37.1	37.1	37.1	37.1	37.0	37.0	37.2	37.9	36.8	37.2	0.2	24			
22	37.2	37.2	37.2	36.9	37.0	36.9	37.0	36.8	37.0	37.3	37.4	39.6	39.3	37.7	37.0	37.0	37.0	37.1	37.0	36.9	37.1	37.2	37.8	43.3	41.2	43.3	36.8	37.8	1.6	24			
23	37.6	38.5	36.1	38.3	38.5	38.5	36.7	36.9	37.0	37.0	37.6	37.9	37.8	37.8	37.7	38.7	37.6	37.1	37.3	43.6	40.5	37.9	36.6	36.6	36.5	36.1	37.6	1.8	24				
24	36.5	36.2	36.3	36.4	36.6	36.8	36.5	36.9	37.3	37.6	37.6	37.9	42.7	51.3	49.9	45.0	41.8	41.1	40.1	38.0	38.6	40.6	39.4	38.1	51.3	36.2	39.6	4.1	24				
25	41.1	38.7	38.0	37.3	37.2	37.4	37.0	37.4	37.7	37.8	37.9	38.8	38.0	37.9	37.7	37.6	40.1	54.3	59.4	48.7	39.9	37.1	36.8	37.3	59.4	36.8	40.0	5.6	24				
26	37.2	36.7	37.4	37.1	37.2	37.6	37.4	37.7	37.8	37.2	37.0	37.2	37.3	44.4	46.4	42.1	38.0	37.1	36.8	36.6	36.3	37.2	37.7	36.8	46.4	36.3	38.0	2.5	24				
27	38.2	37.2	36.4	38.0	36.1	38.9	38.8	38.8	36.2	36.3	36.5	38.3	47.0	42.9	42.5	38.2	36.4	38.0	36.8	35.5	35.4	35.2	35.6	35.6	35.4	47.0	35.2	37.3	2.9	24			
28	35.3	35.4	35.5	35.5	35.9	36.0	35.7	35.6	35.6	35.8	35.9	35.9	36.1	35.8	36.0	36.0	35.9	35.7	35.7	35.7	35.7	35.7	35.6	35.7	35.8	36.1	35.3	35.7	0.2	24			
29	38.0	38.2	38.5	38.4	37.0	36.4	36.4	36.9	37.0	37.2	36.5	36.6	36.6	36.4	36.2	36.1	36.0	35.8	35.9	36.0	35.7	36.1	36.3	37.2	35.7	35.7	36.4	0.4	24				
30	36.7	36.6	36.9	36.9	36.8	36.5	36.8	37.7	38.2	38.0	37.1	36.6	36.3	36.3	36.2	36.1	36.1	36.0	36.0	35.7	35.7	35.9	35.8	35.8	38.2	35.7	36.5	0.7	24				
31	38.8	38.7	38.7	38.7	38.7	38.6	38.6	38.6	36.0	36.1	37.4	37.7	36.4	36.0	35.9	35.8	35.9	35.8	35.9	35.7	35.8	35.7	35.7	35.7	35.7	35.7	35.7	36.0	0.5	24			
最大値	48.0	53.0	53.2	50.5	48.5	51.5	50.8	48.5	39.5	37.8	37.2	38.8	37.9	36.8	37.8	37.4	36.7	36.8	38.4	38.5	36.8	36.7	36.6	36.6	36.7	53.2	36.4	41.6	6.5	24			
最小値	35.3	35.4	35.5	35.5	35.9	36.0	35.7	35.6	35.6	35.8	35.9	35.9	36.1	35.8	36.0	36.0	35.9	35.7	35.7	35.7	35.7	35.6	35.7	35.8	36.1	35.3	35.7	35.7	0.2	24			
平均値	37.7	37.7	37.7	37.6	37.6	37.9	38.1	38.5	38.2	38.1	38.3	38.5	38.6	40.4	39.4	38.4	38.3	38.9	39.0	38.4	38.3	38.2	38.0	37.7	38.0	37.7	38.4	37.7	38.4	3.7	744		
標準偏差	2.4	3.1	2.8	2.5	3.1	3.1	3.3	4.3	2.8	2.0	2.3	2.6	3.9	5.5	4.1	2.5	3.2	4.7	5.6	4.0	5.1	5.0	4.0	2.9	3.1	3.1	3.1	3.1	3.1	3.7	744		
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	744		
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	104/01	
測定値ランク	0	6	11	16	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	101	TOTAL										
時間数	0	0	0	0	0	0	0	0	61	604	36	25	12	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	744
出現割合(%)	0	0	0	0	0	0	0	0	8.199	81.183	4.839	3.36	1.613	0.538	0.269	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	100	

塩汲放射線測定所

2014年09月

単位:nGy/h

時刻 日	測定時間																														測定時間 測定時間	標準偏差	平均値	最小値	最大値
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24											
1	36.1	36.4	36.0	36.2	36.1	36.1	36.3	36.6	36.8	36.9	36.8	37.0	37.1	37.2	38.3	38.0	37.1	37.0	37.1	36.6	36.3	36.3	36.5	37.6	38.3	36.8	0.6	24							
2	37.2	36.9	37.4	37.6	37.4	37.4	37.2	38.3	38.0	37.9	36.9	36.4	36.5	36.4	36.5	36.2	36.1	36.3	35.9	36.0	35.9	36.0	36.1	36.3	38.3	35.9	0.7	24							
3	36.5	36.9	37.0	37.2	37.1	37.0	36.6	36.5	36.8	36.9	37.1	37.2	37.0	36.9	37.0	37.0	36.9	36.9	36.7	36.5	36.6	36.6	36.5	37.2	36.5	36.8	0.2	24							
4	36.5	36.4	36.7	36.7	36.9	36.7	36.6	36.8	36.8	37.1	37.0	36.9	36.8	36.8	36.7	36.8	36.7	36.7	36.7	36.7	36.7	36.7	41.4	42.7	39.6	42.7	1.6	24							
5	42.8	49.2	58.8	65.3	47.5	39.0	47.4	44.9	39.8	38.2	37.0	36.7	36.5	36.6	36.6	36.5	36.6	36.4	36.2	35.8	35.9	36.1	35.9	35.7	65.3	40.9	7.8	24							
6	36.0	36.2	36.2	36.2	36.5	36.4	36.7	37.0	37.4	37.3	37.8	38.1	38.2	38.1	38.2	47.0	57.2	56.2	58.2	63.5	52.8	43.7	42.1	39.4	63.5	36.0	42.4	8.5	24						
7	37.2	36.4	36.4	36.2	36.1	36.3	36.4	36.9	37.2	37.0	36.9	36.8	36.8	37.0	36.9	37.1	36.7	36.6	36.3	35.9	35.8	36.0	35.9	36.1	37.2	35.8	36.5	0.4	24						
8	36.1	36.1	36.3	36.6	36.4	36.7	36.8	36.9	36.9	37.0	36.9	37.0	37.2	37.1	37.1	37.1	37.1	36.6	36.3	36.2	36.3	36.3	36.3	36.0	37.4	36.0	36.6	0.4	24						
9	36.4	36.8	36.6	36.5	36.4	36.7	36.9	37.2	37.0	36.9	36.8	36.9	37.0	37.2	37.1	36.9	36.9	36.5	36.2	36.1	36.2	36.2	36.2	36.2	36.5	37.2	36.1	36.7	0.3	24					
10	36.8	36.4	36.7	36.7	36.8	37.0	37.3	38.0	38.3	38.5	38.3	38.3	37.9	37.8	37.7	37.5	37.4	37.2	36.9	36.7	36.6	36.6	36.5	36.6	38.5	36.4	37.2	0.6	24						
11	36.5	36.3	36.6	36.7	37.1	37.1	39.4	44.9	56.9	66.6	61.9	61.4	44.2	38.4	37.3	37.0	36.8	36.5	36.4	36.5	36.4	36.4	36.2	36.4	66.6	36.2	41.7	9.5	24						
12	36.4	36.3	36.2	36.4	36.6	37.0	36.3	36.6	37.0	36.8	37.1	37.2	37.3	37.1	37.1	36.9	36.5	36.4	36.4	36.4	36.2	36.6	36.6	36.6	37.3	36.2	36.7	0.3	24						
13	36.4	36.6	37.6	37.6	37.3	37.1	36.8	37.3	38.0	37.9	36.9	36.9	36.9	37.0	36.8	36.4	36.4	36.0	36.2	39.1	37.9	36.5	36.0	35.8	39.1	35.8	37.0	0.8	24						
14	36.2	36.6	36.7	36.5	37.1	37.4	37.7	37.1	36.8	36.5	36.6	36.7	36.5	36.4	36.3	36.2	36.3	35.9	35.6	35.7	35.8	35.6	35.9	36.1	37.7	35.6	36.4	0.5	24						
15	36.0	36.3	36.3	36.4	36.5	36.6	36.8	37.3	37.5	37.8	38.0	38.2	38.0	38.1	37.5	37.6	37.5	37.6	37.5	37.3	37.3	37.3	37.5	37.7	38.2	36.0	37.3	0.6	24						
16	37.7	38.0	38.4	38.5	38.6	38.1	38.5	38.8	39.2	37.8	36.8	36.7	36.8	36.7	36.7	36.7	36.5	36.2	36.0	36.0	36.1	36.3	36.3	39.2	36.0	37.2	1.0	24							
17	36.4	36.4	36.5	36.5	36.3	36.4	36.4	36.4	36.4	36.5	36.5	36.5	36.5	36.4	36.4	36.4	36.4	36.5	36.5	36.4	36.4	36.5	36.7	36.5	37.4	36.3	36.6	0.3	24						
18	36.7	36.6	36.5	36.3	36.4	36.6	36.4	36.6	36.7	36.6	36.7	36.7	36.8	37.0	36.8	36.4	36.4	36.0	36.2	39.1	37.9	36.5	36.0	35.8	39.1	35.8	37.0	0.8	24						
19	37.3	37.1	37.2	36.8	36.8	36.8	36.6	36.7	36.7	36.7	36.8	36.8	36.7	36.5	36.4	36.3	36.2	36.3	35.9	35.6	35.7	35.8	35.6	36.1	37.7	35.6	36.4	0.5	24						
20	37.0	37.0	37.4	37.5	37.6	37.5	37.2	37.3	37.0	37.2	37.2	37.5	37.6	37.3	37.3	37.0	37.1	37.0	36.8	36.7	36.5	36.7	36.9	36.9	37.6	36.5	37.1	0.3	24						
21	37.0	37.2	37.3	37.6	37.5	37.5	37.5	38.2	38.3	37.9	37.7	37.7	37.6	37.7	37.5	37.4	37.3	36.8	36.7	36.7	36.4	36.4	36.4	36.4	36.4	36.8	36.4	37.3	0.6	24					
22	36.8	37.1	37.1	36.8	36.8	37.1	37.5	37.8	38.3	37.4	37.3	37.3	37.4	37.8	37.4	37.3	37.2	36.9	36.7	36.8	36.6	36.7	36.9	36.5	38.3	36.5	37.1	0.4	24						
23	36.6	36.7	36.4	36.5	36.5	36.8	36.6	37.5	38.4	38.7	38.2	38.2	38.2	38.1	38.2	37.7	37.5	37.2	37.3	37.5	37.6	37.8	38.0	37.8	38.7	36.4	37.5	0.7	24						
24	37.5	37.5	37.8	37.6	38.2	37.9	37.7	37.3	37.5	37.7	37.7	37.7	37.6	37.6	37.4	37.4	37.7	36.5	37.8	37.8	37.6	39.8	42.3	43.5	43.5	37.3	38.2	1.5	24						
25	42.3	38.7	37.4	37.4	39.8	38.0	37.2	37.4	37.7	38.1	43.7	54.6	53.4	51.8	53.1	42.8	38.0	41.5	39.2	36.8	36.1	36.2	36.1	36.0	54.6	36.0	41.0	6.0	24						
26	35.9	35.8	36.3	36.9	36.1	35.8	36.1	36.0	36.4	36.8	36.9	37.1	37.3	37.0	37.0	36.7	36.6	36.7	36.9	36.7	36.6	36.8	36.9	36.9	37.3	35.8	36.6	0.4	24						
27	37.0	36.9	36.8	36.9	36.8	36.8	37.5	37.8	38.1	37.8	38.0	37.9	37.8	37.6	37.5	37.1	37.0	36.6	36.5	36.8	36.5	36.9	37.2	38.1	36.5	37.2	0.5	24							
28	37.3	37.0	36.8	37.1	37.1	37.3	37.5	37.4	36.9	36.7	36.7	36.6	36.9	36.9	37.0	36.7	36.6	36.3	36.4	36.2	36.2	36.4	36.5	37.5	36.2	36.8	0.4	24							
29	36.4	36.4	36.3	36.5	36.5	36.5	36.5	36.4	36.7	36.7	36.9	37.2	37.3	37.5	37.5	37.5	37.0	36.9	36.7	36.6	36.7	36.8	36.9	37.5	36.3	36.8	0.4	24							
30	37.1	37.1	37.1	37.3	37.2	37.4	37.4	37.9	37.5	37.4	37.5	37.8	37.7	37.8	37.7	37.5	37.3	37.1	37.1	37.1	37.4	37.6	38.0	43.0	43.0	37.1	37.7	1.2	24						
31																													24						
最大値	42.8	49.2	58.8	65.3	47.5	39.0	47.4	44.9	56.9	66.6	61.9	61.4	53.4	51.8	53.1	47.0	57.2	56.2	58.2	63.5	52.8	43.7	42.7	43.5	66.6	42.4									
最小値	35.9	35.8	36.0	36.2	36.1	36.3	36.4	36.4	36.4	36.5	36.6	36.4	36.5	36.4	36.3	36.2	36.1	35.9	35.6	35.7	35.8	35.6	35.9	35.7	35.7	35.6	36.4								
平均値	37.1	37.2	37.6	37.8	37.3	37.0	37.4	37.7	38.1	38.4	38.3	38.6	38.0	37.8	37.6	37.6	37.6	37.6	37.4	37.4	37.1	37.1	37.1	37.2	37.2	37.6	37.6								
標準偏差	1.6	2.4	4.0	5.2	2.1	0.7	2.0	2.1	3.6	5.4	4.6	5.4	3.2	2.7	2.9	2.1	3.7	3.6	4.0	5.0	3.0	1.7	1.8	1.9	3.4										
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720							
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	720							
測定値ランク	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	104/01							
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	720							
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	100							
測定値合計	27071.0																																		
1時間値の最大値	66.6																																		
1時間値の最小値	35.6																																		
日平均値の最大値	42.4																																		
日平均値の最小値	36.4																																		
標準偏差	3.4																																		

岡安放射線測定所

2014年08月

単位:nGy/h

時刻	測定時間																															平均値	1時間値の最大値	1時間値の最小値	日平均値の最大値					日平均値の最小値					局番/項目コード
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間																
1	38.3	38.4	38.9	38.5	38.5	38.8	38.6	38.6	37.4	37.4	37.3	37.5	37.5	37.2	37.1	37.4	37.3	37.3	37.3	37.1	37.3	37.7	38.0	37.8	38.1	38.1	38.0	37.2	0.4	24															
2	38.1	37.9	38.0	37.8	38.6	39.7	39.5	39.7	39.1	37.4	37.4	37.2	36.8	36.6	36.4	36.5	36.5	36.8	37.0	37.1	37.4	37.6	37.6	38.3	38.5	39.7	36.4	37.7	1.0	24															
3	39.0	39.1	39.2	39.0	38.8	38.5	38.2	37.9	37.4	36.8	37.0	36.9	37.3	37.5	37.2	37.7	37.7	37.3	37.5	37.9	38.1	38.7	38.2	38.3	39.2	36.8	38.0	0.7	24																
4	38.8	37.7	37.3	36.8	36.7	38.6	38.5	37.2	36.7	36.6	36.9	36.6	36.5	36.2	36.3	36.3	36.3	36.1	36.3	36.4	36.3	36.5	36.5	36.6	36.4	38.8	36.1	36.9	0.8	24															
5	36.5	36.5	36.4	36.5	36.8	36.9	36.9	36.7	36.2	36.2	36.2	36.3	36.2	36.3	36.4	36.4	36.3	36.3	36.3	36.4	36.5	36.7	36.7	37.0	37.0	36.5	36.5	0.2	24																
6	36.8	37.1	37.3	37.2	37.3	37.2	37.1	36.7	36.5	36.6	36.6	36.7	36.8	37.0	37.2	37.3	37.0	37.3	37.1	37.3	37.7	38.0	37.8	38.1	38.1	38.0	37.0	0.4	24																
7	38.0	38.3	38.1	38.2	38.4	38.5	38.4	37.5	37.8	38.4	***	***	***	***	***	***	37.1	36.9	37.0	37.8	38.1	38.6	38.7	38.8	38.8	36.9	38.0	0.6	18																
8	38.4	38.1	37.5	37.7	37.9	37.7	38.0	38.7	38.0	36.9	36.8	37.5	37.3	38.0	43.7	45.9	43.0	42.2	40.1	39.7	38.7	38.5	38.7	45.9	36.8	39.0	2.4	24																	
9	39.4	40.1	40.0	39.3	38.3	38.4	39.4	41.1	42.1	42.1	42.2	42.4	42.8	42.6	41.2	37.7	36.8	36.8	36.1	35.9	35.7	35.7	35.8	35.8	42.8	35.7	39.0	2.5	24																
10	36.4	36.8	37.5	38.5	37.6	36.6	36.3	36.9	39.5	42.7	47.4	51.8	55.4	44.9	38.7	36.9	36.5	36.3	36.4	36.7	37.5	37.6	37.3	37.3	55.4	36.3	39.6	5.2	24																
11	37.7	36.7	36.3	36.6	36.9	37.2	37.7	37.6	37.2	37.8	38.3	40.4	39.3	37.0	36.3	35.9	37.4	37.3	37.3	37.6	37.5	35.9	35.9	36.2	40.4	35.7	37.1	1.3	24																
12	36.2	36.5	36.6	37.1	37.2	37.5	37.6	38.1	38.0	38.1	38.1	37.8	38.4	40.5	38.9	37.5	37.4	37.3	37.3	37.6	37.5	37.5	37.9	38.2	40.5	36.2	37.7	0.9	24																
13	38.2	38.7	39.2	38.9	39.5	40.0	39.4	39.0	39.0	38.8	38.2	37.7	37.6	37.9	37.4	37.3	37.2	37.5	37.2	37.6	37.7	38.0	38.4	40.0	37.2	38.2	0.8	24																	
14	38.7	39.1	38.9	39.2	40.0	40.5	40.2	39.9	39.3	37.9	38.8	39.1	37.5	36.5	36.3	36.4	36.3	36.9	37.1	37.3	37.1	37.2	37.0	40.5	36.3	38.2	1.4	24																	
15	36.8	36.4	36.2	36.2	36.2	36.4	36.6	36.9	37.0	36.6	36.0	36.3	37.0	44.0	40.9	37.4	38.5	45.3	49.7	43.0	38.8	38.5	37.0	49.7	35.9	38.5	3.6	24																	
16	36.2	36.0	35.7	35.8	36.0	36.2	45.2	56.9	48.4	41.3	42.2	39.5	44.2	47.1	49.1	46.1	51.2	55.7	51.7	53.9	60.0	61.5	56.1	51.2	61.5	46.5	8.3	24																	
17	49.8	54.2	53.3	51.9	50.7	52.6	52.0	47.4	40.0	37.6	37.1	37.3	36.7	36.0	35.9	36.8	36.4	36.0	36.0	36.1	36.5	36.6	36.5	36.4	54.2	35.9	41.6	7.2	24																
18	36.8	37.1	37.6	37.6	37.9	38.0	37.7	37.2	36.0	35.6	35.8	35.7	35.8	35.6	35.6	35.5	35.4	35.4	35.4	35.3	36.5	36.2	36.2	35.7	35.8	38.0	35.3	36.3	0.9	24															
19	36.0	36.2	36.2	36.2	36.4	36.6	36.9	37.0	36.6	36.0	36.0	35.9	35.8	35.8	35.5	35.6	35.7	35.7	35.8	36.0	36.2	36.3	36.7	36.8	37.0	35.5	36.1	0.4	24																
20	36.8	36.8	36.9	37.0	36.9	36.9	37.0	36.5	36.1	36.1	36.1	35.8	35.6	35.8	35.7	35.8	35.8	35.9	36.1	36.6	36.6	36.8	36.8	37.3	37.3	36.3	35.6	36.4	0.5	24															
21	37.3	38.1	38.3	38.8	38.8	38.9	38.9	37.8	37.5	37.4	37.3	37.8	37.5	37.0	36.8	36.9	39.1	54.2	58.7	47.0	38.5	38.2	37.4	58.7	36.8	39.9	5.6	24																	
22	37.6	37.3	36.6	36.8	36.7	36.7	36.4	36.3	36.3	36.3	36.3	36.3	36.6	36.3	36.2	36.2	36.4	36.3	36.2	37.2	37.2	37.4	37.6	37.5	38.9	35.9	37.2	1.0	24																
23	37.4	36.8	36.8	37.1	37.5	37.8	37.6	37.1	36.9	36.6	36.6	36.5	35.9	36.1	36.3	36.2	36.4	36.5	37.1	37.5	38.6	43.6	41.0	43.6	36.2	37.4	1.8	24																	
24	37.2	37.3	37.2	37.4	37.5	37.8	37.8	37.8	37.1	37.0	37.0	36.9	43.8	51.4	49.0	43.4	40.1	39.6	38.6	38.2	38.4	40.2	38.8	37.6	51.4	36.9	39.5	3.8	24																
25	41.7	40.0	37.9	37.3	37.5	37.4	37.8	37.5	37.4	37.4	37.3	37.8	37.5	37.0	36.8	36.9	39.1	54.2	58.7	47.0	38.5	38.2	37.4	58.7	36.8	39.9	5.6	24																	
26	37.9	37.6	37.5	37.8	38.0	38.6	38.6	38.0	37.2	36.3	36.6	36.6	41.8	44.2	41.4	37.3	36.3	36.1	35.9	35.8	36.1	36.6	37.0	36.8	44.2	35.8	37.7	2.0	24																
27	37.1	36.8	36.7	36.2	36.1	36.1	37.0	37.0	36.2	35.8	35.7	36.1	36.6	36.4	38.0	36.6	36.7	35.5	35.6	35.6	35.8	36.0	35.8	38.0	35.5	36.3	0.6	24																	
28	35.9	36.4	36.2	36.5	37.1	36.9	36.6	37.0	36.7	35.8	35.3	35.3	35.2	35.4	35.3	35.4	35.4	35.3	35.3	35.8	36.2	36.2	36.5	36.8	37.1	35.2	36.0	0.6	24																
29	37.1	37.4	37.6	37.9	38.2	38.4	38.3	37.9	36.9	36.0	35.8	35.7	35.6	35.4	35.4	35.5	35.5	35.7	36.1	36.4	36.5	37.0	37.3	37.8	38.4	35.4	36.7	1.0	24																
30	38.0	38.1	38.3	38.3	38.5	38.6	38.2	38.1	37.2	36.8	36.5	35.8	35.6	35.4	35.4	35.4	35.4	35.3	35.3	35.7	35.9	36.0	36.5	36.4	38.6	35.3	36.7	1.2	24																
31	36.8	36.9	36.9	37.1	37.2	37.0	37.1	37.1	37.2	36.7	36.1	35.7	35.6	35.5	35.5	35.5	35.7	35.4	35.7	35.9	36.0	36.2	36.8	36.8	37.2	35.4	36.3	0.7	24																
最大値	49.8	54.2	53.3	51.9	50.7	52.6	52.0	56.9	48.4	42.1	42.7	47.4	51.8	55.4	49.1	46.1	51.2	55.7	58.7	53.9	60.0	61.5	56.1	51.2	61.5	46.5																			
最小値	35.9	36.0	35.7	35.8	36.0	36.1	35.9	36.1	36.0	35.6	35.3	35.2	35.4	35.3	35.4	35.3	35.4	35.3	35.3	35.3	35.7	35.7	35.7	35.8	38.0	35.2	36.0																		
平均値	38.0	38.1	38.0	38.0	38.1	38.3	38.5	38.6	37.8	37.3	37.3	37.4	38.2	38.8	38.1	37.3	37.4	38.1	38.3	37.9	37.9	38.1	38.1	38.1	37.8	36.9	38.0																		
標準偏差	2.5	3.2	3.0	2.8	2.5	2.9	3.0	4.0	2.3	1.5	1.9	2.4	3.5	5.0	3.7	2.6	3.2	5.0	5.3	3.8	4.3	4.5	3.6	2.7	3.8	3.4																			
測定時間	31	31	31	31	31	31	31	31	31	31	30	30	30	30	30	30	30	30	30	30	31	31	31	31	31	31	31																		
有効測定日数	30																																												
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL																							
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																	