

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名				地 点 名				
26-602-01	A	2006	2	舞鶴湾(2)				キンギョ鼻地先				
項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	5/9	5/9	5/9	7/4	7/4	7/4	9/5	9/5	9/5	11/7	11/7	11/7
採 取 時 刻	9:55	9:57	9:59	9:53	9:55	9:57	9:50	9:52	9:54	10:05	10:07	10:09
天候	02	02	02	02	02	02	10	10	10	02	02	02
気温 (°C)	21	21	21	25	25	25	23	23	23	12	12	12
水温 (°C)	18	17.5	16	25	23.2	22.1	25	25.5	24.2	18.2	18.7	18
流量 (m3/S)												
採取位置	11	12	13	11	12	13	11	12	13	11	12	13
採取水深 (m)	0.5	2	10	0.5	2	10	0.5	2	10	0.5	2	10
全水深 (m)	24	24	24	25.6	25.6	25.6	25.6	25.6	25.6	21.2	21.2	21.2
透明度 (m)	4.8	4.8	4.8	1.6	1.6	1.6	3.2	3.2	3.2	4.6	4.6	4.6
生 活 環 境 項 目												
pH	8.1	8.3	8.3	8.2	8.2	8.2	8	8.1	8.1	8.1	8.1	8.1
DO (mg/l)	8.5	8.8	8.4	7.2	7.7	7.4	7	6.9	6.6	6.6	6.7	6.9
BOD (mg/l)												
COD (mg/l)	2.1	1.8	1.9	2.7	2.5	1.4	2.6	2.8	2.2	1.2	1.2	1.3
SS (mg/l)												
大腸菌群数 (MPN/100ml)	<1.80E+00			1.70E+03			4.50E+00			<1.80E+0		
n-ヘキサン抽出物質 (mg/l)	ND									ND		
全窒素 (mg/l)	0.31		0.09	0.23		0.12	0.2		0.13	0.19		0.16
全磷 (mg/l)	0.016		0.014	0.004		<0.003	0.006		0.005	0.011		0.011
全亜鉛 (mg/l)	0.011			0.007			0.01	0.005	0.005	0.013		
健 康 項 目												
カドミウム (mg/l)										<0.001		
全シアン (mg/l)										<0.1		
鉛 (mg/l)										<0.005		
六価クロム (mg/l)										<0.02		
ヒ素 (mg/l)										<0.005		
総水銀 (mg/l)										<0.0005		
アルキル水銀 (mg/l)												
PCB (mg/l)										<0.0005		
ジクロロメタン (mg/l)										<0.002		
四塩化炭素 (mg/l)										<0.0002		
1,2-ジクロロエタン (mg/l)										<0.0004		
1,1-ジクロロエチレン (mg/l)										<0.002		
シス-1,2-ジクロロエチレン (mg/l)										<0.004		
1,1,1-トリクロロエタン (mg/l)										<0.1		
1,1,2-トリクロロエタン (mg/l)										<0.0006		







公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名				地 点 名				
26-602-02	A	2006	2	舞鶴湾(2)				恵比須埼地先				
項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	5/9	5/9	5/9	7/4	7/4	7/4	9/5	9/5	9/5	11/7	11/7	11/7
採 取 時 刻	10:20	10:22	10:24	10:17	10:19	10:21	10:10	10:12	10:14	10:47	10:49	10:51
天候	02	02	02	02	02	02	10	10	10	04	04	04
気温 (°C)	21	21	21	24.5	24.5	24.5	22.5	22.5	22.5	12.5	12.5	12.5
水温 (°C)	19.2	17	16	24	24	22	25.4	25.5	24	18	18.1	18.3
流量 (m3/S)												
採取位置	11	12	13	11	12	13	11	12	13	11	12	13
採取水深 (m)	0.5	2	10	0.5	2	10	0.5	2	10	0.5	2	10
全水深 (m)	17.2	17.2	17.2	17.5	17.5	17.5	18	18	18	17.3	17.3	17.3
透明度 (m)	3	3	3	2.4	2.4	2.4	2.9	2.9	2.9	4.4	4.4	4.4
生 活 環 境 項 目												
pH	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.3	8.1	8.1	8.2	8.2
DO (mg/l)	9	9.2	8.3	7.8	7.8	7.3	7.5	7.6	5.9	6.5	6.6	6.6
BOD (mg/l)												
COD (mg/l)	2.8	2.4	2.3	3	2.7	1.7	4.2	2.6	2.5	1.4	1.2	1.1
SS (mg/l)												
大腸菌群数 (MPN/100ml)	7.80E+00			3.30E+01			4.00E+00			2.00E+00		
n-ヘキサン抽出物質 (mg/l)	ND									ND		
全窒素 (mg/l)	0.1		0.05	0.2		0.14	0.22		0.13	0.29		0.15
全燐 (mg/l)	0.014		0.015	0.006		<0.003	0.011		0.006	0.013		0.015
全亜鉛 (mg/l)	0.007			0.012			0.007	0.006	0.005	0.009		
健 康 項 目												
カドミウム (mg/l)										<0.001		
全シアン (mg/l)										<0.1		
鉛 (mg/l)										<0.005		
六価クロム (mg/l)										<0.02		
ヒ素 (mg/l)										<0.005		
総水銀 (mg/l)										<0.0005		
アルキル水銀 (mg/l)												
PCB (mg/l)										<0.0005		
ジクロロメタン (mg/l)										<0.002		
四塩化炭素 (mg/l)										<0.0002		
1,2-ジクロロエタン (mg/l)										<0.0004		
1,1-ジクロロエチレン (mg/l)										<0.002		
シス-1,2-ジクロロエチレン (mg/l)										<0.004		
1,1,1-トリクロロエタン (mg/l)										<0.1		
1,1,2-トリクロロエタン (mg/l)										<0.0006		







公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名				地 点 名				
26-601-01	A	2006	2	舞鶴湾(1)				念仏鼻地先				
項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	5/9	5/9	5/9	7/4	7/4	7/4	9/5	9/5	9/5	11/7	11/7	11/7
採 取 時 刻	10:43	10:45	10:47	10:38	10:40	10:42	10:28	10:30	10:32	11:17	11:19	11:21
天候	02	02	02	02	02	02	10	10	10	02	02	02
気温 (°C)	21.5	21.5	21.5	25	25	25	22.2	22.2	22.2	14.8	14.8	14.8
水温 (°C)	21	17.8	16	24.2	24	22.5	24	25	23.2	18.5	18.2	19
流量 (m3/S)												
採取位置	11	12	13	11	12	13	11	12	13	11	12	13
採取水深 (m)	0.5	2	10	0.5	2	10	0.5	2	10	0.5	2	10
全水深 (m)	13.2	13.2	13.2	13.6	13.6	13.6	13.5	13.5	13.5	13.4	13.4	13.4
透明度 (m)	2.6	2.6	2.6	2.2	2.2	2.2	3.6	3.6	3.6	2.8	2.8	2.8
生 活 環 境 項 目												
pH	8.4	8.4	8.4	8.3	8.3	8.1	8	8.2	7.9	8.2	8.2	8.2
DO (mg/l)	9.3	9.8	8.3	7.8	8.1	6.4	7	7.9	5.2	6.7	6.7	6.5
BOD (mg/l)												
COD (mg/l)	2.8	3.1	2.1	2.7	2.5	1.5	2.7	3.2	1.8	1.4	1.4	1.3
SS (mg/l)												
大腸菌群数 (MPN/100ml)	4.50E+00			3.30E+01			4.60E+01			2.00E+00		
n-ヘキサン抽出物質 (mg/l)	ND									ND		
全窒素 (mg/l)	0.22		0.08	0.23		0.16	0.25		0.15	0.22		0.17
全磷 (mg/l)	0.017		0.019	0.005		0.004	0.02		0.014	0.019		0.013
全亜鉛 (mg/l)	0.013			0.005			0.011	0.009	0.006	0.012		
健 康 項 目												
カドミウム (mg/l)										<0.001		
全シアン (mg/l)										<0.1		
鉛 (mg/l)										<0.005		
六価クロム (mg/l)										<0.02		
ヒ素 (mg/l)										<0.005		
総水銀 (mg/l)										<0.0005		
アルキル水銀 (mg/l)												
PCB (mg/l)										<0.0005		
ジクロロメタン (mg/l)										<0.002		
四塩化炭素 (mg/l)										<0.0002		
1,2-ジクロロエタン (mg/l)										<0.0004		
1,1-ジクロロエチレン (mg/l)										<0.002		
シス-1,2-ジクロロエチレン (mg/l)										<0.004		
1,1,1-トリクロロエタン (mg/l)										<0.1		
1,1,2-トリクロロエタン (mg/l)										<0.0006		







公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名				地 点 名				
26-601-02	A	2006	2	舞鶴湾(1)				檜地先				
項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	5/9	5/9	5/9	7/4	7/4	7/4	9/5	9/5	9/5	11/7	11/7	11/7
採 取 時 刻	9:23	9:25	9:27	9:24	9:26	9:28	9:22	9:24	9:26	9:20	9:22	9:24
天候	02	02	02	02	02	02	10	10	10	04	04	04
気温 (°C)	21	21	21	25	25	25	23.3	23.3	23.3	13.2	13.2	13.2
水温 (°C)	16.5	15.2	17	26	25.5	23.2	25	25	24.5	19	18.8	19
流量 (m3/S)												
採取位置	11	12	13	11	12	13	11	12	13	11	12	13
採取水深 (m)	0.5	2	10	0.5	2	10	0.5	2	10	0.5	2	10
全水深 (m)	11	11	11	15	15	15	14.9	14.9	14.9	11.5	11.5	11.5
透明度 (m)	4	4	4	2.2	2.2	2.2	3.8	3.8	3.8	2.2	2.2	2.2
生 活 環 境 項 目												
pH	8.2	8.3	8.3	8.2	8.3	8.2	8	8	7.9	8	8.1	8.1
DO (mg/l)	9.3	9.4	8.5	8.3	8.3	7.5	6.9	7	6.2	6.7	6.3	6.2
BOD (mg/l)												
COD (mg/l)	2.1	2.3	2.5	3.1	2.8	1.5	2.7	2.6	2.8	1.3	1.6	1.1
SS (mg/l)												
大腸菌群数 (MPN/100ml)	7.00E+01			1.70E+02			2.20E+02			6.80E+00		
n-ヘキサン抽出物質 (mg/l)	ND									ND		
全窒素 (mg/l)	0.12		0.15	0.27		0.14	0.27		0.2	0.74		0.18
全燐 (mg/l)	0.016		0.02	0.009		0.005	0.016		0.019	0.014		0.017
全亜鉛 (mg/l)	0.012			0.017			0.01	0.006	0.009	0.015		
健 康 項 目												
カドミウム (mg/l)										<0.001		
全シアン (mg/l)										<0.1		
鉛 (mg/l)										<0.005		
六価クロム (mg/l)										<0.02		
ヒ素 (mg/l)										<0.005		
総水銀 (mg/l)										<0.0005		
アルキル水銀 (mg/l)												
PCB (mg/l)										<0.0005		
ジクロロメタン (mg/l)										<0.002		
四塩化炭素 (mg/l)										<0.0002		
1,2-ジクロロエタン (mg/l)										<0.0004		
1,1-ジクロロエチレン (mg/l)										<0.002		
シス-1,2-ジクロロエチレン (mg/l)										<0.004		
1,1,1-トリクロロエタン (mg/l)										<0.1		
1,1,2-トリクロロエタン (mg/l)										<0.0006		





